

積算数量調書 (電気設備工事)

幹線設備

名 称	摘 要	数量	単位	PB	PB	PB	PB	PB	PB	PB	PB	PB	PB	PB	PB	PB	PB	CET38	CE5.5-4C	E31	E63	GZ28	GZ54	E5.5	
				計装-1	S-2	PB	PB	PB	PB	S-1	PB	PB	CQ	PB	CQ	管内	管内	露出	露出	露出	露出	管内			
a	電線・配管	EM-CET38/E5.5 (E63)	4.4	m													3.00								
b	電線・配管	EM-CE5.5-4C(1EC) (E31)	3.5	m												3.00									
c	電線・配管	EM-CE5.5-4C(1EC) (E31)	1.0	m				0.40	0.60																
	電線・配管	EM-CET38/E5.5 (E63)	1.0	m				0.40	0.60								1.00	3.80			1.00				1.00
d	電線・配管	EM-CE5.5-4C(1EC) (E31)*2	1.9	m						1.50											3.80				
	電線・配管	EM-CET38/E5.5 (E63)*2	1.9	m						1.50							3.80				3.80				3.80
e	電線・配管	EM-CE5.5-4C(1EC) (GZ28)	14.7	m		0.50	2.50	1.00	6.60			1.80	2.30						14.70				14.70		
	電線・配管	EM-CET38/E5.5 (GZ54)	21.4	m		0.50	2.50	7.70	6.60			1.80	2.30				21.40						21.40		21.40
f	電線・配管	EM-CE5.5-4C(1EC) (GZ28)	4.5	m	4.50														4.50				4.50		
																	30.60	27.50		8.30	9.20	19.20	21.40		30.60
																	31.00	28.00		8.00	9.00	19.00	21.00		31.00
a	WPSUS7 プロボックス	600*600*600	3.0	個	1.00			1.00	1.00																
b	鋼板製 プロボックス	500*500*500	5.0	個					1.00			1.00	1.00	1.00	1.00										
f	鋼板製 プロボックス	700*700*700	1.0	個						1.00															
	分電盤	S-1	1.0	面						1.00															
	分電盤	S-2	1.0	面		1.00																			
	後打ち施工アッカー	M10-横打	40.0	本	4.00	6.00	4.00	4.00		6.00		4.00	4.00	4.00	4.00										
	ゲイメント貫通	100Φ-150W	1.0	ヶ所					1.00																

コンセント設備

名称	摘要	数量	単位	A	301						302	303	計装	2.0-2C		2.0-3C		PF16	PF22		
				平	平	平	平	平	平	平	平	平	平	平	立	立	立	立	立	立	立
				立	立	立	立	立	立	立	立	立	立	立	立	立	立	立	立	立	立
	EM-EEF2.0-2C(隠蔽)	6.2	m		2.60	3.60									6.20						
	EM-EEF2.0-2C(PF16)	5.0	m		2.50	2.50									5.00		5.00				
	EM-EEF2.0-3C(ICE)(隠蔽)	28.3	m	2.00			2.50	2.00	2.00	5.50	8.20	1.10					28.30				
	EM-EEF2.0-3C(ICE)(P22)	7.0	m	1.00			2.50			1.50	1.50	1.5						7.00	7.00		
															6.20	5.00	28.30	7.00	5.00		
															6.00	5.00	28.00	7.00	5.00		
ボックス	アクトレットボックス中浅C付	9.0	個	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
壁埋込コンセント	2P15A*2(樹脂製P共)	2.0	個		1.00	1.00															
壁埋込コンセント	2P15A*1ET(樹脂製P共)	4.0	個				1.00	1.00		1.00	1.00										

