

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)	
1	行政財産内(北側) 瑞穂町箱根ヶ崎	59.6 (71.8) 26	60.9 (75.2) 19	49.1 (64.4) 14	58.7 (75.3) 21	68.3 (86.1) 94	65.9 (77.9) 91	62.1 (76.3) 74	65.0 (82.8) 41	57.1 (72.3) 16	52.4 (67.7) 2	59.1 (73.1) 5	58.9 (74.4) 4	52.4 (66.9) 8	62.9 (79.6) 101	60.3 (75.4) 51	52.2 (69.0) 20	69.8 (88.9) 10	60.1 (74.1) 14	62.8 (77.0) 90	60.0 (75.2) 71	65.0 (78.2) 81	63.6 (78.0) 71	56.9 (72.6) 32	62.8 (80.9) 15	63.2 (77.7) 22	70.2 (87.6) 132	62.0 (79.5) 60	64.9 (81.6) 53	54.7 (71.5) 29	58.6 (72.8) 21	57.0 (75.5) 11	
2	行政財産内(南側) 昭島市美堀町	55.0 (72.4) 27	60.8 (74.5) 22	55.7 (76.0) 13	63.7 (79.8) 21	65.0 (79.5) 50	66.0 (82.7) 77	75.9 (93.1) 81	63.8 (82.5) 41	65.0 (79.1) 10	57.9 (75.9) 4	64.7 (81.7) 4	57.0 (74.9) 4	54.3 (73.0) 5	66.8 (84.8) 105	62.1 (79.8) 49	59.0 (80.4) 28	61.1 (80.4) 11	63.0 (83.0) 6	64.8 (81.7) 80	63.2 (83.3) 71	65.7 (82.6) 78	64.5 (82.6) 80	63.7 (80.2) 32	58.3 (74.6) 15	57.3 (73.5) 9	63.9 (79.5) 120	62.8 (80.2) 56	58.5 (72.7) 37	62.6 (79.7) 31	59.6 (77.9) 19	54.5 (72.1) 6	
3	飯能市保健センター 飯能市双柳	46.5 (56.9) 2	40.7 (51.6) 1	--- (---) 0	40.8 (51.7) 4	47.3 (58.9) 14	52.0 (62.2) 13	42.3 (54.6) 5	46.1 (57.7) 6	41.0 (52.2) 4	37.0 (49.9) 2	43.2 (53.5) 2	46.2 (56.4) 3	35.7 (47.4) 1	44.6 (56.8) 11	38.3 (51.4) 3	33.1 (44.9) 1	51.8 (63.5) 3	45.6 (56.5) 3	48.4 (59.8) 8	44.8 (57.9) 7	49.2 (58.1) 7	50.5 (61.0) 13	40.4 (51.2) 4	38.6 (50.8) 3	45.9 (56.7) 3	51.8 (63.3) 25	46.3 (58.6) 8	43.5 (56.3) 6	41.1 (54.2) 5	44.7 (57.1) 7	41.9 (54.0) 3	
4	A邸 飯能市岩沢	45.0 (55.2) 2	31.9 (44.0) 1	32.4 (44.7) 1	36.6 (49.0) 2	41.5 (60.5) 3	48.2 (60.5) 11	34.0 (47.8) 1	45.3 (60.2) 6	39.3 (50.2) 3	34.6 (47.9) 1	43.0 (53.2) 2	45.9 (56.8) 3	35.7 (45.1) 1	37.5 (48.6) 2	36.0 (45.3) 2	32.6 (63.6) 1	44.3 (54.0) 4	45.4 (54.8) 4	43.1 (56.1) 3	47.4 (57.5) 3	47.0 (57.5) 6	37.4 (48.8) 3	41.8 (55.0) 2	33.7 (45.9) 1	48.7 (57.4) 5	45.1 (55.0) 6	43.7 (55.0) 2	35.0 (46.0) 1	43.1 (54.3) 4	40.3 (52.0) 3		
5	入間市金子公民館 入間市寺竹	49.9 (61.4) 7	49.5 (61.3) 2	38.2 (50.7) 1	47.2 (60.3) 8	53.8 (67.3) 30	51.9 (65.1) 24	51.9 (64.9) 27	56.1 (68.9) 25	49.5 (62.0) 12	43.7 (57.8) 2	52.0 (62.7) 5	49.8 (61.8) 4	43.6 (54.6) 2	50.6 (64.7) 29	46.2 (60.2) 12	46.0 (62.0) 6	58.9 (72.8) 8	51.2 (62.4) 6	50.3 (62.7) 21	51.7 (64.9) 23	55.1 (65.5) 25	53.5 (65.8) 27	47.7 (60.2) 21	50.4 (64.0) 5	51.5 (63.9) 4	57.1 (69.7) 51	51.7 (65.6) 18	52.2 (64.3) 17	44.5 (58.1) 8	51.8 (63.8) 14	46.4 (59.3) 3	
6	特別養護老人ホームみずほ 園 瑞穂町箱根ヶ崎	51.4 (62.3) 9	47.7 (57.1) 3	39.3 (53.0) 1	50.9 (64.5) 18	57.0 (70.7) 50	57.6 (69.0) 37	52.6 (66.9) 47	58.7 (73.9) 33	51.3 (64.3) 14	46.9 (61.9) 2	52.7 (64.7) 5	51.9 (65.1) 4	45.5 (58.8) 2	52.9 (67.4) 36	48.5 (62.5) 19	45.2 (59.6) 6	60.6 (75.2) 9	52.9 (66.0) 8	54.0 (65.9) 34	52.8 (69.6) 29	57.5 (68.9) 41	56.8 (68.9) 44	50.2 (63.8) 27	49.6 (65.6) 9	52.2 (68.5) 8	59.8 (72.0) 98	53.7 (68.5) 25	45.9 (60.2) 34	52.8 (64.8) 11	48.6 (62.0) 16	48.6 (62.0) 5	
7	武蔵村山市立第十小学校 武蔵村山市残掘	--- (---) 0	--- (---) 0	33.8 (45.8) 1	32.9 (45.9) 1	52.1 (65.5) 23	47.9 (62.2) 17	43.3 (56.7) 2	37.2 (56.8) 1	37.3 (56.8) 1	33.2 (48.4) 2	--- (---) 0	36.9 (56.4) 1	--- (---) 0	37.3 (56.8) 1	43.8 (58.9) 6	46.5 (60.2) 6	50.5 (66.5) 2	35.7 (46.6) 2	46.5 (58.4) 13	--- (---) 0	44.3 (57.3) 6	40.3 (55.9) 2	--- (---) 0	32.6 (44.3) 1	--- (---) 0	48.3 (61.5) 5	44.4 (56.3) 7	44.6 (60.0) 6	51.5 (68.5) 8	--- (---) 0	--- (---) 0	
8	昭島市立田中小学校 昭島市田中町	42.0 (56.7) 7	46.8 (57.1) 3	48.6 (60.2) 6	50.1 (63.3) 18	53.4 (66.6) 26	53.6 (66.9) 45	59.1 (71.2) 51	50.0 (63.9) 24	51.1 (62.5) 8	43.8 (55.0) 4	49.4 (61.7) 4	42.5 (54.6) 4	40.9 (54.1) 4	55.2 (69.0) 54	53.1 (65.8) 28	46.6 (59.8) 13	48.8 (63.6) 9	50.0 (60.7) 3	52.9 (67.0) 51	51.9 (65.7) 51	53.8 (67.1) 42	53.6 (67.2) 56	49.2 (60.3) 22	47.6 (60.8) 8	49.9 (61.3) 6	53.6 (67.4) 44	49.3 (62.7) 11	45.1 (57.7) 19	51.8 (63.2) 11	46.6 (58.8) 11	43.3 (55.2) 5	
9	昭島市立清泉中学校 昭島市宮沢町	39.9 (50.0) 2	45.4 (59.4) 4	44.6 (56.6) 3	45.6 (56.8) 2	47.5 (60.5) 10	48.1 (62.2) 15	53.7 (64.7) 12	42.1 (54.6) 6	47.0 (56.4) 3	35.2 (47.1) 1	43.7 (49.4) 2	37.8 (49.4) 3	35.7 (45.2) 1	44.9 (58.2) 10	45.9 (57.4) 3	44.8 (57.3) 9	42.9 (58.4) 7	44.7 (55.4) 2	48.6 (64.6) 12	42.1 (53.3) 6	47.5 (61.1) 13	47.5 (60.1) 14	--- (---) 0	44.4 (56.6) 7	47.5 (58.3) 2	50.5 (63.4) 25	40.1 (51.9) 3	40.7 (53.1) 4	47.2 (56.5) 5	38.3 (53.8) 4	37.8 (49.2) 3	
10	八王子市石川市民センター 八王子市石川町	43.4 (58.7) 5	51.2 (63.0) 6	47.4 (59.8) 6	52.8 (65.9) 8	54.9 (66.4) 21	55.7 (68.9) 34	64.4 (77.3) 44	55.7 (69.5) 40	54.9 (64.8) 10	47.9 (60.8) 4	54.2 (67.0) 4	48.4 (62.3) 4	43.1 (57.5) 6	55.1 (69.5) 42	53.3 (64.6) 15	48.7 (62.1) 10	51.0 (65.1) 11	53.5 (64.4) 4	52.2 (65.3) 25	52.5 (66.8) 27	53.4 (66.3) 24	52.0 (65.4) 30	53.3 (65.3) 31	49.0 (61.7) 12	49.5 (62.4) 3	52.3 (64.3) 21	49.8 (63.4) 22	48.3 (61.7) 7	43.4 (55.5) 13	53.9 (64.2) 17	50.8 (60.6) 5	47.3 (60.6) 5
11	福生市保健センター 福生市福生	36.7 (51.4) 4	34.5 (46.7) 1	--- (---) 0	--- (---) 0	50.4 (64.5) 11	46.1 (60.4) 6	49.9 (62.5) 10	31.4 (43.6) 1	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	40.2 (53.9) 2	42.2 (53.2) 6	41.2 (54.9) 2	--- (---) 0	--- (---) 0	41.2 (56.1) 9	44.1 (58.1) 3	51.4 (67.0) 12	43.1 (59.2) 7	41.2 (54.9) 1	--- (---) 0	28.3 (45.6) 1	45.1 (63.0) 6	44.4 (60.9) 7	43.3 (54.1) 5	39.8 (51.4) 4	34.0 (50.7) 1	--- (---) 0	
12	瑞穂町立瑞穂第三小学校 瑞穂町二本木	45.8 (56.1) 2	--- (---) 0	31.9 (45.3) 1	40.3 (52.7) 5	42.4 (56.7) 4	40.1 (52.4) 4	38.9 (49.5) 2	44.5 (56.0) 4	42.2 (54.0) 6	37.2 (49.8) 2	41.7 (51.4) 3	38.9 (49.8) 2	39.9 (52.7) 3	40.5 (52.8) 3	34.1 (44.3) 1	36.8 (49.3) 2	52.9 (65.4) 5	41.7 (52.7) 3	40.7 (51.6) 3	37.4 (54.3) 2	44.9 (54.6) 1	42.2 (53.2) 3	39.3 (50.6) 3	33.8 (45.6) 1	35.5 (47.2) 1	48.7 (60.1) 2	43.1 (54.5) 5	46.9 (60.2) 4	33.2 (47.2) 1	43.8 (55.9) 5	39.3 (50.4) 4	
13	日野市立滝合小学校 日野市西平山	39.2 (49.6) 2	49.4 (58.7) 6	45.4 (56.6) 7	50.3 (60.5) 8	50.7 (62.1) 7	53.3 (65.3) 25	57.1 (69.5) 38	53.0 (65.0) 31	51.4 (61.4) 7	45.0 (55.6) 4	51.7 (62.6) 5	44.1 (55.7) 5	39.7 (51.4) 2	51.3 (63.9) 30	52.2 (63.2) 14	46.4 (58.6) 10	47.2 (60.6) 9	51.5 (60.1) 3	49.6 (61.2) 24	50.4 (63.2) 19	50.0 (62.5) 18	48.8 (61.1) 20	49.8 (60.8) 18	46.1 (57.2) 9	45.5 (56.7) 4	48.8 (60.1) 11	47.8 (60.3) 17	45.5 (57.9) 5	52.4 (61.8) 9	47.7 (59.9) 13	44.3 (56.9) 7	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822