

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和3年6月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	
1	行政財産内(北側) 瑞穂町箱根ヶ崎	60.7 (77.7) 9	67.3 (84.7) 78	68.5 (87.8) 53	66.3 (82.2) 6	58.5 (79.0) 10	69.3 (85.9) 9	63.6 (82.0) 34	61.3 (80.8) 32	64.3 (81.0) 64	66.7 (84.9) 75	64.6 (81.3) 13	58.3 (76.7) 5	58.3 (73.2) 4	68.7 (84.7) 35	63.3 (82.7) 41	61.9 (80.5) 27	61.4 (76.6) 59	67.9 (84.7) 49	63.7 (82.2) 6	63.3 (83.8) 9	62.1 (81.9) 9	67.7 (84.7) 37	57.8 (74.3) 35	68.6 (85.1) 64	67.0 (84.5) 34	50.2 (68.2) 1	50.6 (65.6) 9	63.6 (80.6) 37	66.2 (77.4) 48	65.9 (82.6) 71	
2	行政財産内(南側) 昭島市美堀町	55.2 (73.3) 10	60.0 (73.3) 61	59.9 (76.4) 41	57.3 (73.0) 8	56.2 (75.3) 8	52.8 (70.5) 6	56.3 (72.3) 26	58.8 (74.8) 30	59.5 (78.3) 61	57.2 (71.9) 46	55.8 (72.5) 10	58.1 (74.0) 13	29.0 (47.6) 2	59.4 (76.6) 36	59.8 (74.9) 37	54.1 (69.9) 30	63.4 (81.2) 57	58.4 (73.9) 39	55.5 (71.0) 4	64.7 (82.7) 1	65.7 (86.6) 16	57.6 (74.4) 31	63.1 (80.3) 38	66.5 (79.2) 46	60.5 (77.0) 43	54.9 (72.3) 2	58.1 (76.6) 7	58.3 (78.1) 31	61.1 (79.0) 44	63.2 (78.7) 71	
3	飯能市保健センター 飯能市双柳	46.2 (57.9) 9	45.0 (58.0) 10	50.5 (63.2) 15	49.8 (58.9) 4	38.9 (51.7) 2	53.5 (65.2) 5	43.4 (55.4) 6	44.3 (57.0) 8	48.4 (57.1) 6	44.8 (57.6) 12	46.4 (57.3) 5	39.5 (52.4) 3	40.1 (51.5) 2	50.5 (64.8) 7	45.8 (58.4) 13	43.1 (56.3) 7	43.0 (54.3) 4	48.6 (61.7) 12	46.9 (58.5) 3	45.3 (55.3) 5	42.9 (55.1) 4	51.5 (61.5) 10	40.4 (51.7) 3	50.4 (62.8) 15	45.2 (56.4) 5	33.0 (44.2) 1	36.9 (49.2) 2	44.0 (57.3) 6	51.4 (61.6) 4	47.3 (58.2) 6	
4	加治地区行政センター 飯能市大字笠縫	45.7 (58.1) 8	45.5 (57.9) 9	50.9 (62.9) 16	51.0 (63.5) 5	40.5 (53.9) 4	53.1 (64.4) 6	44.7 (57.2) 5	45.9 (58.4) 10	43.7 (56.8) 6	47.5 (60.8) 14	47.2 (58.6) 5	40.4 (53.3) 3	40.5 (53.0) 2	50.5 (61.4) 6	44.7 (57.6) 11	42.5 (56.7) 7	44.4 (56.0) 8	50.3 (62.9) 16	46.4 (58.2) 3	47.4 (60.2) 7	45.0 (57.1) 6	48.0 (59.6) 7	44.0 (56.6) 7	51.4 (63.3) 13	44.3 (56.0) 7	35.2 (47.4) 1	38.3 (50.1) 2	45.6 (58.9) 5	52.5 (62.2) 13	41.2 (53.6) 4	
5	入間市金子公民館 入間市寺竹	50.4 (63.0) 9	53.3 (67.3) 22	56.8 (69.9) 31	58.2 (69.3) 6	47.6 (61.8) 5	57.1 (69.1) 7	51.1 (65.4) 11	49.9 (63.4) 16	52.0 (64.6) 19	53.4 (67.3) 30	53.3 (64.8) 8	46.6 (60.9) 4	46.7 (60.1) 2	55.9 (66.9) 13	50.8 (65.6) 20	47.7 (62.2) 9	48.5 (61.3) 12	54.8 (68.8) 17	53.5 (67.7) 5	52.3 (65.5) 7	49.9 (64.6) 8	53.3 (66.8) 17	47.9 (61.3) 17	56.7 (69.4) 34	49.5 (64.3) 11	39.0 (51.4) 1	43.2 (56.5) 2	48.4 (62.2) 11	57.1 (66.5) 17	53.8 (65.7) 27	
6	特別養護老人ホームみずほ 園 瑞穂町箱根ヶ崎	52.0 (65.7) 8	57.7 (70.2) 55	59.4 (73.1) 48	54.9 (65.8) 6	46.4 (60.5) 6	60.0 (71.8) 7	53.0 (66.7) 25	51.0 (65.1) 26	55.0 (68.1) 30	55.2 (68.6) 44	52.8 (64.1) 10	45.6 (59.1) 4	47.6 (61.2) 3	56.3 (68.8) 17	52.2 (66.5) 32	49.9 (63.8) 18	50.5 (63.5) 20	54.9 (67.7) 29	52.1 (64.6) 5	53.2 (64.6) 7	49.7 (64.0) 8	56.1 (66.4) 26	51.4 (66.0) 23	57.3 (70.9) 44	52.8 (67.2) 26	39.5 (52.4) 1	42.9 (55.9) 2	49.4 (64.1) 13	59.1 (68.0) 30	54.7 (68.0) 50	
7	武蔵村山市立第十小学校 武蔵村山市残堀	---	48.3 (62.7) 0	28.2 (44.2) 1	42.9 (60.3) 4	---	---	41.6 (57.6) 4	32.9 (51.7) 1	44.6 (59.6) 7	46.2 (61.7) 9	42.9 (59.6) 2	---	---	45.5 (63.0) 4	43.5 (59.8) 4	44.0 (59.4) 2	35.2 (45.9) 1	47.3 (60.7) 12	35.3 (54.2) 1	30.2 (43.1) 1	31.0 (47.8) 1	43.3 (54.2) 5	31.5 (51.1) 11	45.1 (57.2) 11	36.6 (52.2) 1	---	---	38.1 (49.2) 1	46.1 (56.7) 3	52.2 (64.9) 13	
8	昭島市立田中小学校 昭島市田中町	45.5 (57.5) 4	47.3 (60.6) 16	49.9 (61.9) 12	47.3 (60.0) 8	41.6 (55.5) 3	44.1 (59.7) 5	50.9 (63.3) 9	49.1 (63.0) 12	47.1 (60.8) 21	51.0 (61.9) 13	51.5 (65.5) 6	51.4 (63.9) 6	---	51.7 (62.9) 12	51.8 (63.7) 20	44.1 (58.2) 9	52.5 (66.1) 30	51.3 (65.8) 17	48.3 (59.9) 4	50.3 (61.1) 1	56.4 (68.1) 9	51.0 (65.0) 12	52.9 (64.0) 18	48.4 (60.9) 18	51.6 (63.2) 14	46.1 (58.9) 1	42.9 (55.2) 5	48.5 (60.9) 12	49.2 (62.2) 20	50.8 (63.2) 24	
9	昭島市立清泉中学校 昭島市宮沢町	41.7 (53.6) 5	52.0 (61.9) 12	51.3 (62.5) 8	46.8 (60.4) 8	46.0 (58.2) 2	40.8 (52.2) 3	48.2 (59.5) 8	44.7 (57.6) 11	39.7 (53.4) 5	47.5 (59.1) 9	49.1 (62.9) 6	49.7 (62.6) 5	---	48.9 (60.9) 7	49.0 (60.2) 12	43.0 (56.6) 6	46.1 (56.2) 5	48.2 (60.9) 9	47.9 (60.7) 4	45.6 (58.0) 1	52.8 (64.1) 7	49.3 (62.0) 14	48.4 (58.7) 5	54.0 (63.4) 8	48.9 (60.6) 8	45.5 (57.8) 2	36.4 (48.5) 3	44.4 (55.7) 6	44.4 (58.2) 5	47.2 (58.9) 10	
10	八王子市石川市民センター 八王子市石川町	47.6 (63.3) 5	46.9 (60.5) 17	51.5 (65.4) 12	48.5 (60.4) 8	46.9 (59.9) 4	44.1 (57.7) 4	51.0 (62.4) 9	50.4 (62.8) 13	49.2 (62.9) 22	49.4 (61.1) 16	50.2 (64.9) 6	48.4 (61.4) 5	---	51.7 (64.3) 14	52.0 (63.7) 21	44.0 (57.2) 7	53.3 (65.7) 23	48.8 (62.5) 9	46.6 (60.0) 3	54.5 (67.6) 1	55.8 (68.4) 9	49.8 (63.4) 13	52.7 (65.6) 21	56.9 (65.0) 20	51.1 (64.1) 15	47.0 (61.2) 2	47.7 (61.5) 7	50.2 (62.5) 9	51.3 (63.8) 22	53.4 (65.6) 34	
11	福生市保健センター 福生市福生	30.8 (43.9) 1	47.4 (62.8) 13	37.8 (53.6) 3	51.8 (68.5) 5	40.8 (54.9) 4	41.3 (53.7) 2	43.3 (60.9) 3	37.9 (51.6) 2	45.9 (62.3) 6	45.9 (62.0) 7	---	31.8 (46.0) 1	---	45.8 (64.0) 5	43.7 (59.5) 6	41.3 (57.0) 2	37.3 (52.8) 3	45.2 (63.1) 2	41.1 (56.4) 2	---	39.9 (51.7) 1	46.4 (63.0) 4	33.2 (47.0) 1	40.6 (56.3) 4	48.1 (64.7) 6	---	35.8 (52.4) 2	49.9 (62.5) 4	30.5 (45.7) 1	---	
12	瑞穂町立瑞穂第三小学校 瑞穂町二本木	39.4 (51.4) 4	46.2 (60.3) 4	47.3 (61.7) 7	---	---	50.7 (61.4) 2	38.9 (54.9) 2	---	41.8 (57.4) 0	43.7 (56.6) 6	---	---	33.2 (45.0) 1	39.3 (53.7) 3	40.5 (61.2) 3	45.5 (61.2) 1	39.9 (50.4) 1	---	---	41.8 (51.6) 2	---	---	37.6 (50.2) 2	38.8 (52.0) 3	35.6 (53.0) 1	---	33.5 (44.0) 1	34.0 (45.4) 1	46.4 (58.8) 3	---	
13	日野市立滝合小学校 日野市西平山	43.6 (55.7) 6	41.6 (54.5) 7	45.7 (59.4) 7	44.2 (54.3) 4	43.1 (54.8) 3	41.8 (52.5) 4	46.4 (56.6) 5	47.1 (58.8) 11	44.2 (57.0) 11	45.1 (56.2) 6	44.5 (56.2) 5	45.2 (58.2) 6	34.2 (47.4) 1	47.5 (59.0) 7	46.4 (58.1) 10	40.3 (55.2) 3	51.1 (62.1) 16	42.8 (55.5) 5	43.9 (57.7) 3	49.9 (61.5) 1	51.1 (62.9) 10	45.7 (58.3) 8	49.9 (61.2) 15	53.9 (61.8) 10	49.2 (61.4) 11	44.6 (56.1) 5	45.0 (57.2) 8	46.7 (60.0) 7	49.1 (60.0) 15	48.5 (59.4) 15	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822