

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)	31日 (月)	
1	行政財産内(北側) 瑞穂町箱根ヶ崎	59.2 (76.6) 18	61.2 (76.1) 17	68.2 (86.0) 97	67.2 (85.8) 73	64.6 (80.3) 43	61.8 (76.6) 45	56.2 (73.1) 7	56.7 (75.8) 4	---	58.3 (75.9) 0	63.5 (80.4) 3	68.7 (79.6) 86	59.5 (75.8) 34	62.9 (79.5) 64	60.6 (76.9) 55	57.6 (76.9) 15	62.0 (76.3) 55	61.9 (75.9) 51	59.8 (83.6) 60	70.8 (78.5) 18	60.7 (80.1) 11	60.5 (80.1) 13	54.5 (70.2) 18	51.0 (65.4) 8	55.3 (70.5) 44	62.7 (75.9) 44	65.2 (82.9) 57	56.9 (73.3) 48	61.1 (75.2) 22	50.5 (65.3) 8	58.7 (73.5) 13	
2	行政財産内(南側) 昭島市美堀町	53.9 (71.7) 7	49.8 (66.3) 3	66.9 (88.3) 54	60.5 (74.8) 44	64.6 (82.8) 40	64.5 (80.8) 38	50.5 (70.6) 3	48.1 (65.3) 3	51.8 (69.7) 1	55.7 (73.9) 3	65.8 (81.9) 75	64.9 (82.1) 59	65.3 (82.2) 38	63.2 (80.6) 66	65.5 (83.5) 54	55.1 (75.5) 20	63.3 (80.1) 52	63.6 (80.6) 58	65.3 (82.3) 66	60.5 (78.0) 41	63.6 (78.7) 15	55.2 (73.2) 7	64.8 (79.5) 16	61.5 (78.3) 15	61.3 (79.0) 44	64.0 (82.5) 48	61.6 (75.0) 35	59.4 (78.1) 31	61.8 (78.4) 12	54.7 (72.1) 7	61.1 (76.0) 16	
3	飯能市保健センター 飯能市双柳	36.4 (47.7) 2	44.2 (57.2) 2	43.1 (55.8) 7	47.7 (61.5) 12	45.8 (56.2) 6	45.7 (56.6) 9	41.4 (52.9) 5	34.9 (46.5) 1	---	39.8 (50.6) 2	46.3 (59.1) 8	52.4 (61.4) 3	39.2 (50.5) 4	44.8 (58.3) 5	45.0 (57.7) 8	41.3 (54.4) 4	45.8 (58.0) 10	45.6 (56.8) 7	41.3 (55.1) 3	51.2 (63.1) 13	42.7 (53.6) 4	45.9 (58.6) 3	40.7 (53.7) 4	35.6 (47.4) 2	31.8 (44.1) 1	45.6 (55.7) 3	45.5 (58.9) 8	40.1 (54.6) 3	46.3 (57.1) 8	35.8 (47.8) 2	38.8 (50.4) 2	
4	加治地区行政センター 飯能市大字笠縫	37.0 (49.2) 2	46.6 (62.1) 2	41.8 (54.6) 6	46.7 (59.1) 9	48.2 (60.6) 10	47.2 (60.6) 9	42.2 (54.5) 5	40.7 (54.5) 3	---	41.3 (53.0) 3	46.9 (59.1) 13	53.2 (60.4) 9	45.4 (59.1) 8	47.0 (58.6) 11	45.1 (58.3) 9	44.5 (56.6) 6	46.6 (60.0) 20	46.7 (58.9) 8	42.0 (55.0) 5	52.2 (62.5) 17	43.8 (54.2) 4	45.7 (57.2) 3	43.0 (45.5) 7	39.7 (52.0) 1	48.3 (60.1) 5	48.3 (60.1) 4	41.1 (54.0) 11	46.4 (57.3) 5	37.0 (49.2) 3	42.1 (52.3) 3		
5	入間市金子公民館 入間市寺竹	42.6 (55.4) 5	52.0 (67.2) 4	54.0 (67.6) 33	53.9 (68.5) 33	55.2 (65.9) 17	51.8 (63.6) 22	45.8 (58.6) 5	43.7 (58.0) 3	---	46.3 (60.3) 3	52.4 (66.5) 21	56.5 (63.9) 14	50.1 (63.9) 19	50.5 (62.8) 21	48.6 (61.3) 16	47.8 (62.7) 9	53.0 (65.7) 29	52.1 (63.9) 21	47.3 (61.7) 9	60.7 (70.3) 27	48.3 (61.2) 5	51.3 (65.6) 4	46.0 (59.7) 11	41.0 (52.4) 3	43.0 (55.8) 7	53.2 (66.2) 12	51.9 (66.4) 14	45.7 (58.8) 8	51.9 (63.6) 10	40.2 (51.2) 2	45.7 (57.5) 4	
6	特別養護老人ホームみずほ 園 瑞穂町箱根ヶ崎	44.3 (57.5) 4	52.7 (66.6) 5	58.2 (71.8) 69	55.9 (69.7) 48	56.7 (70.0) 31	55.4 (68.2) 38	48.2 (61.1) 6	44.2 (60.2) 5	---	46.2 (58.9) 0	54.8 (69.1) 3	59.0 (67.7) 35	53.6 (68.0) 27	52.5 (65.7) 32	52.6 (67.5) 25	47.2 (61.7) 13	54.9 (69.0) 29	53.7 (65.7) 29	50.4 (64.8) 17	48.3 (70.4) 21	51.3 (65.8) 7	46.0 (59.7) 5	41.0 (52.4) 12	43.0 (55.8) 5	53.2 (66.2) 14	51.9 (66.4) 12	45.7 (58.8) 7	51.9 (63.6) 14	40.2 (51.2) 2	45.7 (57.5) 4		
7	武蔵村山市立第十小学校 武蔵村山市残堀	---	---	36.7 (50.3) 2	---	---	---	---	---	---	---	44.5 (59.1) 10	45.6 (58.0) 9	---	38.1 (50.8) 2	---	42.5 (59.4) 2	40.3 (50.7) 4	---	48.5 (61.8) 4	---	---	---	---	30.1 (43.3) 1	48.5 (62.1) 9	40.3 (54.7) 2	48.9 (61.4) 11	---	29.7 (44.8) 1	---	---	---
8	昭島市立田中小学校 昭島市田中町	41.8 (54.7) 5	39.0 (53.1) 2	55.5 (71.3) 22	53.7 (64.5) 19	51.7 (65.0) 30	50.0 (61.3) 13	36.3 (46.4) 1	41.8 (54.6) 2	38.6 (49.7) 1	41.2 (52.6) 2	54.8 (67.8) 51	51.0 (63.5) 30	49.7 (62.2) 27	53.4 (65.8) 40	53.6 (66.5) 33	48.8 (61.8) 11	53.1 (65.6) 38	51.8 (65.6) 38	56.4 (68.0) 32	52.1 (65.8) 22	55.9 (69.8) 9	44.7 (55.9) 3	50.6 (61.4) 14	48.3 (60.0) 10	51.5 (64.0) 27	52.7 (66.2) 28	51.2 (64.8) 10	49.7 (60.2) 9	49.5 (60.5) 9	47.3 (58.7) 4	48.2 (59.2) 9	
9	昭島市立清泉中学校 昭島市宮沢町	33.0 (46.4) 1	39.5 (50.5) 3	55.2 (70.6) 11	49.4 (61.0) 11	45.1 (55.5) 5	46.1 (57.1) 8	31.9 (44.9) 1	40.0 (52.3) 2	37.2 (45.5) 1	47.4 (58.5) 2	50.0 (62.5) 6	42.7 (54.5) 6	50.0 (61.1) 11	46.3 (57.4) 11	48.1 (60.9) 13	45.8 (58.1) 9	40.9 (54.7) 3	50.7 (62.6) 24	51.1 (61.9) 9	47.7 (59.5) 10	53.3 (66.3) 10	43.2 (55.0) 2	47.0 (64.3) 3	43.2 (54.3) 7	42.1 (53.4) 6	47.2 (59.6) 10	48.0 (62.4) 7	39.2 (52.1) 4	38.4 (49.5) 3	44.8 (54.6) 3	41.1 (52.0) 4	
10	八王子市石川市民センター 八王子市石川町	45.3 (59.0) 5	34.9 (48.0) 1	58.0 (76.5) 17	50.0 (60.2) 10	56.5 (69.9) 37	55.1 (67.9) 37	42.1 (56.1) 3	39.9 (53.1) 2	42.1 (54.6) 1	45.2 (59.0) 2	56.9 (69.2) 29	53.4 (67.3) 25	59.7 (70.1) 34	53.2 (66.3) 28	54.0 (66.1) 19	45.1 (57.2) 7	54.2 (67.8) 36	55.2 (68.3) 35	55.5 (69.1) 18	51.6 (65.3) 28	55.2 (69.7) 10	46.2 (59.3) 5	53.7 (66.1) 14	52.1 (63.6) 14	50.1 (61.7) 15	53.1 (63.7) 23	52.5 (63.9) 8	49.6 (60.6) 10	52.7 (66.0) 7	43.8 (56.0) 4	51.8 (63.0) 9	
11	福生市保健センター 福生市福生	40.2 (58.0) 1	---	40.3 (53.0) 4	36.3 (48.9) 3	33.9 (47.9) 2	---	---	29.4 (43.9) 0	---	---	42.2 (55.8) 7	36.1 (52.1) 2	---	49.8 (66.6) 10	50.6 (67.5) 7	41.5 (59.1) 4	47.1 (60.2) 6	38.3 (53.9) 4	47.9 (62.0) 10	34.1 (49.0) 1	30.3 (44.3) 1	---	---	---	28.1 (43.8) 0	47.2 (62.4) 6	44.2 (59.4) 1	40.1 (55.5) 3	29.7 (43.2) 1	---	33.2 (48.1) 2	
12	瑞穂町立瑞穂第三小学校 瑞穂町二本木	33.4 (45.9) 1	41.0 (51.0) 2	38.7 (50.4) 3	44.4 (57.5) 5	40.0 (52.0) 5	44.9 (56.1) 7	40.8 (51.5) 4	---	---	---	42.4 (53.9) 6	45.7 (58.1) 6	38.2 (48.3) 2	42.1 (53.5) 4	40.6 (52.3) 4	41.4 (58.4) 1	---	46.5 (56.4) 0	37.5 (49.4) 3	45.1 (56.1) 4	---	42.6 (54.0) 3	35.6 (48.8) 2	38.3 (49.3) 2	36.9 (49.9) 4	45.0 (56.1) 4	43.7 (50.3) 4	39.3 (54.5) 3	43.5 (45.1) 5	35.9 (45.1) 1	36.6 (50.5) 1	
13	日野市立滝合小学校 日野市西平山	41.4 (53.9) 4	36.7 (48.9) 3	53.7 (70.0) 11	47.3 (57.0) 4	53.2 (65.0) 32	52.2 (63.1) 31	36.9 (47.4) 1	39.2 (50.5) 3	39.7 (51.8) 1	35.6 (48.4) 1	53.3 (64.1) 21	49.1 (59.9) 21	58.1 (67.1) 30	50.9 (62.5) 19	50.6 (60.9) 15	41.5 (53.4) 5	51.1 (63.6) 30	52.8 (64.0) 29	52.9 (64.9) 16	47.5 (59.0) 20	51.8 (64.9) 12	42.3 (53.7) 4	53.9 (63.1) 12	49.2 (60.3) 11	46.7 (57.7) 11	50.7 (62.4) 20	49.8 (60.3) 6	45.2 (57.3) 10	49.2 (60.4) 8	39.5 (50.9) 2	49.0 (59.7) 10	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822