

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年4月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)	
1	行政財産内 (瑞穂町箱根ヶ崎)	68.7 (85.7) 25	55.2 (70.1) 10	60.8 (75.5) 23	57.0 (75.9) 27	65.6 (83.8) 66	67.2 (83.9) 46	65.1 (81.1) 42	49.2 (64.6) 20	51.9 (70.2) 11	63.1 (82.4) 43	65.4 (83.4) 68	61.4 (78.6) 32	59.4 (77.1) 50	62.9 (81.8) 42	53.9 (72.6) 4	49.4 (63.8) 5	66.0 (81.4) 22	64.7 (83.3) 46	58.7 (76.5) 60	65.1 (83.6) 58	59.8 (78.1) 21	61.4 (80.1) 10	53.4 (74.9) 16	67.2 (85.4) 58	66.3 (82.3) 74	64.9 (85.0) 44	64.4 (82.1) 84	74.5 (95.0) 49	68.6 (89.3) 17	70.1 (87.0) 14	
2	行政財産内 (昭島市美堀町)	63.3 (79.7) 14	43.4 (61.4) 1	58.2 (76.1) 22	51.6 (67.8) 8	56.5 (71.9) 58	57.4 (73.3) 52	58.3 (70.9) 37	56.4 (72.2) 6	33.2 (45.9) 1	53.5 (69.4) 33	58.3 (75.3) 61	52.8 (69.4) 26	61.2 (74.2) 24	57.9 (71.3) 38	61.9 (75.8) 8	54.9 (72.8) 5	55.9 (73.5) 7	61.5 (78.6) 48	61.4 (76.8) 33	58.5 (76.2) 58	51.5 (67.9) 21	53.1 (71.1) 6	55.5 (74.5) 10	59.1 (77.0) 40	55.4 (73.8) 51	63.2 (80.6) 41	67.9 (86.8) 60	68.7 (85.0) 42	72.0 (90.8) 8	62.1 (78.5) 9	
3	飯能市保健センター (飯能市双柳)	53.1 (65.8) 16	43.3 (54.6) 5	46.2 (59.1) 7	39.4 (51.0) 4	47.1 (59.3) 16	47.6 (59.3) 7	45.5 (55.5) 8	38.9 (51.6) 2	34.9 (49.7) 1	45.2 (58.0) 9	43.2 (56.8) 8	45.9 (57.0) 5	41.0 (55.0) 6	45.0 (56.5) 11	34.0 (45.8) 1	33.7 (46.4) 1	48.3 (61.2) 5	45.3 (57.5) 8	44.7 (56.7) 8	45.4 (57.3) 10	42.7 (55.1) 6	45.0 (58.0) 5	40.3 (52.9) 2	45.8 (58.1) 8	47.5 (59.3) 10	46.7 (58.7) 12	40.8 (54.0) 6	53.4 (68.5) 17	42.7 (55.5) 5	45.9 (57.0) 2	
4	加治地区行政センター (飯能市笠縫)	53.4 (66.2) 15	43.9 (55.8) 8	45.6 (57.8) 5	35.6 (47.1) 2	47.0 (58.7) 16	46.8 (58.5) 5	45.8 (56.4) 8	33.2 (49.4) 1	33.3 (46.2) 1	44.3 (57.3) 7	43.1 (55.6) 10	43.9 (55.2) 7	42.5 (55.0) 7	44.5 (56.0) 9	34.5 (44.6) 1	34.6 (45.8) 1	48.8 (62.6) 3	48.1 (62.0) 9	44.6 (56.7) 9	42.3 (54.6) 4	42.9 (55.6) 4	45.4 (57.4) 5	41.0 (53.6) 3	47.0 (59.2) 13	48.0 (58.2) 11	47.6 (59.3) 13	42.4 (55.6) 10	52.2 (66.2) 15	45.1 (57.9) 5	51.0 (62.1) 4	
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	57.8 (73.1) 18	47.3 (60.2) 8	51.6 (65.7) 8	44.9 (57.8) 8	51.9 (64.8) 28	54.6 (67.0) 20	53.9 (66.1) 21	41.8 (56.8) 2	38.6 (52.3) 1	51.6 (65.3) 13	51.7 (65.7) 24	51.6 (64.4) 18	49.0 (62.6) 14	51.3 (65.2) 24	41.9 (54.7) 3	39.8 (51.8) 2	55.7 (69.7) 5	53.0 (66.6) 18	50.0 (63.1) 22	52.0 (66.2) 24	47.1 (60.9) 9	50.0 (62.9) 5	43.2 (56.0) 3	53.6 (67.8) 23	53.4 (64.5) 25	53.7 (67.6) 29	49.9 (64.0) 26	59.5 (74.8) 27	52.2 (66.8) 7	57.2 (68.2) 6	
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	60.1 (74.1) 19	49.2 (62.3) 8	53.6 (67.5) 13	46.9 (61.8) 10	55.7 (69.4) 44	56.3 (68.0) 35	55.0 (68.2) 38	42.6 (57.7) 2	39.2 (52.6) 1	54.1 (68.0) 25	56.0 (69.8) 55	51.9 (65.9) 28	48.7 (62.1) 23	51.4 (64.6) 31	40.9 (55.8) 3	41.8 (55.8) 2	61.1 (77.3) 5	54.5 (68.9) 31	51.8 (65.7) 28	55.7 (69.1) 44	48.7 (62.5) 14	49.6 (62.2) 5	45.7 (59.2) 3	58.0 (72.5) 47	57.4 (69.8) 53	54.5 (68.6) 32	55.7 (69.0) 49	57.8 (74.5) 37	54.8 (70.1) 12	63.6 (75.8) 6	
7	第十小学校 (武蔵村山市残堀)	53.7 (69.3) 2	---	38.2 (50.4) 2	43.4 (59.3) 4	48.8 (65.0) 7	44.3 (60.4) 6	31.3 (46.7) 2	---	32.0 (44.7) 0	41.4 (54.9) 5	43.8 (56.5) 8	41.7 (62.2) 4	40.8 (54.0) 6	41.3 (57.8) 3	35.6 (53.0) 1	33.8 (45.9) 1	44.2 (60.6) 11	42.7 (58.9) 5	45.4 (58.3) 13	38.4 (51.7) 3	43.1 (59.2) 8	---	---	46.0 (59.4) 0	46.3 (62.0) 5	---	46.0 (59.7) 10	36.7 (51.9) 3	41.4 (65.9) 2	---	
8	田中小学校 (昭島市田中町)	46.4 (59.7) 10	31.9 (46.1) 1	47.7 (61.3) 15	40.9 (52.6) 4	49.2 (62.9) 21	47.5 (61.3) 16	52.9 (63.8) 11	44.0 (53.5) 3	---	45.0 (57.8) 6	49.9 (64.1) 17	44.7 (58.3) 8	49.4 (62.2) 15	51.9 (63.5) 18	53.3 (62.7) 6	42.3 (53.5) 3	40.2 (52.0) 2	52.0 (65.9) 16	50.1 (63.5) 20	49.9 (63.4) 14	41.3 (53.9) 4	43.3 (58.8) 3	48.2 (58.0) 3	45.0 (61.9) 13	52.1 (58.7) 14	54.7 (66.8) 28	63.1 (78.5) 23	59.9 (74.3) 25	50.1 (60.6) 7		
9	清泉中学校 (昭島市宮沢町)	42.2 (55.9) 7	---	39.8 (52.9) 0	38.8 (51.0) 5	48.2 (61.9) 19	47.1 (60.2) 13	51.5 (64.9) 12	40.5 (51.4) 2	---	45.5 (58.3) 8	47.9 (61.2) 21	43.7 (56.6) 7	45.8 (58.1) 11	49.5 (61.4) 14	52.8 (62.6) 5	33.1 (44.5) 1	37.5 (47.3) 1	46.5 (59.6) 9	42.8 (55.4) 6	47.2 (60.3) 13	40.6 (54.0) 5	39.3 (51.6) 1	43.4 (55.9) 2	50.1 (63.4) 13	37.4 (51.8) 5	48.5 (61.5) 12	52.7 (66.9) 22	61.5 (76.5) 18	50.5 (60.7) 6		
10	八王子市石川市民センター (八王子市石川町)	48.6 (62.6) 10	35.6 (49.0) 1	52.6 (65.2) 12	45.4 (58.5) 8	46.7 (61.0) 18	45.6 (59.1) 11	50.4 (62.9) 10	50.2 (61.0) 4	---	45.2 (57.3) 8	48.4 (62.7) 13	43.1 (56.7) 6	52.2 (64.9) 14	50.2 (61.3) 15	54.0 (64.1) 5	45.5 (58.5) 3	44.7 (57.3) 4	50.8 (64.0) 17	52.9 (64.6) 20	49.5 (63.1) 16	40.1 (53.3) 3	43.8 (57.5) 4	46.1 (61.2) 5	50.7 (67.1) 12	43.8 (57.3) 10	52.4 (65.9) 21	59.0 (70.3) 26	57.9 (73.2) 20	55.8 (69.2) 3	53.8 (65.7) 8	
11	福生市保健センター (福生市福生)	33.1 (49.3) 1	---	37.3 (49.2) 0	43.9 (58.4) 3	48.6 (64.8) 8	42.8 (57.1) 6	31.4 (44.2) 1	---	---	41.7 (54.9) 3	39.3 (53.8) 4	38.3 (55.7) 2	34.0 (47.8) 2	37.0 (51.2) 2	---	---	36.8 (52.2) 0	41.4 (55.7) 5	40.8 (55.6) 6	47.2 (60.1) 2	38.9 (55.2) 4	38.6 (52.7) 3	---	44.8 (65.8) 4	41.5 (59.2) 2	33.4 (48.1) 1	42.5 (55.9) 6	40.9 (56.6) 4	52.6 (68.8) 4	---	
12	瑞穂第三小学校 (瑞穂町二本木)	51.5 (63.7) 11	42.0 (53.8) 8	45.9 (59.4) 7	36.6 (50.3) 2	48.2 (64.4) 6	46.0 (60.2) 5	---	---	---	36.2 (47.5) 2	45.0 (59.8) 6	30.7 (45.5) 1	47.0 (61.3) 8	39.0 (54.6) 1	---	34.8 (47.1) 1	53.8 (68.8) 3	42.6 (57.6) 5	43.9 (56.2) 5	33.1 (47.1) 2	38.3 (54.3) 1	34.4 (45.3) 1	37.4 (48.7) 2	37.9 (48.8) 3	51.2 (65.1) 14	43.6 (56.4) 4	47.8 (61.2) 13	40.5 (56.0) 7	45.9 (59.9) 5	56.0 (68.2) 3	
13	滝合小学校 (日野市西平山)	46.8 (59.4) 13	36.0 (47.8) 2	47.6 (60.3) 9	42.5 (52.9) 6	40.0 (55.4) 7	43.5 (55.4) 9	45.7 (59.3) 3	45.1 (55.8) 5	34.4 (49.3) 1	44.0 (55.0) 7	42.8 (56.3) 5	40.8 (53.6) 7	49.6 (61.1) 9	46.6 (58.5) 8	49.8 (59.2) 5	43.7 (55.1) 5	41.8 (53.5) 3	49.2 (60.7) 13	49.5 (60.8) 17	44.8 (56.9) 8	37.5 (50.7) 2	40.5 (52.8) 4	43.4 (54.4) 5	43.2 (56.4) 6	41.2 (53.3) 7	47.5 (60.8) 12	54.6 (65.9) 22	52.0 (68.0) 18	45.3 (61.3) 4	48.9 (59.2) 7	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822