

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年5月 上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)	31日 (水)	
1	行政財産内 (瑞穂町箱根ヶ崎)	64.8 (81.6) 53	66.0 (81.4) 75	69.1 (87.8) 81	63.9 (82.1) 60	63.4 (79.5) 18	63.7 (81.1) 15	69.0 (85.4) 9	65.0 (76.2) 42	67.8 (82.7) 108	69.2 (85.6) 106	67.6 (86.0) 61	69.1 (85.7) 31	61.0 (82.3) 10	61.7 (82.0) 7	64.4 (78.7) 64	68.1 (85.6) 57	61.1 (78.6) 27	60.6 (78.0) 38	70.2 (89.6) 45	53.5 (71.8) 4	69.0 (88.8) 11	76.4 (95.1) 42	64.1 (78.2) 23	56.1 (71.8) 54	67.9 (84.6) 88	60.9 (78.8) 35	58.4 (80.4) 6	60.4 (78.9) 3	---	---	61.0 (80.9) 7	61.5 (76.6) 67
2	行政財産内 (昭島市美堀町)	62.8 (75.3) 39	63.9 (80.8) 72	59.0 (74.0) 52	62.9 (76.5) 13	58.7 (71.3) 4	51.4 (68.6) 9	59.5 (77.9) 50	67.1 (82.6) 86	68.1 (79.9) 94	64.3 (79.5) 57	67.8 (78.6) 27	66.7 (83.6) 5	54.2 (69.3) 5	61.4 (65.3) 5	65.7 (82.0) 66	62.0 (77.9) 45	52.9 (69.9) 17	62.5 (75.9) 30	57.5 (76.0) 12	58.8 (77.7) 6	65.7 (83.9) 10	68.6 (89.0) 15	60.9 (80.3) 20	59.3 (77.6) 40	61.2 (76.0) 79	51.3 (68.3) 32	57.2 (76.3) 6	53.9 (73.0) 1	---	---	59.6 (73.4) 0	64.4 (84.1) 59
3	飯能市保健センター (飯能市双柳)	43.5 (54.2) 4	42.8 (55.2) 7	47.1 (58.5) 16	43.1 (55.9) 4	43.1 (53.8) 3	46.1 (59.5) 6	54.6 (67.1) 7	50.4 (61.6) 7	53.0 (65.9) 17	49.5 (62.3) 17	51.5 (63.0) 13	50.0 (64.4) 10	44.3 (56.3) 5	46.0 (58.6) 6	46.0 (57.2) 4	43.6 (56.3) 7	41.9 (55.6) 3	43.9 (56.0) 9	56.0 (69.2) 21	36.2 (46.9) 1	39.9 (51.7) 3	54.0 (68.8) 15	48.4 (59.0) 6	37.2 (50.6) 3	51.1 (62.8) 13	44.4 (56.7) 6	38.1 (50.5) 2	---	---	---	36.6 (49.3) 2	44.2 (56.5) 2
4	加治地区行政センター (飯能市笠縫)	43.1 (55.5) 5	44.3 (59.1) 7	49.8 (62.9) 23	42.5 (53.9) 6	43.0 (54.1) 3	46.1 (58.7) 6	53.8 (66.8) 6	51.2 (62.8) 7	53.3 (66.4) 24	49.8 (62.6) 14	51.3 (63.0) 14	50.7 (62.8) 12	44.5 (56.9) 5	47.0 (61.0) 6	47.2 (58.3) 7	45.7 (60.6) 10	44.2 (57.2) 5	45.9 (57.8) 11	53.9 (66.7) 22	35.6 (47.7) 1	41.4 (54.8) 2	53.8 (67.7) 15	51.7 (62.5) 12	34.7 (47.4) 2	51.5 (63.8) 16	44.6 (55.3) 9	51.6 (64.3) 2	---	---	---	43.4 (56.5) 0	44.2 (55.4) 3
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	50.0 (62.0) 8	52.8 (65.7) 21	55.6 (69.6) 37	49.8 (63.7) 16	51.0 (62.8) 4	51.7 (64.7) 8	57.9 (70.6) 8	56.6 (66.7) 13	57.1 (69.7) 34	55.3 (68.2) 31	55.6 (69.0) 25	55.1 (67.9) 14	51.9 (66.6) 5	50.6 (64.8) 7	52.6 (64.5) 15	51.2 (65.9) 19	48.4 (62.6) 6	51.1 (63.8) 12	60.7 (75.6) 24	39.7 (51.8) 1	49.3 (65.8) 4	60.2 (75.3) 17	56.0 (67.0) 18	41.7 (54.5) 7	56.6 (69.6) 31	48.5 (62.3) 16	46.1 (61.5) 3	---	---	---	49.5 (62.4) 0	49.0 (61.5) 11
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	52.3 (65.3) 28	56.1 (70.7) 28	58.0 (71.7) 58	54.0 (67.8) 48	50.1 (60.7) 6	52.2 (65.4) 10	59.1 (71.7) 9	58.4 (67.8) 18	60.0 (72.9) 54	57.9 (71.8) 72	55.8 (68.9) 33	56.7 (70.1) 22	50.0 (63.5) 5	64.1 (68.1) 7	54.8 (69.1) 27	55.5 (69.1) 42	50.4 (63.5) 8	50.9 (63.9) 16	59.7 (75.6) 26	43.7 (57.5) 2	52.0 (68.3) 6	66.6 (80.1) 22	55.4 (69.8) 20	47.1 (62.1) 17	49.7 (62.9) 55	48.4 (64.3) 22	50.3 (64.6) 6	---	---	---	49.8 (63.8) 1	51.5 (63.9) 18
7	第十小学校 (武蔵村山市残堀)	41.1 (54.4) 6	46.5 (62.7) 9	48.7 (62.9) 16	45.0 (58.1) 1	---	40.2 (55.6) 0	---	33.8 (47.4) 2	33.4 (46.8) 2	---	53.5 (71.3) 19	39.5 (52.4) 3	27.0 (45.9) 1	29.0 (47.8) 2	---	45.4 (58.9) 11	44.7 (56.9) 5	40.2 (57.6) 2	47.1 (60.8) 2	37.8 (51.5) 2	44.3 (60.9) 3	47.1 (63.5) 6	---	43.9 (56.8) 0	43.9 (59.1) 11	34.7 (49.2) 7	---	---	25.8 (47.4) 0	---	41.9 (54.0) 0	
8	田中小学校 (昭島市田中町)	50.2 (63.6) 10	51.2 (64.7) 42	52.3 (65.7) 23	51.9 (65.6) 16	51.8 (62.4) 6	43.2 (55.9) 4	46.9 (59.4) 6	53.6 (66.0) 36	53.9 (66.7) 32	57.8 (68.9) 40	60.9 (71.2) 21	57.8 (71.8) 12	48.9 (60.3) 3	46.8 (59.1) 3	56.4 (68.8) 45	49.1 (61.3) 10	45.9 (58.9) 3	49.8 (62.3) 12	50.6 (61.4) 6	41.1 (52.4) 2	54.3 (70.1) 6	56.2 (72.6) 6	46.7 (59.4) 17	49.4 (63.0) 28	54.1 (65.7) 24	44.5 (57.7) 11	48.5 (64.9) 5	42.6 (56.0) 2	---	---	53.7 (63.6) 0	53.5 (66.7) 35
9	清泉中学校 (昭島市宮沢町)	45.8 (60.0) 8	38.4 (52.9) 3	50.1 (62.5) 20	49.3 (63.1) 14	50.1 (60.9) 6	44.9 (57.6) 2	40.8 (54.4) 5	46.0 (59.0) 10	47.7 (61.1) 9	52.1 (65.8) 17	57.8 (70.4) 18	58.4 (70.8) 12	49.4 (61.5) 5	45.4 (58.2) 4	51.9 (63.5) 15	47.6 (60.9) 8	45.0 (59.1) 5	48.0 (62.0) 9	49.6 (60.8) 6	34.4 (45.5) 1	52.6 (68.5) 4	49.5 (64.5) 4	36.8 (48.3) 2	43.0 (57.2) 9	51.6 (63.0) 18	41.4 (54.7) 6	44.7 (56.4) 3	31.1 (44.0) 1	---	---	49.7 (60.3) 0	42.0 (54.0) 5
10	八王子市石川市民センター (八王子市石川町)	53.5 (64.7) 13	52.2 (64.8) 24	50.2 (62.9) 19	53.6 (65.5) 15	52.3 (63.7) 4	41.9 (54.3) 2	51.0 (65.3) 8	54.5 (66.8) 32	58.1 (69.4) 25	54.5 (67.7) 23	59.0 (69.1) 19	59.8 (70.8) 13	47.6 (60.3) 5	44.4 (56.0) 4	57.6 (70.7) 34	52.5 (63.7) 10	43.8 (57.9) 5	51.6 (63.4) 9	49.3 (60.5) 5	45.4 (58.8) 2	56.5 (74.7) 5	62.8 (78.3) 13	50.8 (64.7) 19	48.1 (61.4) 13	52.9 (63.8) 16	39.7 (52.8) 4	48.7 (65.1) 5	46.3 (60.2) 1	---	---	49.1 (62.0) 7	54.1 (68.4) 27
11	福生市保健センター (福生市福生)	33.8 (43.2) 1	43.0 (59.6) 9	49.1 (65.6) 7	36.5 (50.7) 3	38.2 (55.8) 1	---	---	37.7 (53.1) 0	47.9 (64.2) 12	45.3 (61.2) 7	43.7 (58.3) 9	---	---	36.1 (47.9) 0	36.3 (50.6) 4	46.9 (62.8) 7	46.7 (57.3) 2	37.0 (53.5) 2	30.8 (46.8) 2	39.6 (53.5) 4	41.9 (55.1) 5	46.1 (59.2) 1	31.4 (46.2) 4	38.0 (52.4) 4	46.9 (62.1) 8	52.5 (66.8) 5	---	---	---	38.0 (56.1) 0	40.1 (55.9) 3	
12	瑞穂第三小学校 (瑞穂町二本木)	31.0 (44.6) 1	49.7 (62.6) 10	39.3 (52.8) 3	---	34.0 (49.3) 1	---	48.2 (60.3) 5	48.5 (60.4) 5	50.5 (62.6) 11	36.4 (48.3) 1	41.5 (60.2) 7	38.8 (53.7) 4	---	---	43.5 (54.8) 4	39.7 (51.0) 4	40.5 (55.3) 2	35.2 (48.1) 2	41.9 (55.5) 4	35.6 (47.0) 1	44.1 (59.6) 4	58.5 (71.9) 11	42.3 (53.2) 4	36.2 (47.9) 2	38.3 (53.0) 3	40.8 (56.9) 4	---	---	---	---	39.0 (49.4) 2	
13	滝合小学校 (日野市西平山)	51.4 (63.0) 9	48.5 (59.7) 13	44.9 (57.0) 10	50.4 (58.5) 8	47.5 (58.5) 4	38.9 (51.8) 2	44.7 (57.4) 7	49.5 (62.2) 16	53.9 (64.7) 19	50.9 (63.4) 18	55.4 (65.9) 15	56.0 (66.9) 11	39.4 (51.0) 3	40.2 (52.4) 4	55.6 (66.0) 23	49.3 (61.3) 6	35.3 (48.3) 1	48.1 (60.0) 6	40.5 (53.1) 2	40.7 (52.5) 2	42.8 (57.5) 5	58.2 (73.8) 11	47.8 (59.4) 14	44.2 (56.9) 10	49.5 (60.1) 9	34.5 (45.8) 1	50.5 (62.9) 4	45.0 (59.2) 3	---	---	46.2 (58.9) 0	51.0 (63.5) 26

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
 北関東防衛局 企画部 住宅防音課
 TEL 048-600-1821、1822