

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年6月		上段：Lden 中段：WECPNL 下段：騒音発生回数																														
測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	
1	行政財産内 (瑞穂町箱根ヶ崎)	64.8 (83.5) 68	56.6 (74.0) 6	59.4 (72.3) 14	52.8 (70.3) 6	61.0 (79.7) 25	65.4 (83.8) 52	64.4 (81.6) 68	68.0 (85.6) 61	61.2 (74.8) 31	59.6 (77.8) 8	66.2 (82.5) 9	65.1 (77.1) 15	74.1 (94.9) 26	59.7 (77.6) 64	67.6 (85.8) 51	62.7 (77.2) 5	58.1 (76.9) 5	62.7 (84.7) 9	57.1 (74.9) 4	66.9 (83.0) 6	65.1 (82.6) 34	68.9 (82.7) 43	64.1 (81.5) 73	62.8 (80.6) 17	61.4 (79.6) 23	68.0 (84.9) 61	70.5 (86.6) 77	65.4 (79.0) 60	66.8 (84.6) 65	65.0 (81.1) 25	
2	行政財産内 (昭島市美堀町)	66.2 (81.0) 54	36.9 (51.6) 3	56.2 (74.0) 9	55.8 (70.3) 18	55.8 (70.7) 18	56.1 (72.9) 53	62.7 (82.4) 66	60.8 (75.6) 58	62.6 (80.6) 24	52.1 (69.5) 5	59.3 (76.0) 5	63.6 (79.2) 10	64.3 (85.5) 58	63.7 (73.2) 25	57.0 (79.2) 53	64.0 (79.2) 43	54.6 (71.4) 4	60.2 (79.0) 3	48.6 (64.0) 3	50.9 (66.7) 7	52.6 (68.0) 34	64.2 (82.9) 53	55.2 (85.4) 77	60.8 (72.2) 15	60.8 (75.4) 9	57.3 (74.7) 34	64.4 (78.0) 61	61.6 (79.1) 58	58.5 (74.5) 64	61.1 (75.2) 26	
3	飯能市保健センター (飯能市双柳)	46.4 (57.8) 10	36.3 (52.0) 1	44.4 (55.4) 4	42.4 (51.9) 3	39.3 (50.7) 2	42.4 (55.2) 9	44.8 (58.2) 6	47.5 (57.9) 8	45.3 (54.9) 2	41.7 (52.2) 4	48.0 (58.1) 3	48.2 (61.0) 2	50.8 (63.0) 11	38.3 (50.8) 1	50.5 (62.4) 21	43.6 (54.8) 5	41.6 (52.9) 4	40.9 (55.3) 2	41.1 (52.8) 3	51.3 (59.8) 4	48.7 (61.4) 16	51.1 (63.5) 7	43.9 (56.5) 9	47.6 (59.0) 6	41.0 (52.4) 4	50.1 (61.4) 13	49.3 (61.5) 16	42.6 (54.7) 6	44.7 (58.3) 12	37.4 (48.5) 2	
4	加治地区行政センター (飯能市笠縫)	47.1 (59.3) 14	35.4 (47.5) 2	43.1 (53.7) 3	42.1 (56.9) 2	39.5 (50.6) 7	43.4 (56.6) 2	46.1 (57.5) 9	47.4 (58.2) 2	46.4 (55.2) 3	42.0 (53.3) 6	48.3 (59.9) 6	47.5 (57.6) 12	51.5 (64.6) 4	42.0 (55.5) 18	49.1 (60.7) 3	41.8 (51.8) 4	42.4 (54.6) 4	41.0 (53.3) 2	41.3 (53.0) 3	50.5 (65.0) 4	47.3 (59.4) 12	52.2 (63.6) 15	42.9 (55.9) 6	46.6 (56.8) 6	44.6 (60.8) 8	49.5 (60.3) 13	48.3 (56.8) 11	42.8 (56.8) 7	46.6 (59.9) 11	44.9 (57.8) 4	
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	53.7 (68.4) 28	45.8 (58.9) 6	49.0 (60.1) 5	41.4 (54.8) 3	46.4 (60.4) 8	49.0 (63.2) 21	52.0 (65.0) 24	54.8 (68.1) 25	50.1 (60.2) 6	48.1 (61.7) 5	54.2 (66.3) 6	52.8 (63.6) 6	56.9 (69.7) 31	49.0 (64.3) 10	56.6 (69.9) 53	49.5 (61.9) 8	47.4 (61.3) 4	51.0 (67.3) 7	45.3 (58.2) 3	56.7 (67.8) 5	51.8 (65.7) 17	59.0 (69.7) 35	50.6 (64.8) 23	51.9 (64.9) 8	50.6 (64.4) 12	54.9 (67.8) 19	49.6 (63.3) 27	53.3 (67.5) 13	52.4 (64.5) 26	8	
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	54.2 (67.8) 42	45.9 (58.9) 6	50.7 (61.4) 5	43.2 (60.3) 3	50.3 (64.6) 11	56.0 (69.0) 43	55.1 (68.7) 36	56.9 (70.4) 51	52.8 (64.0) 9	48.4 (61.4) 6	56.9 (68.3) 6	55.1 (65.1) 7	60.4 (74.5) 46	52.5 (66.8) 19	54.8 (68.0) 49	52.0 (63.1) 16	46.8 (60.1) 4	51.8 (68.1) 7	49.8 (64.2) 3	56.7 (67.6) 5	52.1 (70.1) 26	58.3 (66.7) 39	54.7 (66.7) 35	52.4 (63.3) 11	49.8 (69.0) 12	55.6 (71.8) 35	58.1 (65.4) 46	50.7 (68.7) 16	54.5 (63.7) 47	51.9 (63.7) 8	
7	第十小学校 (武蔵村山市残堀)	46.6 (61.9) 10	32.7 (47.1) 2	32.8 (51.3) 3	29.2 (48.2) 1	---	42.3 (60.2) 0	42.8 (58.5) 4	34.2 (47.6) 2	---	---	---	30.0 (50.2) 0	40.5 (57.2) 4	34.1 (47.0) 2	43.1 (55.8) 4	50.5 (62.7) 7	35.1 (45.6) 1	---	---	---	33.1 (47.9) 1	---	42.6 (57.1) 2	---	---	42.0 (55.5) 0	42.1 (54.8) 0	46.1 (62.0) 10	---	43.0 (56.2) 3	
8	田中小学校 (昭島市田中町)	56.9 (71.3) 25	29.0 (44.4) 1	43.5 (56.0) 5	47.9 (59.0) 5	48.8 (60.6) 9	47.7 (59.9) 18	49.2 (63.5) 24	55.7 (68.3) 21	50.4 (63.9) 15	42.9 (55.9) 4	46.5 (56.9) 4	52.0 (63.0) 9	52.7 (68.8) 34	50.7 (63.8) 11	50.8 (64.8) 27	49.9 (63.8) 19	37.7 (49.8) 2	46.2 (58.0) 3	44.1 (57.6) 1	44.8 (58.8) 4	44.9 (58.0) 8	51.2 (64.6) 40	58.0 (68.0) 48	46.7 (59.5) 5	53.5 (65.6) 3	45.7 (57.4) 7	54.2 (66.9) 14	49.3 (63.8) 23	48.0 (61.8) 16	47.8 (62.0) 9	
9	清泉中学校 (昭島市宮沢町)	54.1 (68.2) 13	---	38.7 (51.1) 4	47.2 (60.4) 4	44.2 (55.8) 4	47.7 (60.5) 16	42.4 (57.2) 6	52.6 (64.0) 15	44.6 (55.4) 7	40.1 (53.9) 3	40.0 (50.0) 2	48.7 (58.2) 8	45.9 (59.8) 11	47.4 (59.7) 8	47.4 (60.3) 16	46.1 (60.3) 8	44.5 (54.6) 3	39.0 (51.2) 4	38.7 (50.3) 1	43.0 (55.8) 4	45.4 (60.0) 9	44.7 (57.4) 8	57.4 (66.4) 22	44.3 (57.4) 5	50.1 (61.6) 4	44.5 (57.5) 3	49.7 (62.0) 6	49.0 (61.9) 12	46.6 (59.2) 10	53.3 (64.7) 10	
10	八王子市石川市民センター (八王子市石川町)	58.0 (71.5) 19	32.2 (45.1) 1	46.4 (60.3) 4	45.0 (57.5) 4	50.4 (62.6) 4	47.9 (60.7) 22	49.0 (63.2) 19	52.5 (65.7) 18	54.0 (65.7) 14	42.4 (55.4) 2	49.5 (61.5) 5	55.2 (67.2) 9	52.3 (67.7) 22	54.7 (67.9) 22	48.3 (61.9) 17	51.9 (63.9) 24	44.6 (58.7) 2	50.6 (64.7) 3	41.0 (54.4) 1	43.3 (57.1) 4	45.6 (58.7) 9	54.2 (68.3) 50	59.9 (70.9) 28	44.5 (57.7) 5	53.0 (65.2) 4	47.7 (61.4) 5	55.3 (67.3) 21	51.5 (65.5) 19	49.9 (64.1) 16	53.2 (64.3) 10	
11	福生市保健センター (福生市福生)	46.5 (63.2) 10	---	---	35.3 (48.9) 1	38.1 (50.6) 2	42.8 (56.8) 5	42.6 (56.9) 6	32.0 (46.1) 1	30.4 (43.6) 1	---	---	---	42.5 (58.8) 4	35.4 (48.4) 1	39.3 (56.4) 2	37.7 (51.2) 3	36.8 (49.3) 2	35.5 (47.5) 1	32.1 (43.3) 1	38.5 (50.9) 3	38.5 (50.9) 3	---	45.2 (61.3) 3	---	30.7 (44.0) 1	40.4 (54.1) 3	---	47.6 (64.5) 0	37.3 (49.2) 8	40.8 (54.8) 1	40.8 (54.8) 2
12	瑞穂第三小学校 (瑞穂町二本木)	45.1 (60.5) 6	---	42.8 (53.9) 3	---	---	43.7 (59.6) 2	45.7 (59.7) 10	---	42.2 (53.9) 4	---	42.3 (53.9) 5	43.7 (54.9) 1	54.1 (66.8) 4	39.5 (50.7) 4	37.7 (54.4) 1	45.1 (57.1) 7	32.4 (44.5) 1	37.2 (48.1) 1	35.6 (47.7) 1	43.8 (54.9) 1	38.1 (53.7) 1	43.7 (54.1) 5	41.7 (53.9) 6	---	37.8 (47.9) 2	35.8 (50.8) 3	35.1 (47.2) 3	41.3 (55.0) 3	42.5 (59.2) 2	40.2 (53.4) 2	
13	滝合小学校 (日野市西平山)	54.1 (66.2) 14	---	44.7 (57.9) 6	41.0 (52.3) 3	46.6 (59.7) 3	43.1 (55.2) 8	44.8 (57.3) 13	50.0 (65.5) 11	49.8 (60.4) 12	40.3 (52.3) 3	45.4 (56.7) 3	53.0 (62.2) 8	50.3 (65.6) 14	52.2 (62.1) 12	43.6 (56.3) 10	48.9 (59.9) 11	41.3 (53.5) 5	46.7 (58.4) 4	37.9 (50.8) 3	40.3 (53.0) 4	42.5 (54.9) 8	50.1 (63.1) 32	55.9 (65.6) 24	41.6 (53.7) 4	48.7 (60.1) 7	46.5 (59.1) 6	51.1 (63.4) 13	47.1 (60.5) 13	45.3 (57.6) 11	49.8 (59.4) 5	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822