

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年9月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	
1	行政財産内 (瑞穂町箱根ヶ崎)	67.9 (83.9) 48	62.7 (80.0) 11	59.1 (76.5) 15	64.3 (81.1) 9	68.2 (84.0) 16	66.2 (84.0) 78	66.7 (83.2) 40	65.3 (78.8) 9	58.9 (77.1) 5	61.0 (79.7) 14	71.1 (87.4) 37	71.2 (88.8) 81	67.8 (85.2) 73	66.7 (83.6) 66	58.6 (76.4) 53	57.3 (74.8) 3	43.1 (59.5) 1	65.6 (83.5) 82	67.3 (84.9) 60	65.2 (85.0) 37	70.0 (87.3) 89	59.2 (78.4) 11	50.2 (65.4) 4	59.7 (77.9) 14	67.5 (82.1) 66	64.7 (82.8) 39	68.7 (80.2) 39	61.0 (78.3) 20	59.6 (74.4) 20	58.3 (76.0) 11	
2	行政財産内 (昭島市美堀町)	52.9 (68.3) 32	50.9 (66.7) 11	62.8 (78.7) 9	55.8 (74.7) 7	58.4 (73.6) 16	62.8 (80.1) 46	66.8 (82.1) 42	66.5 (83.5) 6	52.9 (70.6) 3	52.3 (70.0) 4	63.9 (78.2) 22	61.3 (77.3) 60	60.6 (73.7) 47	58.5 (74.1) 51	59.7 (78.7) 42	54.7 (73.4) 3	52.8 (69.6) 1	52.6 (68.5) 13	56.3 (72.7) 47	58.9 (74.8) 38	62.5 (76.9) 67	54.9 (70.2) 10	62.3 (78.0) 15	62.1 (78.9) 8	61.3 (78.7) 14	65.4 (80.4) 30	60.4 (78.5) 10	63.1 (80.4) 15	49.6 (62.9) 5	51.5 (69.2) 7	
3	飯能市保健センター (飯能市双柳)	47.7 (60.1) 11	44.2 (54.9) 6	42.6 (54.7) 9	46.2 (57.4) 7	52.5 (59.7) 10	45.8 (59.3) 14	49.6 (62.2) 9	48.1 (59.9) 3	42.3 (56.7) 1	39.6 (51.7) 3	44.5 (56.4) 3	51.0 (63.6) 12	42.4 (55.5) 9	48.2 (60.8) 11	36.9 (49.7) 4	36.9 (48.6) 1	30.9 (44.4) 1	45.4 (57.6) 2	47.8 (62.1) 12	45.8 (60.4) 10	49.0 (61.3) 19	39.6 (51.9) 5	34.5 (48.0) 2	44.3 (56.0) 5	51.5 (62.5) 10	43.5 (57.3) 6	51.8 (62.7) 6	42.6 (55.0) 6	35.0 (46.6) 2	39.7 (51.8) 2	
4	加治地区行政センター (飯能市笠縫)	48.3 (60.6) 12	44.3 (55.6) 5	43.9 (56.7) 12	46.9 (57.8) 7	52.1 (60.3) 9	47.2 (60.0) 14	49.1 (61.6) 12	49.5 (61.9) 6	41.0 (53.9) 2	39.3 (52.2) 3	50.1 (62.5) 8	52.7 (65.2) 14	44.4 (57.7) 11	47.7 (60.7) 10	37.1 (50.7) 4	35.7 (47.9) 1	32.8 (47.9) 1	46.4 (57.8) 3	45.3 (60.5) 9	44.8 (58.3) 4	50.5 (61.8) 20	42.0 (57.2) 3	36.4 (49.1) 2	44.2 (55.7) 4	50.7 (61.5) 8	47.2 (62.4) 11	51.1 (65.8) 6	43.1 (55.8) 8	45.1 (56.8) 4	39.9 (52.7) 3	
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	55.6 (68.0) 21	51.4 (65.1) 9	49.1 (63.0) 13	53.3 (65.3) 9	57.3 (67.7) 30	53.5 (67.8) 16	54.2 (67.9) 16	56.3 (68.8) 7	48.2 (62.1) 4	48.7 (64.3) 7	58.0 (70.0) 20	58.2 (71.0) 34	52.8 (67.6) 26	53.7 (65.9) 8	43.4 (57.0) 3	45.5 (59.0) 3	34.7 (47.7) 1	37.6 (51.6) 16	51.4 (66.5) 25	53.1 (69.5) 17	57.1 (70.1) 49	47.0 (60.4) 3	40.4 (53.0) 6	49.5 (65.5) 6	55.3 (67.3) 14	52.1 (67.5) 9	58.0 (61.7) 9	48.1 (60.3) 5	48.6 (60.0) 6	46.9 (60.0) 6	
6	特別養護老人ホームみずほ 園 (瑞穂町箱根ヶ崎)	55.0 (66.7) 29	49.9 (62.2) 9	50.1 (64.1) 12	52.9 (66.1) 9	58.8 (66.8) 14	53.7 (67.5) 33	57.2 (69.5) 21	56.4 (70.1) 7	48.8 (62.9) 4	47.1 (61.7) 5	57.2 (68.8) 22	59.3 (71.9) 60	55.1 (68.6) 34	53.8 (66.6) 19	46.9 (61.4) 2	45.4 (60.4) 2	36.8 (51.3) 25	45.4 (67.9) 40	54.6 (69.4) 25	54.2 (69.7) 72	46.1 (71.1) 8	42.9 (60.2) 3	51.9 (68.1) 7	57.0 (68.2) 17	54.2 (69.6) 18	60.4 (71.5) 10	50.7 (65.1) 11	53.1 (64.7) 6	47.8 (61.7) 7		
7	第十小学校 (武蔵村山市残堀)	40.9 (56.1) 5	---	---	---	37.8 (54.5) 1	46.0 (60.5) 9	45.2 (57.0) 4	---	---	---	40.2 (57.8) 2	37.9 (50.7) 4	36.5 (52.9) 1	45.3 (61.9) 6	47.0 (63.4) 9	---	---	33.5 (47.5) 2	---	35.8 (51.0) 2	42.0 (57.9) 1	29.3 (47.8) 1	24.9 (43.1) 1	---	---	32.8 (46.5) 1	37.5 (49.0) 2	43.1 (55.5) 9	25.0 (43.7) 1	---	---
8	田中小学校 (昭島市田中町)	46.0 (59.4) 9	43.5 (57.7) 6	55.2 (64.5) 4	41.5 (53.5) 3	49.9 (61.8) 9	53.7 (67.3) 42	53.0 (65.0) 25	50.5 (61.9) 5	39.6 (52.1) 2	40.4 (51.9) 2	53.4 (66.8) 11	53.8 (67.9) 26	48.2 (62.4) 17	52.4 (64.9) 17	49.1 (63.6) 23	43.1 (55.7) 3	---	43.7 (58.3) 4	48.3 (62.7) 15	52.4 (63.9) 19	54.2 (67.4) 25	47.6 (60.8) 9	49.5 (58.8) 5	48.2 (63.3) 6	50.1 (63.0) 12	47.0 (59.9) 21	49.5 (61.8) 7	45.9 (57.2) 12	38.6 (49.6) 3		
9	清泉中学校 (昭島市宮沢町)	44.7 (58.4) 10	44.3 (58.5) 8	49.8 (59.7) 3	38.9 (51.5) 3	47.0 (63.7) 24	50.3 (63.7) 24	45.7 (57.3) 6	43.9 (54.9) 2	41.7 (55.2) 2	34.2 (47.0) 2	55.4 (67.0) 9	52.4 (65.5) 26	51.3 (62.7) 11	52.0 (63.5) 11	41.9 (55.3) 9	39.1 (50.9) 2	43.2 (56.5) 1	44.6 (56.8) 5	42.2 (56.6) 4	48.5 (61.1) 11	54.8 (68.2) 22	41.9 (55.7) 7	43.0 (54.0) 4	43.0 (53.0) 4	42.3 (54.7) 5	48.7 (61.8) 11	41.3 (52.4) 4	43.9 (55.0) 5	43.1 (55.2) 2	42.1 (55.4) 4	
10	八王子市石川市民センター (八王子市石川町)	44.7 (58.0) 12	44.0 (57.6) 8	53.6 (66.1) 4	47.1 (61.2) 4	49.6 (60.7) 10	54.2 (68.2) 31	56.4 (67.0) 14	54.9 (67.0) 6	42.7 (56.5) 3	45.9 (60.2) 2	55.6 (65.2) 9	53.2 (66.2) 21	51.4 (64.5) 8	48.9 (61.5) 11	48.9 (63.8) 19	44.3 (57.8) 3	45.4 (59.2) 1	46.1 (58.8) 8	45.9 (59.6) 9	52.7 (63.1) 19	54.5 (68.6) 26	46.8 (59.8) 7	52.2 (63.8) 5	52.4 (64.8) 6	52.7 (66.5) 11	55.7 (66.2) 20	50.8 (65.1) 8	53.3 (65.9) 11	41.2 (52.5) 2	40.9 (54.6) 2	
11	福生市保健センター (福生市福生)	---	---	30.0 (46.5) 1	---	37.8 (56.4) 3	43.4 (56.9) 5	45.5 (59.1) 6	---	33.6 (48.0) 1	33.4 (47.0) 1	42.3 (60.5) 3	25.7 (44.2) 1	43.7 (60.4) 5	42.2 (59.8) 3	---	---	---	---	39.3 (51.1) 2	37.1 (54.8) 1	44.9 (58.6) 2	---	---	27.9 (43.0) 1	46.1 (58.4) 9	43.8 (58.1) 5	41.5 (52.2) 4	30.5 (44.1) 1	---	---	---
12	瑞穂第三小学校 (瑞穂町二本木)	39.6 (55.8) 3	---	41.7 (53.7) 9	40.9 (52.7) 5	45.5 (55.5) 5	42.8 (55.9) 5	44.8 (56.0) 4	47.7 (58.5) 3	34.1 (46.7) 1	---	45.4 (61.5) 3	38.5 (51.5) 2	31.9 (46.8) 1	43.7 (59.2) 3	41.7 (58.4) 3	33.1 (44.2) 1	---	35.5 (48.9) 0	---	---	---	---	---	---	39.8 (51.0) 4	48.2 (58.7) 8	46.3 (57.0) 5	50.1 (61.5) 7	40.7 (53.8) 6	47.3 (58.6) 1	32.0 (43.6) 1
13	滝合小学校 (日野市西平山)	40.6 (51.8) 5	40.0 (53.8) 8	49.0 (60.3) 4	43.5 (56.4) 4	45.4 (56.1) 21	50.4 (63.5) 12	53.6 (63.5) 12	50.4 (61.8) 4	39.3 (52.1) 3	40.6 (53.3) 0	52.7 (62.2) 6	48.3 (61.9) 7	46.3 (57.6) 5	43.7 (56.9) 4	43.9 (56.9) 12	40.6 (52.9) 3	38.4 (50.9) 1	37.7 (48.6) 3	40.2 (52.7) 4	48.7 (59.1) 9	48.8 (60.9) 12	42.7 (54.0) 5	48.4 (59.5) 6	49.2 (60.3) 6	48.0 (61.0) 10	50.9 (61.5) 18	46.3 (57.9) 6	49.1 (60.1) 9	34.5 (47.0) 2	36.9 (50.9) 1	
14	個人住宅 (昭島市美堀町)	46.3 (59.8) 12	42.8 (55.3) 5	46.1 (57.8) 1	---	46.9 (58.1) 8	44.9 (60.3) 13	47.3 (62.8) 9	---	40.4 (52.6) 2	34.0 (47.3) 1	58.5 (69.9) 25	55.0 (68.5) 42	52.4 (64.9) 29	53.8 (68.0) 32	42.4 (56.1) 5	38.8 (51.7) 1	38.2 (49.8) 1	49.9 (66.4) 18	52.8 (66.8) 28	48.6 (62.6) 11	54.7 (67.7) 46	39.8 (51.6) 2	31.7 (49.2) 1	35.6 (54.1) 1	44.2 (56.8) 4	54.4 (69.2) 14	---	---	47.8 (59.4) 0	40.4 (51.3) 7	
15	武蔵野防災会館 (瑞穂町南平)	50.4 (64.8) 31	41.8 (55.0) 6	49.3 (63.6) 16	45.4 (59.3) 7	50.5 (60.6) 8	52.4 (64.6) 35	55.5 (69.8) 39	56.2 (70.0) 7	42.0 (55.2) 3	39.1 (52.2) 3	56.1 (68.8) 31	52.6 (66.5) 52	55.4 (68.9) 50	43.4 (56.7) 12	42.1 (56.7) 11	38.9 (53.2) 4	39.8 (53.9) 2	52.1 (65.5) 7	41.2 (54.9) 26	59.3 (72.6) 7	34.7 (50.3) 160	43.4 (57.1) 2	47.1 (62.8) 4	64.3 (76.4) 18	54.0 (65.9) 87	53.8 (65.2) 38	64.4 (76.4) 23	52.6 (62.9) 9	42.3 (56.1) 7		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822