

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

| 測定点 No. | 測定場所                            | 1日 (日)      | 2日 (月)      | 3日 (火)      | 4日 (水)      | 5日 (木)      | 6日 (金)      | 7日 (土)      | 8日 (日)      | 9日 (月)      | 10日 (火)     | 11日 (水)     | 12日 (木)     | 13日 (金)     | 14日 (土)     | 15日 (日)     | 16日 (月)     | 17日 (火)     | 18日 (水)     | 19日 (木)     | 20日 (金)     | 21日 (土)     | 22日 (日)     | 23日 (月)     | 24日 (火)     | 25日 (水)     | 26日 (木)     | 27日 (金)     | 28日 (土)     | 29日 (日)     | 30日 (月)     | 31日 (火)     |
|---------|---------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1       | 行政財産内 (瑞穂町箱根ヶ崎)                 | 55.7 (71.4) | 57.3 (73.8) | 64.2 (81.8) | 66.5 (80.7) | 57.7 (73.9) | 50.1 (67.5) | 54.7 (70.0) | 62.5 (76.6) | 61.7 (75.7) | 59.5 (76.1) | 61.3 (75.0) | 59.1 (75.0) | 57.0 (69.2) | 51.3 (65.1) | 34.9 (47.3) | 62.8 (82.6) | 65.4 (79.4) | 58.0 (75.7) | 67.4 (85.4) | 71.5 (87.8) | 58.5 (74.7) | 62.5 (82.0) | 59.8 (76.4) | 58.1 (76.8) | 62.7 (76.2) | 61.4 (76.4) | 64.2 (78.2) | 62.9 (75.7) | 50.0 (67.8) | 71.0 (84.7) | 57.7 (76.0) |
| 2       | 行政財産内 (昭島市美堀町)                  | 57.0 (75.7) | 60.6 (79.6) | 59.4 (77.1) | 72.9 (90.5) | 62.3 (81.5) | 57.1 (75.2) | 58.4 (75.8) | 58.6 (78.4) | 61.6 (80.5) | 63.6 (81.5) | 64.5 (82.6) | 61.5 (80.3) | 56.0 (74.0) | 57.1 (74.5) | 57.8 (77.4) | 61.6 (81.4) | 63.3 (81.5) | 55.9 (72.7) | 61.5 (78.7) | 56.2 (72.4) | 57.2 (77.1) | 52.6 (67.1) | 59.9 (77.7) | 55.0 (73.2) | 61.1 (79.5) | 56.8 (75.2) | 52.0 (68.3) | 57.5 (75.9) | 45.5 (64.0) | 58.6 (76.5) | 51.7 (67.8) |
| 3       | 飯能市保健センター (飯能市双柳)               | 41.4 (53.0) | 40.4 (53.6) | 48.4 (61.0) | 47.9 (60.3) | 42.6 (56.1) | 38.4 (51.9) | 43.2 (55.7) | 47.3 (57.8) | 44.5 (56.0) | 42.2 (55.1) | 42.6 (56.7) | 45.4 (57.5) | 41.4 (54.6) | ---         | ---         | 46.4 (60.0) | 50.9 (65.7) | 42.7 (55.0) | 49.7 (61.4) | 55.1 (67.1) | 43.6 (55.7) | 44.3 (56.6) | 39.2 (52.5) | 42.2 (54.6) | 44.9 (58.1) | 41.2 (52.9) | 48.8 (59.5) | 46.8 (59.0) | 35.7 (48.7) | 39.2 (52.5) | 36.5 (48.2) |
| 4       | 加治地区行政センター (飯能市笠縫)              | 41.0 (53.3) | 42.9 (55.8) | 47.3 (58.1) | 47.2 (59.4) | 38.1 (51.0) | 30.4 (47.1) | 40.3 (53.1) | 47.3 (57.8) | 45.1 (57.0) | 40.8 (53.2) | 44.1 (59.5) | 46.0 (58.6) | 45.6 (58.8) | 37.0 (51.1) | ---         | 44.9 (57.4) | 51.3 (65.8) | 43.3 (55.0) | 49.1 (60.9) | 55.1 (67.7) | 43.2 (55.1) | 40.1 (52.2) | 37.5 (50.8) | 43.0 (55.5) | 48.0 (59.4) | 42.8 (55.8) | 48.9 (59.5) | 47.8 (58.9) | 37.7 (50.8) | 39.4 (53.8) | 39.6 (52.0) |
| 5       | 入間市金子地区センター (旧入間市金子公民館) (入間市寺竹) | 47.5 (61.2) | 48.5 (62.5) | 53.8 (66.4) | 54.5 (67.0) | 47.4 (61.6) | 42.8 (57.2) | 44.7 (57.2) | 52.4 (63.6) | 47.9 (64.2) | 50.8 (61.7) | 51.1 (64.1) | 48.9 (60.5) | 42.8 (56.8) | ---         | 50.7 (65.4) | 56.2 (71.0) | 48.8 (62.4) | 54.2 (68.0) | 60.4 (72.9) | 48.6 (61.8) | 50.3 (64.7) | 47.9 (62.7) | 48.4 (62.4) | 52.5 (64.0) | 47.8 (63.0) | 53.4 (66.4) | 53.2 (64.7) | 40.2 (54.7) | 48.8 (64.5) | 47.4 (60.6) |             |
| 6       | 特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)         | 50.5 (63.5) | 49.3 (62.3) | 54.2 (66.9) | 58.3 (70.3) | 49.4 (63.8) | 44.7 (59.6) | 47.4 (60.2) | 53.8 (64.7) | 54.2 (64.9) | 49.3 (62.9) | 53.9 (67.4) | 52.2 (66.2) | 51.1 (62.3) | 42.9 (56.7) | ---         | 51.9 (65.7) | 58.4 (72.6) | 48.2 (61.7) | 55.0 (69.3) | 61.2 (74.0) | 50.8 (64.8) | 52.8 (67.8) | 48.5 (62.9) | 49.4 (66.1) | 53.6 (64.5) | 48.7 (63.7) | 53.6 (63.0) | 55.1 (66.1) | 42.1 (57.3) | 54.6 (68.6) | 47.1 (59.9) |
| 7       | 第十小学校 (武蔵村山市残堀)                 | ---         | 31.9 (43.9) | 43.2 (59.2) | 38.0 (50.3) | 38.5 (53.1) | ---         | 31.6 (43.6) | ---         | ---         | 37.2 (48.0) | 40.1 (51.9) | 32.4 (43.9) | ---         | 37.1 (49.2) | ---         | ---         | 41.6 (56.1) | 40.4 (50.0) | 45.0 (57.6) | ---         | ---         | 44.9 (61.1) | 43.5 (58.4) | 40.2 (53.5) | ---         | 40.6 (51.7) | 37.2 (50.1) | ---         | ---         | 45.8 (60.9) | ---         |
| 8       | 田中小学校 (昭島市田中町)                  | 44.8 (57.8) | 48.4 (61.6) | 44.8 (57.7) | 60.9 (73.5) | 49.3 (62.8) | 42.2 (55.1) | 45.9 (57.1) | 46.8 (58.9) | 53.8 (67.3) | 49.0 (62.7) | 45.7 (59.9) | 40.6 (52.6) | 45.0 (57.7) | 49.2 (63.0) | 48.7 (62.1) | 46.9 (61.0) | 48.5 (64.8) | 46.9 (61.4) | 49.9 (65.1) | 43.2 (57.1) | 42.5 (55.6) | 47.7 (61.4) | 46.9 (60.2) | 50.2 (63.0) | 46.7 (57.3) | 46.6 (58.7) | 61.3 (75.2) | 30.3 (45.2) | 41.1 (53.8) | 39.1 (52.5) |             |
| 9       | 清泉中学校 (昭島市宮沢町)                  | ---         | 41.2 (53.5) | 48.4 (59.2) | 52.1 (62.7) | 40.4 (53.9) | 36.1 (49.6) | 36.1 (48.9) | 39.0 (49.3) | 41.6 (52.4) | 46.5 (61.4) | 44.3 (55.3) | 39.1 (51.8) | 38.4 (51.9) | 44.9 (57.0) | 40.3 (52.9) | 48.3 (58.2) | 44.3 (55.5) | 46.3 (58.9) | 51.8 (64.9) | 47.8 (60.4) | 35.1 (46.6) | 48.4 (59.8) | 40.9 (54.0) | 41.1 (51.6) | 43.7 (55.1) | 40.3 (52.5) | 43.6 (55.5) | 36.8 (52.8) | ---         | 36.9 (52.6) | 41.8 (54.3) |
| 10      | 八王子市石川市民センター (八王子市石川町)          | 47.2 (60.9) | 49.6 (64.2) | 51.6 (63.4) | 62.8 (75.8) | 51.7 (65.4) | 45.4 (60.0) | 50.1 (62.4) | 50.3 (64.7) | 51.7 (65.2) | 51.5 (66.3) | 53.8 (67.4) | 51.6 (66.1) | 47.4 (61.1) | 47.3 (60.1) | 49.2 (63.7) | 56.7 (69.0) | 52.4 (64.5) | 48.0 (61.3) | 52.5 (69.2) | 49.0 (63.8) | 48.2 (62.9) | 45.2 (57.4) | 50.2 (63.6) | 48.1 (60.7) | 51.2 (65.8) | 49.0 (62.4) | 41.3 (53.4) | 47.2 (61.2) | 38.1 (52.0) | 38.9 (50.9) | 41.5 (54.0) |
| 11      | 福生市保健センター (福生市福生)               | ---         | 46.1 (61.6) | 43.3 (58.2) | ---         | 45.1 (59.9) | 33.7 (46.7) | 29.2 (43.1) | ---         | ---         | 46.2 (61.9) | 51.5 (65.4) | 39.2 (53.5) | 29.9 (44.9) | ---         | 47.1 (63.7) | 36.9 (51.2) | 30.9 (43.4) | 34.8 (46.8) | 47.2 (61.6) | 32.1 (45.5) | 31.6 (43.8) | 40.8 (56.6) | 47.3 (60.4) | 44.8 (57.3) | 47.6 (60.9) | 50.5 (60.8) | 37.9 (52.4) | ---         | ---         | 42.7 (54.8) | 39.1 (52.0) |
| 12      | 瑞穂第三小学校 (瑞穂町二本木)                | 39.2 (50.7) | 40.1 (52.6) | 43.1 (59.0) | 51.2 (61.1) | 37.4 (50.2) | 36.1 (46.9) | 41.2 (53.0) | 47.3 (57.4) | 44.5 (56.2) | 41.3 (53.4) | 49.9 (59.4) | 45.7 (57.8) | 46.2 (55.1) | ---         | ---         | 36.4 (48.5) | 51.0 (63.1) | ---         | 42.8 (54.7) | 47.5 (59.6) | 43.7 (56.4) | 32.3 (47.3) | 33.7 (46.2) | 37.9 (49.1) | 38.2 (50.2) | 37.7 (49.5) | 35.7 (47.9) | 47.1 (58.2) | ---         | 50.7 (64.5) | 33.5 (43.8) |
| 13      | 滝合小学校 (日野市西平山)                  | 43.6 (56.0) | 45.4 (57.7) | 45.4 (56.3) | 56.8 (68.5) | 49.2 (62.3) | 44.2 (58.0) | 46.4 (57.3) | 48.7 (61.4) | 47.3 (59.1) | 50.6 (64.1) | 49.9 (63.3) | 48.7 (61.2) | 43.5 (55.6) | 43.2 (55.1) | 44.5 (57.1) | 50.9 (63.7) | 49.3 (60.5) | 43.7 (56.1) | 48.5 (64.0) | 46.0 (57.9) | 45.1 (57.9) | 40.5 (52.3) | 41.2 (53.6) | 45.2 (56.0) | 47.7 (60.1) | 44.5 (57.2) | 37.0 (49.3) | 44.7 (57.0) | 38.0 (50.6) | 35.4 (46.7) | 38.4 (49.0) |
| 14      | 個人住宅 (昭島市美堀町)                   | ---         | 38.1 (47.6) | 47.8 (61.3) | 46.7 (59.8) | 37.6 (51.9) | 37.2 (51.7) | 39.6 (56.5) | ---         | ---         | 39.8 (48.6) | 46.4 (62.0) | 46.7 (61.8) | 44.0 (61.3) | 43.2 (55.0) | ---         | 46.5 (58.2) | ---         | 47.2 (59.0) | 53.1 (66.5) | 45.7 (57.9) | ---         | 47.5 (60.9) | 45.8 (60.1) | 47.1 (58.4) | 45.8 (58.0) | 43.9 (51.0) | 45.3 (60.0) | 32.8 (51.9) | ---         | 52.6 (65.3) | 42.3 (54.7) |
| 15      | 武蔵野防災会館 (瑞穂町南平)                 | 46.7 (60.9) | 47.7 (61.2) | 44.0 (57.4) | 57.5 (68.2) | 49.8 (64.0) | 41.0 (53.5) | 45.8 (59.8) | 50.9 (64.0) | 48.8 (62.3) | 51.8 (65.4) | 54.2 (67.8) | 49.9 (62.9) | 52.2 (61.9) | 41.7 (55.5) | 34.4 (47.3) | 51.1 (65.6) | 53.8 (66.6) | 48.0 (61.9) | 51.7 (69.1) | 56.2 (69.7) | 48.2 (62.2) | 42.2 (56.3) | 46.6 (60.5) | 46.4 (60.2) | 51.1 (64.0) | 56.0 (66.2) | 44.3 (57.8) | 51.3 (62.9) | 35.2 (50.1) | 57.9 (71.0) | 44.5 (56.8) |

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822