

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	
1	行政財産内 (瑞穂町箱根ヶ崎)	60.7 (79.0) 52	66.3 (81.8) 41	61.1 (79.8) 39	54.4 (71.7) 18	52.1 (67.9) 6	58.4 (76.2) 23	59.4 (75.9) 42	58.3 (74.0) 59	61.4 (79.3) 69	53.5 (75.8) 5	43.0 (55.5) 3	63.5 (76.2) 29	62.3 (75.0) 7	60.9 (78.2) 31	67.3 (80.4) 114	63.4 (80.8) 12	61.8 (77.9) 10	60.4 (76.2) 47	64.0 (80.9) 19	59.9 (76.4) 85	64.9 (82.9) 112	66.5 (77.0) 18	53.0 (68.6) 3	46.0 (61.7) 3	50.5 (64.5) 3	44.5 (60.3) 1	65.6 (83.9) 40	62.9 (76.1) 46	67.7 (80.4) 80	59.9 (76.1) 28	
2	行政財産内 (昭島市美堀町)	56.8 (74.8) 49	56.6 (72.0) 36	65.2 (72.7) 39	56.0 (75.2) 11	57.7 (80.2) 9	60.1 (71.1) 13	63.0 (81.1) 51	63.5 (80.1) 53	61.8 (79.2) 66	47.5 (64.6) 5	51.2 (69.7) 2	60.3 (78.4) 28	53.9 (72.4) 5	59.6 (80.1) 24	66.9 (84.6) 112	55.8 (72.7) 13	58.4 (81.5) 12	62.4 (84.1) 36	49.5 (64.1) 13	65.1 (82.5) 90	63.7 (80.7) 94	64.7 (80.4) 13	54.7 (72.7) 4	44.9 (64.0) 2	53.8 (72.3) 2	53.2 (72.0) 2	59.6 (75.4) 36	59.9 (77.2) 43	65.5 (83.6) 73	62.4 (80.0) 21	
3	飯能市保健センター (飯能市双柳)	41.5 (53.4) 8	48.6 (59.7) 7	40.9 (53.1) 7	39.1 (51.1) 4	30.3 (43.9) 1	38.9 (52.1) 1	45.2 (57.8) 8	41.0 (46.0) 5	44.1 (58.1) 11	34.9 (46.0) 1	---	49.4 (59.2) 0	46.4 (55.8) 3	42.6 (55.8) 2	50.7 (61.8) 16	48.3 (58.0) 9	45.3 (58.0) 8	40.9 (53.7) 6	43.5 (54.4) 5	51.7 (64.8) 7	44.9 (60.0) 11	50.2 (60.4) 3	39.3 (50.4) 3	30.5 (44.3) 1	34.7 (46.9) 1	32.6 (45.7) 1	46.6 (59.4) 9	46.7 (57.9) 7	51.8 (62.0) 11	45.6 (59.0) 9	
4	加治地区行政センター (飯能市笠縫)	43.0 (54.6) 8	49.2 (58.2) 6	41.9 (53.5) 7	39.3 (51.1) 4	39.3 (52.9) 2	39.3 (52.8) 2	44.6 (57.7) 7	41.1 (53.1) 7	43.0 (55.2) 8	37.1 (49.1) 1	---	49.1 (59.2) 0	45.9 (57.6) 2	38.7 (55.3) 2	51.3 (63.4) 18	48.5 (59.7) 8	45.6 (57.5) 8	39.4 (52.1) 4	42.1 (52.4) 4	50.1 (63.5) 6	44.6 (58.4) 4	49.0 (59.2) 4	38.3 (48.6) 2	34.6 (48.6) 2	36.0 (50.7) 2	32.4 (44.6) 2	42.4 (55.3) 5	44.6 (56.4) 7	52.2 (61.2) 11	43.7 (56.5) 7	
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	49.5 (62.9) 21	55.4 (65.5) 19	47.6 (61.3) 14	43.7 (57.1) 6	45.0 (62.4) 3	44.3 (60.1) 3	48.5 (62.3) 13	48.3 (61.9) 15	50.0 (63.9) 23	40.6 (53.9) 2	31.4 (44.5) 1	54.0 (65.3) 13	52.0 (64.1) 4	48.2 (62.3) 12	56.0 (66.8) 37	53.7 (65.3) 8	51.8 (65.4) 11	46.1 (59.9) 11	51.3 (63.1) 10	54.6 (66.9) 20	54.1 (67.6) 39	54.2 (65.0) 5	44.0 (55.3) 3	40.0 (55.8) 3	42.9 (57.0) 3	36.6 (49.7) 1	52.2 (66.3) 21	51.3 (63.4) 21	58.4 (67.2) 21	49.5 (63.4) 11	
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	50.2 (64.2) 25	54.6 (65.5) 21	50.1 (64.3) 28	46.0 (59.8) 9	46.5 (62.1) 3	44.7 (58.3) 3	50.5 (63.7) 18	50.4 (64.1) 25	50.8 (64.8) 39	41.7 (55.3) 3	34.4 (45.8) 1	56.7 (67.6) 16	54.3 (65.5) 4	51.4 (65.5) 20	57.7 (70.3) 50	53.0 (65.2) 11	52.3 (65.6) 10	50.2 (63.4) 15	52.1 (64.4) 15	52.4 (66.2) 29	56.6 (72.0) 56	57.5 (68.1) 5	46.6 (59.3) 3	40.0 (55.5) 3	44.7 (57.3) 4	37.8 (50.9) 1	54.8 (68.1) 26	54.1 (65.2) 16	59.5 (68.1) 30	51.5 (64.4) 13	
7	第十小学校 (武蔵村山市残堀)	43.9 (59.9) 2	37.9 (53.3) 3	36.8 (53.1) 1	33.3 (43.1) 1	32.0 (43.2) 1	44.1 (57.8) 11	---	---	43.3 (61.8) 4	---	---	---	---	40.6 (52.6) 4	48.1 (61.4) 7	---	26.0 (43.2) 0	---	---	53.2 (68.0) 14	44.0 (60.4) 5	28.3 (43.5) 1	---	34.0 (44.3) 1	---	---	44.1 (55.1) 6	---	44.3 (54.5) 9	37.5 (49.2) 2	
8	田中小学校 (昭島市田中町)	45.8 (59.3) 21	49.9 (62.5) 9	50.6 (61.9) 14	48.1 (61.5) 7	44.1 (55.6) 3	48.8 (60.2) 7	51.9 (65.2) 24	51.9 (65.1) 29	53.2 (66.6) 40	33.4 (46.6) 1	38.4 (50.8) 2	50.4 (64.5) 26	41.9 (54.1) 5	44.8 (58.8) 11	55.9 (69.5) 67	46.0 (57.8) 8	45.3 (58.6) 9	52.0 (66.5) 29	43.7 (56.2) 3	54.8 (69.1) 46	53.2 (66.9) 3	50.6 (60.1) 6	43.3 (54.6) 3	---	39.3 (50.6) 0	40.2 (50.9) 2	48.6 (62.0) 11	48.0 (60.9) 20	53.0 (66.2) 31	50.2 (62.6) 11	
9	清泉中学校 (昭島市宮沢町)	43.5 (55.5) 6	49.7 (62.5) 16	47.6 (59.8) 10	42.4 (55.0) 2	41.8 (53.3) 3	40.0 (53.9) 3	43.9 (57.1) 8	42.2 (52.2) 3	48.7 (61.0) 10	36.1 (48.5) 2	33.8 (43.8) 1	35.2 (47.7) 2	34.8 (45.9) 1	45.2 (58.8) 11	49.7 (62.4) 21	43.3 (54.7) 4	39.2 (50.9) 2	39.6 (53.7) 7	43.1 (55.0) 6	46.0 (59.8) 22	46.1 (58.9) 8	47.6 (60.5) 3	41.4 (52.8) 2	---	32.7 (44.0) 1	33.3 (43.7) 1	47.8 (61.1) 11	47.5 (60.1) 13	47.3 (59.9) 14	45.4 (56.8) 6	
10	八王子市石川市民センター (八王子市石川町)	46.1 (59.6) 18	49.0 (62.0) 14	47.4 (61.2) 16	46.6 (59.9) 5	47.6 (63.8) 6	50.7 (60.4) 7	49.4 (63.3) 14	51.8 (64.7) 23	52.9 (64.7) 21	31.4 (44.1) 1	41.0 (54.0) 13	50.7 (64.2) 5	46.0 (59.7) 11	49.0 (63.5) 11	55.6 (68.4) 40	48.4 (61.1) 8	48.4 (62.1) 11	48.5 (62.8) 13	42.2 (54.8) 6	52.6 (67.7) 21	52.5 (65.4) 8	54.6 (66.8) 22	45.2 (58.6) 7	37.1 (50.9) 4	42.9 (56.3) 2	43.8 (57.4) 2	49.5 (61.5) 9	50.6 (63.4) 19	52.9 (67.2) 27	53.3 (65.9) 13	
11	福生市保健センター (福生市福生)	44.1 (59.8) 4	39.4 (56.0) 4	40.3 (58.5) 3	39.4 (52.9) 2	44.0 (55.1) 2	41.7 (54.5) 3	44.6 (61.6) 5	40.3 (53.5) 2	35.7 (48.7) 2	41.5 (57.2) 2	37.8 (49.5) 1	32.1 (43.7) 1	---	---	52.2 (66.9) 11	45.7 (59.8) 1	36.6 (49.2) 1	52.7 (68.2) 1	---	56.0 (69.1) 11	41.6 (55.1) 3	---	---	---	---	---	---	42.1 (52.4) 3	31.5 (47.9) 2	44.1 (60.3) 3	43.2 (56.9) 4
12	瑞穂第三小学校 (瑞穂町二本木)	37.9 (53.6) 2	35.0 (50.3) 2	38.0 (54.8) 1	33.9 (46.6) 1	35.0 (46.5) 1	---	44.4 (54.1) 0	41.7 (53.0) 2	35.2 (45.3) 1	---	33.4 (47.9) 0	47.6 (58.2) 6	45.2 (56.5) 2	39.4 (51.5) 2	48.9 (59.5) 14	38.7 (49.2) 1	44.9 (55.9) 7	42.8 (55.7) 8	35.8 (48.2) 1	38.5 (50.6) 3	49.5 (62.4) 4	47.7 (58.7) 5	41.0 (52.0) 3	---	37.6 (49.7) 0	---	---	49.8 (62.2) 6	47.0 (57.9) 6	44.7 (55.0) 4	
13	滝合小学校 (日野市西平山)	42.5 (55.5) 9	44.1 (56.1) 7	40.8 (53.4) 6	42.7 (56.4) 3	42.8 (55.6) 4	47.4 (58.1) 4	44.7 (57.4) 8	48.7 (59.8) 13	47.7 (59.3) 12	---	37.7 (49.3) 0	47.6 (54.7) 12	42.7 (59.2) 4	45.7 (59.2) 7	54.7 (67.2) 33	46.0 (56.8) 8	44.2 (56.9) 9	44.2 (55.7) 11	37.6 (49.9) 4	49.5 (61.7) 13	47.9 (60.4) 10	52.3 (63.8) 7	43.6 (55.9) 4	34.9 (47.8) 1	40.6 (52.2) 2	41.3 (53.0) 2	48.4 (59.2) 7	48.5 (59.9) 18	50.5 (62.1) 21	49.5 (60.9) 8	
14	個人住宅 (昭島市美堀町)	46.4 (60.2) 12	50.2 (63.1) 12	50.3 (62.3) 9	---	44.4 (58.9) 2	44.5 (59.9) 7	43.2 (61.1) 3	42.7 (53.9) 3	47.4 (61.0) 12	34.8 (43.7) 1	35.5 (49.1) 2	---	---	49.2 (61.3) 8	52.0 (64.2) 14	44.8 (57.0) 1	38.7 (49.1) 1	---	46.4 (59.0) 8	53.5 (67.9) 15	48.7 (62.9) 18	46.9 (61.0) 5	43.0 (54.6) 1	40.2 (50.6) 2	---	24.1 (44.6) 1	46.9 (61.0) 7	45.4 (61.6) 3	49.6 (62.6) 15	50.1 (62.7) 4	
15	武蔵野防災会館 (瑞穂町南平)	47.2 (61.0) 27	46.2 (62.1) 8	43.4 (58.0) 8	49.0 (63.0) 9	46.2 (59.7) 5	42.9 (55.7) 8	52.1 (65.3) 32	53.3 (65.6) 35	48.2 (62.5) 35	40.2 (53.1) 2	42.5 (55.1) 5	54.7 (65.3) 28	47.5 (59.7) 6	48.5 (59.8) 11	55.8 (68.5) 77	48.7 (61.9) 14	49.0 (61.0) 10	52.1 (66.3) 31	44.6 (57.7) 7	56.3 (70.3) 61	57.1 (73.5) 46	52.3 (65.3) 9	45.2 (57.3) 5	37.9 (51.8) 4	42.4 (55.6) 3	36.4 (49.9) 2	42.8 (54.0) 4	53.4 (64.0) 29	55.2 (67.5) 54	51.6 (65.1) 23	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822