

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年2月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)			
1	行政財産内 (瑞穂町箱根ヶ崎)	64.4 (76.7) 64	62.9 (77.7) 44	72.3 (91.0) 11	68.8 (85.0) 17	47.9 (67.9) 3	59.9 (82.2) 10	54.1 (69.3) 23	58.6 (75.3) 39	55.4 (68.1) 10	57.0 (67.9) 2	48.3 (55.1) 9	41.3 (74.5) 8	59.8 (79.7) 8	64.5 (79.8) 36	61.5 (73.6) 37	57.9 (77.1) 16	58.8 (77.8) 14	59.1 (83.7) 4	64.8 (77.1) 5	58.8 (74.8) 29	58.8 (74.4) 25	59.7 (101.9) 22	81.5 (94.4) 8	75.9 (92.8) 30	74.8 (98.7) 8	55.1 (69.7) 47	43.8 (57.7) 2	59.5 (73.8) 64	62.2 (79.7) 58			
2	行政財産内 (昭島市美堀町)	64.9 (83.2) 83	65.6 (84.9) 45	64.9 (85.1) 7	60.1 (78.7) 11	58.0 (72.4) 2	58.0 (77.6) 8	---	---	---	---	---	---	---	60.9 (74.7) 30	56.2 (72.0) 44	61.6 (77.3) 12	62.9 (80.3) 17	54.1 (71.8) 2	49.8 (64.3) 7	59.3 (79.9) 16	60.3 (81.4) 22	62.5 (80.1) 27	58.0 (88.3) 9	68.1 (100.2) 32	78.4 (90.7) 9	61.5 (80.7) 34	63.3 (78.7) 6	64.5 (81.7) 57	61.8 (80.1) 59			
3	飯能市保健センター (飯能市双柳)	48.3 (62.1) 7	48.2 (59.4) 11	37.4 (49.8) 5	51.4 (59.8) 4	33.9 (48.6) 1	46.2 (63.4) 3	39.5 (50.6) 3	40.0 (52.1) 5	43.9 (55.3) 3	43.9 (55.5) 1	33.1 (45.2) 0	---	---	50.0 (60.0) 13	45.7 (57.9) 13	42.8 (55.6) 3	43.9 (55.5) 4	41.5 (53.5) 2	44.0 (56.2) 3	45.5 (57.8) 9	42.8 (54.9) 5	44.3 (55.4) 3	58.7 (75.3) 3	51.4 (65.5) 9	53.6 (64.5) 5	33.2 (44.7) 1	---	43.1 (56.5) 0	46.1 (57.7) 11			
4	加治地区行政センター (飯能市笠縫)	48.0 (58.7) 5	45.7 (56.8) 8	45.1 (59.9) 5	54.4 (68.3) 7	35.1 (49.8) 1	47.1 (63.4) 4	42.7 (57.4) 7	42.5 (54.0) 3	44.2 (53.8) 3	43.8 (55.0) 1	35.1 (46.8) 0	---	46.7 (58.0) 7	50.0 (61.4) 14	45.3 (57.0) 11	41.3 (53.1) 4	44.7 (55.9) 4	41.7 (53.0) 2	46.6 (60.5) 4	44.9 (57.5) 5	44.4 (57.1) 7	46.1 (58.5) 11	61.3 (77.3) 4	54.1 (68.0) 13	56.8 (67.4) 5	---	24.3 (43.1) 1	42.5 (55.1) 9	48.0 (61.8) 11			
5	入間市金子地区センター (旧入間市金子公民館) (入間市寺竹)	54.3 (66.2) 19	53.0 (65.2) 22	54.0 (67.6) 6	59.6 (72.0) 7	38.7 (51.8) 1	52.1 (69.3) 6	44.9 (57.4) 4	48.0 (61.8) 12	48.3 (58.4) 6	48.9 (61.2) 1	39.6 (52.8) 0	---	52.0 (64.5) 7	55.2 (66.7) 20	---	46.9 (59.6) 10	49.6 (62.0) 5	46.4 (60.8) 4	52.7 (67.1) 5	48.9 (63.9) 5	49.8 (62.7) 19	50.4 (86.5) 14	70.4 (73.8) 6	60.0 (73.4) 19	62.5 (52.2) 5	37.7 (48.3) 2	48.9 (61.9) 1	51.5 (64.4) 21				
6	特別養護老人ホームみずほ 園 (瑞穂町箱根ヶ崎)	55.9 (66.5) 27	55.6 (68.0) 20	60.5 (71.9) 5	59.0 (72.2) 7	38.7 (53.1) 1	53.5 (70.8) 8	46.8 (59.6) 4	50.1 (64.5) 16	50.2 (60.8) 6	51.6 (63.3) 1	40.8 (54.0) 2	---	53.9 (66.4) 8	56.1 (66.7) 22	50.8 (63.9) 19	48.1 (62.0) 11	51.2 (66.2) 9	47.5 (61.3) 5	53.1 (67.5) 6	49.7 (64.2) 5	51.2 (65.2) 22	53.2 (65.5) 18	76.0 (91.0) 8	64.2 (79.3) 22	67.4 (80.7) 5	44.3 (58.0) 8	39.7 (50.3) 1	52.2 (64.4) 28	54.8 (68.3) 40			
7	第十小学校 (武蔵村山市残堀)	40.7 (58.3) 4	---	31.2 (44.2) 0	40.1 (55.6) 3	35.5 (54.9) 1	---	44.6 (55.7) 0	26.3 (44.4) 0	---	---	---	---	---	46.7 (62.3) 2	48.0 (65.8) 11	42.9 (57.1) 2	---	---	44.8 (60.7) 0	26.1 (44.2) 1	---	---	---	---	38.7 (50.6) 2	46.3 (59.9) 1	28.3 (43.7) 12	37.7 (48.0) 1	40.7 (52.1) 4			
8	田中小学校 (昭島市田中町)	54.3 (67.2) 53	52.1 (64.7) 17	50.9 (66.8) 7	47.0 (58.4) 6	52.9 (63.8) 3	44.8 (57.1) 6	49.2 (60.6) 13	51.0 (63.7) 28	49.2 (61.2) 11	45.3 (57.0) 4	39.6 (51.1) 3	43.5 (54.7) 3	49.6 (63.0) 11	49.8 (64.2) 10	49.6 (62.7) 17	46.9 (59.7) 4	49.1 (62.7) 11	47.8 (60.5) 4	41.6 (58.6) 3	48.5 (61.1) 14	50.6 (61.1) 19	50.3 (60.8) 23	45.3 (70.3) 7	54.2 (83.9) 30	69.5 (91.1) 9	49.0 (60.9) 18	46.5 (56.0) 5	52.6 (65.0) 31	50.6 (65.5) 32			
9	清泉中学校 (昭島市宮沢町)	50.6 (63.3) 20	49.0 (62.2) 6	46.7 (58.6) 3	36.5 (49.6) 2	50.7 (61.3) 2	41.3 (53.1) 5	41.9 (52.6) 5	44.2 (59.5) 8	40.9 (51.3) 4	43.0 (54.2) 3	---	32.1 (43.0) 1	38.6 (51.1) 3	46.6 (60.2) 11	50.9 (64.3) 3	45.1 (61.2) 5	46.0 (60.3) 8	47.4 (60.6) 2	45.0 (59.6) 2	42.2 (56.6) 4	36.9 (47.1) 2	42.0 (52.5) 5	37.4 (48.2) 2	50.1 (65.6) 13	65.3 (76.7) 5	38.1 (48.6) 2	43.7 (59.6) 3	46.8 (62.5) 7	43.4 (56.6) 10			
10	八王子市石川市民センター (八王子市石川町)	56.7 (69.5) 40	55.7 (70.9) 19	53.5 (66.4) 6	50.6 (62.9) 8	50.6 (61.4) 2	49.4 (62.4) 8	52.8 (65.3) 11	51.3 (64.0) 19	53.1 (65.9) 8	43.0 (54.4) 3	42.8 (56.1) 3	48.6 (61.3) 3	52.3 (66.4) 10	50.7 (62.7) 9	48.7 (64.8) 13	51.9 (64.8) 5	48.8 (62.7) 11	46.8 (62.1) 2	41.9 (54.5) 4	50.8 (63.0) 10	53.8 (65.7) 20	54.2 (67.7) 26	49.6 (65.8) 7	53.5 (66.6) 15	73.1 (91.1) 8	51.0 (66.0) 16	51.2 (64.5) 3	54.5 (66.9) 26	52.2 (66.6) 23			
11	福生市保健センター (福生市福生)	42.4 (57.0) 8	40.8 (57.5) 5	43.0 (58.0) 1	64.1 (75.8) 5	---	---	---	40.6 (56.2) 0	---	---	---	---	31.0 (44.2) 1	38.1 (52.7) 1	37.9 (51.7) 3	48.8 (66.6) 9	36.7 (51.6) 2	35.9 (48.1) 1	32.9 (44.5) 1	---	---	37.4 (48.8) 0	---	39.3 (53.2) 2	43.4 (56.6) 6	41.1 (56.9) 2	40.0 (49.3) 1	---	38.9 (51.7) 0	33.7 (48.4) 3		
12	瑞穂第三小学校 (瑞穂町二本木)	50.2 (62.3) 13	47.5 (59.8) 8	55.4 (65.8) 3	49.9 (67.5) 5	---	33.6 (43.5) 0	39.2 (50.1) 1	42.1 (54.0) 3	43.3 (53.2) 5	45.2 (55.0) 3	---	---	51.3 (62.2) 7	45.4 (56.1) 3	43.6 (60.0) 5	44.0 (60.6) 5	43.2 (54.4) 4	35.2 (47.5) 1	33.4 (47.1) 1	38.0 (49.5) 2	41.0 (52.0) 3	41.5 (52.4) 4	42.4 (53.8) 3	59.4 (73.9) 11	58.9 (71.5) 5	39.6 (53.0) 5	46.3 (52.6) 2	43.8 (57.4) 7				
13	滝合小学校 (日野市西平山)	53.5 (65.1) 28	51.9 (64.8) 14	48.7 (59.0) 5	48.7 (59.0) 7	46.6 (57.3) 1	47.3 (58.3) 9	51.1 (62.2) 14	47.3 (60.2) 12	50.2 (61.5) 10	38.4 (49.6) 3	40.1 (55.6) 3	44.7 (61.5) 4	49.8 (61.5) 10	---	44.5 (56.9) 9	48.4 (59.9) 4	41.5 (55.0) 10	39.6 (53.2) 4	47.4 (59.4) 6	51.4 (62.0) 16	50.9 (57.7) 21	45.5 (62.3) 4	51.1 (82.0) 12	65.7 (92.0) 9	46.4 (62.1) 5	48.4 (62.3) 20	52.0 (62.8) 16					
14	個人住宅 (昭島市美堀町)	44.9 (57.9) 6	45.4 (55.7) 4	50.6 (65.7) 5	46.8 (58.6) 3	46.0 (57.2) 2	26.6 (45.8) 1	44.5 (57.1) 2	40.7 (51.4) 1	39.4 (50.8) 3	43.1 (54.2) 2	---	---	45.9 (60.6) 6	47.2 (61.0) 10	50.2 (64.2) 18	44.9 (59.1) 7	40.9 (52.7) 2	45.4 (56.3) 2	44.9 (57.2) 4	38.2 (56.7) 2	30.3 (45.5) 1	32.6 (43.0) 1	27.5 (46.3) 1	54.9 (70.8) 21	60.3 (72.1) 9	39.8 (57.0) 4	39.2 (56.2) 3	37.1 (51.5) 3	44.7 (59.0) 9			
15	武蔵野防災会館 (瑞穂町南平)	54.8 (68.0) 46	50.8 (64.3) 27	62.1 (79.6) 7	61.5 (78.0) 10	37.9 (53.7) 4	48.7 (64.3) 11	47.0 (63.0) 13	48.9 (61.1) 16	48.6 (61.1) 10	50.6 (63.2) 2	40.5 (53.0) 3	36.8 (55.5) 3	49.2 (62.6) 8	49.8 (62.8) 11	47.2 (62.1) 17	47.6 (64.0) 15	49.7 (62.9) 11	45.9 (58.9) 6	50.2 (61.4) 7	44.1 (58.0) 10	49.4 (63.4) 19	49.4 (63.4) 20	60.3 (74.2) 8	67.8 (84.6) 28	65.5 (80.3) 6	45.8 (61.2) 15	42.1 (56.1) 4	53.3 (66.8) 40	50.6 (63.5) 35			

※1 数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※2 測定点2は、降雪に伴う設備故障のため2月7日～13日まで欠測。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822