

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年4月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)	
1	行政財産内 (瑞穂町箱根ヶ崎)	60.7 (75.6) 9	69.5 (89.5) 46	64.3 (83.5) 52	66.4 (84.4) 66	67.7 (82.0) 21	70.8 (90.1) 15	72.3 (90.5) 17	68.3 (90.3) 37	68.9 (82.4) 31	67.2 (85.6) 75	65.6 (80.6) 31	69.6 (86.6) 30	71.9 (90.2) 16	69.3 (87.5) 11	56.9 (74.6) 65	68.2 (84.7) 18	61.8 (76.2) 47	58.0 (75.2) 36	52.8 (68.0) 18	70.2 (87.5) 18	65.1 (83.7) 14	60.1 (74.8) 38	51.8 (68.2) 7	70.2 (87.9) 42	67.2 (82.0) 43	64.1 (74.0) 12	50.7 (68.7) 1	62.5 (79.5) 7	65.3 (82.5) 48	65.1 (81.4) 41	
2	行政財産内 (昭島市美堀町)	64.4 (79.4) 3	55.2 (70.7) 41	57.5 (75.1) 34	71.9 (88.3) 57	72.7 (92.5) 25	68.6 (89.3) 17	59.9 (76.2) 9	63.1 (80.3) 42	61.9 (80.9) 40	65.1 (79.2) 63	63.1 (92.7) 31	70.8 (87.7) 32	67.1 (87.7) 10	67.0 (72.0) 11	59.3 (79.7) 7	63.0 (82.3) 56	63.9 (78.7) 51	60.5 (88.1) 42	67.1 (81.0) 30	68.7 (87.5) 11	68.7 (83.0) 14	56.1 (70.0) 5	56.1 (64.5) 34	64.8 (75.9) 31	64.8 (73.4) 4	54.8 (65.9) 4	48.6 (57.7) 5	52.8 (73.7) 7	57.3 (65.6) 28	49.9 (58.5) 23	
3	飯能市保健センター (飯能市双柳)	43.5 (55.2) 4	50.0 (61.5) 11	46.4 (58.1) 10	49.8 (61.3) 11	49.2 (59.7) 8	52.8 (66.5) 9	48.6 (66.4) 14	49.7 (64.5) 8	51.7 (61.4) 7	47.1 (59.1) 12	47.8 (64.6) 12	51.7 (65.4) 5	49.8 (61.8) 4	51.7 (51.2) 4	39.1 (48.9) 2	48.9 (56.9) 9	43.9 (56.4) 1	42.8 (53.6) 6	67.1 (81.0) 5	68.7 (87.5) 7	58.3 (81.0) 14	56.1 (70.0) 5	56.1 (64.5) 34	64.8 (75.9) 31	64.8 (73.4) 4	54.8 (65.9) 4	48.6 (57.7) 5	52.8 (73.7) 7	57.3 (65.6) 28	49.9 (58.5) 23	
4	加治地区行政センター (飯能市大字笠縫)	42.3 (53.9) 4	49.7 (61.8) 12	46.6 (58.3) 8	49.3 (60.3) 12	49.8 (60.3) 10	54.2 (68.3) 10	55.0 (66.9) 13	48.5 (64.5) 5	52.4 (62.7) 11	47.7 (59.0) 12	49.0 (63.9) 12	51.8 (65.3) 8	52.5 (62.7) 5	50.8 (62.7) 5	39.5 (51.9) 2	50.2 (59.8) 10	46.3 (58.2) 4	45.3 (60.4) 10	39.6 (88.1) 3	48.5 (60.7) 8	48.9 (81.0) 6	44.5 (51.1) 6	32.0 (44.6) 1	54.0 (65.0) 18	49.0 (62.1) 11	47.5 (56.8) 2	33.4 (45.3) 1	43.5 (54.4) 2	43.8 (55.4) 9	47.4 (58.5) 9	
5	入間市金子地区センター (入間市寺竹)	51.1 (63.5) 5	56.1 (70.6) 24	52.3 (67.3) 16	54.9 (67.3) 19	55.6 (67.2) 14	59.4 (73.8) 12	61.4 (73.9) 14	55.9 (75.3) 16	57.5 (67.7) 12	54.8 (68.6) 28	54.5 (66.1) 16	59.9 (73.9) 14	58.2 (71.3) 5	58.6 (71.3) 6	44.0 (56.9) 3	55.2 (66.8) 21	50.1 (59.7) 9	48.2 (62.3) 15	46.1 (60.9) 10	55.7 (69.5) 9	55.6 (69.2) 7	49.6 (62.3) 11	42.1 (54.5) 4	59.4 (71.7) 39	53.3 (67.1) 17	51.8 (62.7) 2	38.7 (51.7) 1	51.1 (62.8) 3	52.6 (66.2) 22	52.5 (64.9) 15	
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	53.6 (65.3) 6	56.9 (71.2) 32	51.9 (66.1) 27	57.1 (68.5) 29	57.8 (70.4) 19	63.1 (78.4) 12	64.6 (79.9) 15	55.4 (71.9) 27	57.0 (66.6) 11	57.0 (69.6) 47	54.1 (67.5) 20	62.2 (75.0) 15	62.1 (77.4) 6	62.1 (78.8) 6	45.1 (57.7) 5	57.1 (70.4) 42	51.1 (63.1) 15	50.8 (65.4) 22	47.8 (61.6) 14	58.8 (71.9) 14	54.2 (69.4) 7	53.1 (65.6) 14	44.5 (57.1) 4	59.7 (71.2) 34	55.4 (68.5) 19	55.1 (66.6) 2	38.6 (51.5) 1	50.6 (63.6) 4	54.0 (67.8) 34	52.8 (65.5) 22	
7	第十小学校 (武蔵村山市残堀)	---	30.5 (44.2) 0	34.3 (43.4) 1	41.2 (53.6) 2	---	42.7 (56.5) 0	27.9 (43.0) 1	---	---	45.6 (61.8) 1	38.2 (51.0) 3	39.4 (53.2) 4	---	35.5 (49.7) 3	42.0 (59.1) 12	47.0 (60.2) 0	---	---	---	48.5 (68.9) 0	23.9 (43.5) 4	---	34.0 (44.7) 1	32.4 (44.0) 1	44.8 (58.9) 7	---	---	34.6 (46.4) 0	39.9 (54.1) 2	43.0 (59.0) 4	
8	田中小学校 (昭島市田中町)	50.2 (63.3) 3	46.1 (61.0) 11	47.7 (61.3) 10	54.8 (66.9) 21	58.0 (73.3) 21	54.8 (69.1) 13	52.6 (66.1) 6	57.8 (70.8) 16	54.2 (68.6) 20	52.0 (63.1) 25	55.5 (70.1) 8	60.6 (77.9) 11	58.1 (76.3) 7	58.2 (72.7) 5	48.0 (58.2) 3	55.0 (69.9) 24	53.8 (66.8) 33	49.9 (63.3) 23	58.6 (73.6) 21	61.2 (80.4) 4	53.9 (67.1) 7	51.5 (63.8) 22	50.6 (61.8) 2	53.6 (67.3) 18	52.2 (61.8) 8	47.6 (61.4) 2	---	40.4 (53.9) 0	52.6 (65.1) 3	43.0 (56.7) 6	
9	清泉中学校 (昭島市宮沢町)	45.9 (60.0) 2	46.9 (59.6) 13	45.2 (58.8) 11	61.2 (72.9) 19	49.8 (65.5) 8	49.1 (62.5) 7	50.6 (63.1) 7	55.0 (65.7) 14	52.1 (65.1) 14	46.8 (57.8) 6	52.3 (63.8) 11	53.0 (67.8) 12	51.7 (66.7) 6	56.2 (67.8) 4	51.4 (63.2) 22	56.0 (69.3) 10	44.9 (57.1) 5	42.6 (55.0) 11	53.9 (69.7) 5	57.4 (74.7) 5	52.3 (65.0) 8	44.3 (56.0) 5	47.0 (57.6) 3	49.3 (61.7) 12	49.0 (59.3) 8	45.5 (51.6) 1	39.8 (52.7) 4	40.9 (64.7) 6	51.1 (56.7) 4	37.3 (51.1) 4	
10	八王子市石川市民センター (八王子市石川町)	54.5 (65.1) 3	44.0 (56.7) 9	48.0 (61.8) 18	62.4 (73.5) 21	61.2 (76.4) 27	58.7 (73.2) 11	53.4 (67.4) 6	54.9 (67.8) 14	53.5 (67.9) 16	56.1 (67.5) 22	53.5 (67.4) 10	57.8 (73.5) 18	57.7 (73.2) 7	57.7 (71.0) 5	53.0 (65.3) 21	53.4 (67.3) 2	50.4 (65.7) 20	57.5 (71.6) 19	59.0 (75.5) 7	50.8 (63.3) 9	52.2 (65.1) 14	44.6 (53.4) 2	55.5 (66.5) 16	56.3 (65.7) 9	47.5 (61.4) 2	39.0 (50.9) 1	46.1 (59.3) 3	51.2 (64.7) 1	41.6 (55.2) 7		
11	福生市保健センター (福生市福生)	37.9 (53.3) 2	45.9 (56.1) 5	---	47.3 (61.3) 11	---	37.9 (53.0) 0	37.8 (52.0) 2	35.7 (48.4) 1	40.5 (53.2) 4	45.1 (59.5) 4	37.4 (53.0) 3	42.6 (57.4) 8	31.5 (47.0) 1	41.7 (58.8) 3	34.1 (46.3) 2	48.3 (62.7) 8	43.6 (58.4) 4	---	43.3 (56.7) 0	40.3 (58.5) 3	38.3 (60.9) 6	46.6 (60.9) 3	---	39.5 (53.8) 0	---	34.1 (46.5) 2	---	33.9 (46.0) 0	37.8 (53.6) 3	39.0 (54.8) 2	
12	瑞穂第三小学校 (瑞穂町二本木)	41.3 (52.9) 3	---	29.6 (43.4) 0	47.1 (56.6) 2	48.6 (60.5) 6	55.7 (72.6) 8	---	45.6 (57.9) 7	44.5 (58.2) 0	---	51.1 (63.4) 3	51.8 (60.6) 8	53.5 (64.0) 2	37.5 (52.5) 1	35.6 (47.9) 1	35.6 (43.2) 1	27.5 (43.2) 1	40.0 (52.5) 4	51.4 (64.0) 3	---	41.0 (53.5) 3	36.4 (46.2) 1	46.0 (56.9) 4	50.2 (64.1) 4	36.3 (47.8) 1	---	---	44.5 (57.4) 0	37.7 (51.8) 1		
13	滝合小学校 (日野市西平山)	51.9 (61.4) 3	39.1 (52.0) 3	44.7 (57.7) 9	59.6 (70.1) 18	58.2 (73.3) 24	55.8 (71.9) 10	48.0 (59.9) 7	51.5 (62.3) 13	49.9 (62.1) 13	51.1 (62.4) 12	48.4 (61.2) 6	53.2 (69.5) 18	52.0 (65.9) 9	50.4 (63.7) 4	49.5 (61.0) 4	48.9 (61.9) 13	50.0 (62.1) 14	47.0 (60.0) 16	51.9 (67.6) 12	54.2 (69.5) 7	46.8 (59.2) 8	48.6 (59.6) 10	39.8 (52.7) 3	49.8 (61.7) 9	53.5 (54.6) 7	42.4 (51.7) 3	41.9 (54.8) 4	47.8 (60.9) 7	34.8 (46.9) 2		
14	個人住宅 (昭島市美堀町)	39.6 (51.4) 2	52.4 (65.4) 21	44.4 (57.3) 8	56.3 (72.6) 22	45.1 (59.2) 6	51.0 (64.9) 11	50.4 (62.2) 9	54.6 (67.1) 24	51.1 (63.9) 11	51.6 (65.8) 17	54.5 (68.1) 15	53.0 (65.8) 14	47.9 (59.8) 4	58.9 (71.4) 6	49.8 (62.0) 5	55.6 (69.8) 24	41.2 (53.9) 4	45.2 (58.9) 6	52.2 (69.4) 11	59.2 (76.8) 7	50.9 (62.7) 11	42.2 (55.5) 4	44.5 (54.7) 3	47.3 (61.0) 12	42.1 (54.4) 3	41.4 (54.3) 1	40.2 (53.2) 3	53.7 (66.9) 16	44.1 (59.5) 9		
15	武蔵野防災会館 (瑞穂町南平)	47.4 (60.7) 5	46.3 (59.3) 11	46.9 (62.9) 18	54.6 (66.8) 41	59.5 (71.6) 18	61.7 (80.3) 12	61.4 (76.8) 16	48.1 (61.5) 10	53.7 (67.9) 35	52.2 (62.3) 16	46.7 (60.4) 14	60.9 (72.5) 18	61.3 (77.2) 8	62.7 (75.0) 7	44.5 (58.2) 5	61.0 (81.1) 25	49.3 (63.0) 25	47.6 (58.9) 25	48.8 (63.1) 18	65.7 (80.5) 14	43.7 (57.3) 8	50.6 (64.9) 23	46.8 (59.4) 6	52.5 (64.1) 19	50.9 (64.2) 8	38.9 (51.4) 2	42.2 (54.6) 6	50.4 (62.7) 17	41.5 (54.5) 8		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822