

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年5月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点	測定場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日
No.		(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)
1	行政財産内 (瑞穂町箱根ヶ崎)	57.4 (73.6) 19	58.5 (74.0) 69	59.0 (77.5) 33	60.4 (79.0) 14	52.5 (71.9) 3	68.6 (84.0) 60	66.6 (84.2) 52	60.8 (76.7) 70	56.0 (72.5) 24	65.8 (84.0) 24	56.6 (75.6) 14	57.7 (77.0) 4	55.5 (71.0) 15	61.3 (79.4) 43	64.0 (82.3) 45	59.9 (78.3) 23	70.3 (90.6) 29	78.1 (98.0) 31	68.4 (86.9) 14	72.9 (92.6) 18	72.5 (95.7) 8	64.3 (82.5) 44	64.8 (82.5) 76	56.5 (73.9) 20	59.2 (79.4) 4	41.9 (53.8) 3	64.5 (84.6) 5	56.6 (76.3) 4	60.7 (78.0) 31	66.1 (84.8) 71	62.1 (76.7) 28
2	行政財産内 (昭島市美堀町)	59.0 (78.1) 18	58.6 (76.2) 37	55.8 (73.7) 28	57.6 (74.9) 12	46.9 (62.0) 5	56.7 (71.1) 40	62.3 (76.3) 42	63.8 (82.4) 64	57.3 (74.7) 28	49.4 (65.3) 16	48.7 (62.6) 11	40.8 (57.1) 5	62.4 (82.7) 15	63.0 (77.3) 34	54.7 (70.3) 44	56.1 (74.5) 20	50.5 (68.8) 7	72.7 (90.8) 32	70.9 (89.3) 21	57.7 (76.1) 11	60.1 (80.2) 17	55.9 (72.5) 37	51.9 (68.5) 22	60.3 (78.9) 9	53.7 (70.4) 8	53.6 (70.3) 7	53.7 (75.7) 6	57.5 (76.1) 27	60.3 (77.7) 62	63.0 (81.0) 30	
3	飯能市保健センター (飯能市双柳)	41.4 (52.2) 4	44.2 (57.2) 9	40.8 (52.5) 3	38.7 (50.0) 3	35.9 (48.0) 2	48.8 (60.8) 8	50.5 (60.8) 19	46.1 (59.1) 9	41.4 (54.3) 5	49.1 (59.4) 7	36.5 (49.3) 2	34.1 (45.6) 1	41.7 (54.8) 3	46.4 (60.2) 6	46.0 (59.4) 10	40.0 (52.3) 5	47.3 (61.6) 4	38.0 (49.9) 2	39.4 (53.4) 2	49.5 (62.6) 8	43.7 (56.0) 5	42.8 (58.1) 5	48.1 (60.9) 8	39.5 (51.6) 4	42.5 (55.0) 3	---	46.5 (59.1) 5	38.8 (52.5) 3	42.4 (54.8) 6	47.2 (59.4) 20	45.7 (56.8) 7
4	加治地区行政センター (飯能市大字笠縫)	39.9 (52.9) 3	42.0 (54.5) 8	34.8 (47.2) 1	40.5 (52.7) 5	34.0 (46.5) 1	51.4 (62.2) 7	50.5 (60.9) 20	45.3 (58.7) 9	41.8 (53.9) 5	48.3 (59.6) 7	39.0 (51.3) 3	35.5 (45.6) 1	40.1 (52.5) 2	46.2 (59.0) 7	46.7 (59.8) 11	41.8 (53.9) 7	50.9 (65.9) 9	39.7 (55.7) 5	37.7 (53.6) 1	50.7 (62.9) 9	47.0 (61.9) 5	43.8 (56.5) 6	47.8 (57.7) 5	42.2 (53.5) 3	41.2 (54.8) 3	---	47.6 (60.3) 5	36.5 (48.9) 2	43.6 (55.1) 6	49.0 (61.7) 25	47.6 (59.6) 14
5	入間市金子地区センター (入間市寺竹)	46.3 (61.1) 7	47.5 (61.1) 14	47.5 (61.5) 7	48.0 (61.5) 10	40.7 (54.5) 2	55.3 (68.3) 14	56.4 (68.7) 34	51.5 (65.1) 28	44.1 (57.6) 5	52.7 (66.2) 9	44.7 (58.5) 8	40.0 (52.7) 5	45.1 (58.1) 12	51.7 (67.4) 19	51.8 (66.0) 12	49.1 (63.2) 17	60.4 (77.0) 10	59.4 (75.4) 15	34.7 (48.6) 2	55.8 (69.3) 13	56.4 (69.7) 5	50.5 (67.6) 11	54.2 (65.5) 7	47.3 (60.0) 7	44.5 (57.5) 3	---	52.8 (60.7) 5	44.8 (58.6) 3	50.9 (66.3) 12	54.0 (67.7) 34	51.6 (64.3) 22
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	48.7 (62.5) 8	48.6 (62.5) 15	48.3 (62.5) 18	50.3 (64.1) 13	40.4 (55.5) 2	55.9 (68.3) 43	56.8 (69.6) 49	55.0 (68.2) 43	47.6 (61.3) 8	56.0 (65.9) 15	43.7 (57.7) 7	41.1 (54.5) 2	46.7 (59.5) 8	53.5 (68.3) 16	53.7 (67.7) 34	47.7 (61.3) 18	56.5 (72.7) 20	65.1 (81.4) 27	58.6 (75.2) 9	57.0 (70.6) 14	58.9 (74.3) 8	55.0 (69.3) 30	53.6 (67.0) 39	47.2 (60.3) 9	46.8 (59.5) 3	---	52.5 (67.0) 5	43.3 (57.7) 3	51.4 (65.2) 14	55.2 (68.9) 55	55.3 (67.7) 23
7	第十小学校 (武蔵村山市残掘)	---	46.8 (58.7) 0	34.8 (51.5) 12	---	36.1 (54.0) 0	44.7 (58.4) 10	40.3 (58.5) 2	40.8 (52.9) 4	42.9 (61.4) 3	32.8 (44.5) 1	---	---	---	---	40.5 (57.2) 0	42.8 (64.5) 4	39.9 (55.3) 3	67.3 (84.8) 4	58.9 (77.0) 1	40.0 (52.0) 1	46.7 (66.0) 2	---	46.1 (60.8) 13	---	---	---	40.2 (61.1) 2	---	36.6 (49.4) 0	42.9 (56.1) 1	---
8	田中小学校 (昭島市田中町)	45.6 (58.8) 9	47.0 (60.6) 18	44.8 (57.6) 12	46.7 (60.5) 3	40.3 (53.8) 1	49.2 (60.8) 12	57.2 (67.5) 11	53.0 (66.9) 47	49.2 (61.2) 17	43.4 (56.4) 3	43.5 (55.5) 2	---	48.2 (61.4) 5	48.2 (59.8) 14	45.1 (60.0) 15	45.7 (57.7) 4	53.7 (65.5) 2	53.7 (67.2) 18	56.5 (72.7) 20	53.7 (68.5) 10	47.8 (63.3) 6	47.9 (63.3) 10	46.2 (59.0) 12	44.2 (56.8) 10	47.1 (59.6) 3	47.1 (62.1) 3	48.9 (59.9) 3	44.0 (57.3) 10	51.5 (64.4) 20	49.5 (61.7) 18	
9	清泉中学校 (昭島市宮沢町)	32.7 (44.7) 1	37.4 (49.4) 3	42.7 (57.0) 9	48.8 (61.9) 5	40.7 (54.1) 3	49.9 (62.3) 12	54.4 (64.1) 22	46.0 (59.4) 8	48.3 (61.0) 17	43.2 (56.1) 8	40.9 (50.8) 2	36.9 (50.1) 2	44.3 (56.6) 4	40.2 (51.4) 3	42.9 (56.3) 9	44.6 (57.6) 4	43.4 (56.0) 9	58.4 (66.4) 16	56.5 (74.7) 11	40.8 (51.4) 4	45.9 (61.4) 6	46.7 (61.2) 7	41.8 (60.1) 9	41.8 (54.2) 4	54.4 (64.3) 3	46.8 (60.7) 4	48.9 (61.5) 5	48.9 (65.5) 8	52.8 (52.3) 3	44.3 (56.5) 22	44.3 (56.5) 22
10	八王子市石川市民センター (八王子市石川町)	48.8 (62.9) 11	47.4 (60.7) 12	43.9 (57.5) 5	50.5 (64.2) 7	39.4 (53.4) 3	49.4 (62.0) 13	54.9 (66.1) 18	55.1 (69.7) 35	53.0 (65.0) 17	40.3 (53.8) 4	41.1 (53.4) 2	33.9 (46.4) 1	51.7 (65.3) 14	53.0 (64.1) 17	44.5 (57.3) 11	46.0 (60.4) 7	42.1 (55.5) 3	40.8 (54.4) 5	49.8 (64.0) 9	51.6 (66.9) 14	46.8 (60.2) 8	49.2 (63.1) 11	42.4 (54.1) 5	42.4 (67.5) 6	46.6 (61.1) 4	46.0 (58.1) 6	45.1 (64.1) 3	48.5 (65.2) 11	52.2 (65.2) 20	54.3 (67.5) 29	
11	福生市保健センター (福生市福生)	---	40.9 (55.4) 0	38.6 (54.4) 3	---	---	29.6 (43.9) 1	41.0 (57.1) 6	41.0 (56.6) 5	42.0 (57.8) 3	37.0 (54.3) 1	---	45.3 (59.3) 14	---	50.1 (65.3) 0	42.9 (60.5) 3	---	53.0 (67.5) 9	59.1 (72.2) 24	54.7 (69.5) 6	47.2 (59.8) 1	43.2 (54.7) 2	44.4 (56.2) 2	43.8 (58.4) 5	42.1 (57.4) 3	31.3 (44.0) 1	---	---	25.8 (44.3) 1	---	41.1 (56.9) 3	---
12	瑞穂第三小学校 (瑞穂町二本木)	35.5 (47.7) 2	40.9 (54.4) 5	---	---	---	33.0 (46.7) 0	34.8 (48.5) 2	49.0 (62.4) 9	40.3 (53.7) 3	48.1 (60.5) 2	---	---	39.6 (52.3) 0	42.4 (54.4) 4	40.7 (54.4) 6	28.8 (43.4) 1	46.2 (62.4) 6	59.4 (75.4) 12	61.5 (65.2) 5	52.1 (68.2) 9	55.0 (68.2) 4	34.2 (46.2) 1	30.5 (44.1) 1	39.0 (55.4) 1	---	---	---	---	38.6 (51.5) 0	40.1 (54.0) 2	45.7 (56.7) 9
13	滝合小学校 (日野市西平山)	46.0 (60.2) 7	45.3 (57.7) 10	42.2 (55.0) 5	45.3 (57.5) 4	---	44.4 (56.7) 0	51.4 (62.7) 11	52.5 (65.9) 28	50.3 (61.1) 16	37.6 (51.0) 4	38.6 (51.5) 3	36.3 (48.5) 2	47.9 (61.9) 5	49.8 (60.6) 11	44.2 (57.6) 13	43.8 (57.7) 6	42.7 (55.7) 8	---	34.8 (46.0) 1	46.3 (58.5) 6	47.5 (60.8) 10	45.1 (58.7) 7	43.5 (56.1) 5	41.0 (52.4) 4	48.0 (59.7) 4	42.4 (55.1) 4	41.1 (52.4) 4	33.8 (45.7) 1	46.0 (58.1) 7	48.5 (61.4) 15	51.2 (63.2) 22
14	個人住宅 (昭島市美堀町)	38.3 (52.2) 4	41.1 (57.2) 4	47.5 (61.0) 12	46.7 (61.4) 6	40.6 (53.5) 2	48.4 (64.4) 20	54.9 (64.4) 16	44.1 (56.1) 3	42.5 (59.2) 3	46.0 (59.5) 10	41.4 (52.3) 2	---	35.0 (48.5) 2	43.0 (55.7) 3	48.5 (63.5) 17	42.4 (58.7) 4	42.3 (54.1) 3	68.7 (83.3) 22	68.7 (85.1) 12	49.5 (64.4) 6	49.0 (65.9) 4	49.1 (62.0) 13	52.7 (67.0) 31	46.2 (61.3) 8	50.1 (61.3) 3	44.9 (59.1) 5	48.6 (61.7) 6	45.9 (53.5) 4	40.6 (67.8) 6	54.1 (75.0) 35	43.3 (57.0) 2
15	武蔵野防災会館 (瑞穂町南平)	46.7 (63.5) 13	49.9 (64.4) 28	42.4 (58.2) 14	40.6 (54.5) 6	37.2 (50.3) 2	44.6 (59.5) 12	47.4 (60.4) 18	54.8 (67.1) 40	47.0 (61.0) 13	53.4 (61.8) 10	42.1 (55.1) 3	33.1 (49.7) 2	46.3 (60.5) 6	49.0 (63.0) 20	45.1 (57.9) 10	44.0 (58.2) 11	52.2 (67.7) 21	66.2 (81.9) 30	63.5 (79.1) 24	66.6 (77.0) 15	59.7 (64.6) 14	49.2 (61.0) 12	46.8 (58.3) 5	41.6 (59.2) 4	45.6 (55.6) 3	41.8 (55.4) 7	40.1 (57.2) 1	41.3 (61.2) 19	46.8 (62.9) 23	48.2 (64.3) 21	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

北関東防衛局 企画部 住宅防音課

TEL 048-600-1821、1822