

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年8月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	29日 (木)	30日 (金)	31日 (土)	
1	行政財産内 (瑞穂町箱根ヶ崎)	65.1 (84.3) 48	68.2 (86.9) 47	54.3 (73.3) 6	60.5 (77.2) 5	63.0 (82.8) 21	68.8 (84.5) 87	58.8 (76.1) 25	66.0 (83.7) 79	54.9 (69.5) 28	54.9 (71.7) 3	48.6 (67.2) 7	65.3 (83.6) 33	69.6 (87.0) 84	64.7 (83.1) 33	56.1 (72.8) 28	49.2 (63.8) 10	59.7 (78.0) 26	64.4 (81.6) 7	60.7 (80.0) 24	70.0 (84.7) 71	62.5 (80.0) 42	64.3 (84.2) 33	61.6 (80.4) 27	64.0 (83.5) 9	62.6 (80.5) 9	66.4 (84.3) 58	69.5 (85.8) 58	64.3 (81.9) 26	61.2 (77.5) 4	65.6 (84.5) 11	
2	行政財産内 (昭島市美堀町)	59.2 (76.0) 51	59.3 (73.8) 43	57.9 (72.8) 6	52.1 (66.7) 7	55.9 (75.2) 20	65.0 (84.4) 88	63.1 (84.4) 41	58.3 (75.5) 61	59.2 (78.6) 33	52.6 (70.2) 7	52.7 (69.5) 5	55.1 (71.4) 27	66.3 (80.2) 80	58.1 (72.8) 29	56.4 (74.1) 34	----	63.4 (81.8) 17	56.0 (73.3) 10	54.3 (72.4) 27	62.5 (78.8) 84	61.0 (77.0) 44	58.8 (74.5) 39	53.6 (69.2) 39	57.5 (78.1) 9	60.9 (79.5) 11	54.2 (70.8) 28	59.4 (73.5) 46	54.1 (70.4) 26	30.8 (43.0) 1	48.9 (69.3) 4	
3	飯能市保健センター (飯能市双柳)	40.7 (53.5) 5	47.0 (61.5) 7	35.0 (46.8) 2	43.0 (53.3) 2	44.7 (65.1) 2	59.8 (73.1) 15	42.9 (56.5) 6	42.4 (53.3) 5	39.2 (53.2) 5	39.2 (52.2) 4	35.0 (48.9) 3	43.8 (55.7) 9	47.4 (59.5) 9	43.9 (55.3) 7	37.4 (52.0) 3	----	37.8 (51.0) 3	43.9 (55.1) 4	43.8 (63.1) 4	54.7 (62.2) 11	38.0 (50.5) 3	46.2 (58.5) 11	40.1 (53.4) 5	54.2 (74.3) 18	44.2 (55.6) 6	45.2 (57.3) 7	49.6 (62.6) 13	43.8 (56.5) 11	33.7 (43.1) 1	46.4 (59.7) 5	
4	加治地区行政センター (飯能市大字笠縫)	46.0 (61.0) 6	46.9 (58.8) 9	33.3 (45.5) 1	42.9 (53.9) 1	48.4 (68.9) 8	51.4 (62.4) 14	44.4 (57.8) 6	38.9 (52.0) 6	37.1 (50.3) 4	39.3 (52.1) 2	37.1 (51.1) 3	43.9 (55.4) 7	47.7 (59.6) 5	44.4 (56.2) 6	36.8 (52.0) 4	37.9 (52.4) 7	40.2 (55.9) 4	47.2 (59.0) 5	40.3 (55.3) 4	54.0 (64.0) 14	37.6 (51.4) 3	42.1 (54.3) 9	41.3 (54.3) 6	56.6 (77.7) 20	44.7 (57.2) 5	43.9 (54.9) 5	50.5 (60.7) 10	41.0 (52.9) 5	41.4 (51.7) 2	47.0 (60.5) 7	
5	入間市金子地区センター (入間市寺竹)	49.2 (63.8) 14	53.8 (67.8) 21	40.7 (54.7) 2	50.2 (62.4) 4	50.3 (64.7) 12	56.9 (69.8) 38	49.7 (63.9) 22	50.1 (63.2) 24	44.4 (58.4) 10	43.6 (56.6) 3	38.6 (53.5) 4	50.3 (64.3) 14	55.6 (68.0) 32	49.1 (62.1) 11	43.7 (57.8) 11	38.7 (52.6) 6	44.1 (57.6) 6	53.1 (66.0) 5	46.1 (60.6) 8	58.9 (68.5) 28	47.3 (60.6) 15	51.3 (65.8) 22	48.6 (62.7) 20	56.9 (76.1) 18	50.3 (64.3) 6	49.9 (64.4) 14	57.9 (70.2) 38	52.7 (65.5) 23	51.1 (62.0) 4	53.5 (68.1) 11	
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	54.0 (67.5) 28	54.8 (68.4) 24	40.1 (53.4) 3	48.1 (60.4) 3	50.4 (63.7) 11	61.4 (74.3) 36	51.2 (66.4) 14	54.4 (68.0) 33	48.0 (62.9) 15	46.0 (60.1) 3	40.5 (54.7) 4	54.6 (68.4) 24	57.9 (70.7) 60	50.3 (62.7) 16	46.8 (61.3) 13	45.2 (59.2) 12	47.8 (60.9) 16	53.4 (66.5) 6	47.3 (60.6) 11	60.2 (69.3) 42	50.7 (64.4) 24	50.1 (63.7) 23	48.1 (61.3) 17	52.3 (66.9) 7	51.0 (63.6) 9	51.7 (65.5) 24	56.9 (67.9) 37	51.5 (63.4) 19	48.5 (59.3) 4	52.7 (66.2) 9	
7	第十小学校 (武蔵村山市残堀)	46.3 (62.2) 7	47.9 (64.2) 6	35.6 (48.4) 1	----	----	65.3 (84.1) 5	51.4 (71.5) 1	44.4 (58.9) 10	43.1 (59.6) 1	----	----	40.2 (54.9) 4	44.8 (63.5) 5	35.4 (47.7) 2	38.6 (48.9) 3	----	31.8 (46.0) 1	----	43.5 (60.4) 1	42.5 (54.7) 3	43.6 (57.9) 3	38.6 (54.2) 4	----	----	----	47.9 (62.6) 13	40.6 (52.2) 1	----	----	36.5 (53.2) 4	
8	田中小学校 (昭島市田中町)	52.2 (65.0) 16	49.9 (63.1) 12	50.6 (62.0) 3	46.5 (57.9) 3	44.4 (56.8) 6	52.3 (65.3) 35	53.6 (66.9) 24	48.2 (62.2) 23	47.8 (63.3) 18	40.4 (55.7) 2	----	45.1 (58.5) 5	53.8 (66.4) 23	51.4 (63.3) 12	46.5 (61.3) 19	----	51.7 (63.2) 7	48.1 (60.1) 6	43.3 (53.7) 6	53.2 (67.4) 35	53.7 (64.7) 16	49.7 (64.2) 16	48.9 (62.2) 17	50.2 (63.2) 5	52.3 (65.6) 6	47.6 (60.5) 8	54.0 (66.1) 22	47.3 (59.8) 12	42.7 (55.4) 1	46.4 (60.6) 5	
9	清泉中学校 (昭島市宮沢町)	46.0 (58.4) 8	47.4 (60.0) 5	47.1 (57.6) 4	44.3 (55.7) 4	44.4 (57.0) 11	52.1 (69.1) 8	44.9 (57.8) 4	44.7 (58.2) 10	28.4 (43.6) 1	31.9 (44.0) 1	39.4 (52.3) 2	45.2 (59.7) 10	54.6 (65.0) 13	48.0 (61.0) 10	40.6 (53.5) 8	----	46.7 (61.7) 4	46.5 (58.0) 4	41.3 (58.0) 4	46.1 (61.0) 16	47.1 (59.4) 5	44.5 (58.2) 10	42.9 (55.5) 8	47.0 (58.9) 5	47.3 (60.3) 8	43.7 (56.5) 14	52.7 (65.2) 7	44.0 (56.2) 7	41.7 (54.2) 1	44.1 (56.8) 5	
10	八王子市石川市民センター (八王子市石川町)	47.2 (61.5) 4	49.6 (62.9) 6	49.1 (62.7) 1	44.4 (55.9) 2	43.9 (57.0) 5	54.2 (69.1) 12	50.3 (66.9) 9	45.2 (60.2) 4	45.3 (58.5) 4	42.1 (54.1) 1	44.5 (57.5) 4	42.3 (55.4) 1	57.7 (68.8) 13	50.4 (63.2) 6	45.4 (58.4) 8	----	52.9 (68.3) 7	48.2 (63.4) 9	46.1 (62.9) 8	51.4 (65.1) 23	52.0 (65.1) 15	48.4 (62.7) 15	46.4 (59.2) 10	49.8 (63.3) 4	51.0 (67.4) 5	43.6 (56.7) 5	52.7 (67.3) 21	45.6 (58.1) 11	28.4 (46.2) 1	44.1 (57.5) 4	
11	福生市保健センター (福生市福生)	43.3 (60.5) 3	47.2 (62.8) 7	----	----	----	49.5 (65.2) 7	----	46.0 (63.4) 5	31.7 (44.8) 1	----	----	39.5 (55.8) 3	45.4 (61.2) 5	47.6 (59.0) 2	32.5 (48.0) 2	----	43.1 (63.7) 4	----	51.1 (68.1) 4	39.9 (55.3) 4	40.7 (54.6) 4	38.6 (55.1) 2	41.5 (54.1) 7	----	35.0 (48.0) 1	44.2 (60.3) 3	34.8 (46.6) 1	----	----	----	----
12	瑞穂第三小学校 (瑞穂町二本木)	36.6 (52.6) 1	31.9 (44.4) 1	----	----	28.6 (47.4) 0	56.6 (72.0) 7	33.3 (43.5) 1	36.2 (49.4) 1	24.5 (44.3) 1	----	----	41.9 (54.9) 0	----	39.7 (50.2) 1	32.7 (43.9) 1	----	39.6 (56.0) 1	35.6 (47.5) 1	53.8 (65.2) 9	45.3 (57.5) 4	----	----	----	42.3 (59.6) 3	----	47.7 (64.7) 6	----	----	----	----	41.8 (61.4) 2
13	滝合小学校 (日野市西平山)	45.5 (57.2) 10	45.9 (58.8) 6	45.7 (58.2) 6	39.4 (51.4) 3	43.0 (54.9) 8	51.0 (61.4) 15	46.1 (60.4) 11	46.1 (58.8) 13	45.7 (62.5) 12	38.6 (50.7) 2	41.1 (53.3) 4	39.2 (51.1) 3	52.4 (63.9) 14	44.6 (55.9) 6	40.3 (52.6) 4	----	49.8 (60.7) 6	44.0 (56.6) 7	50.3 (66.9) 15	47.9 (60.9) 7	49.2 (60.7) 13	44.9 (56.9) 10	41.1 (54.1) 7	45.4 (58.4) 5	46.7 (61.2) 7	35.5 (48.2) 2	43.0 (55.8) 6	42.5 (54.1) 5	----	38.5 (52.0) 3	
14	個人住宅 (昭島市美堀町)	50.5 (64.2) 19	53.5 (66.8) 26	44.0 (57.4) 2	43.4 (52.9) 3	47.8 (60.2) 10	52.4 (66.8) 12	53.2 (65.8) 6	46.3 (60.3) 17	48.6 (70.5) 2	----	36.7 (49.2) 1	49.9 (63.6) 17	52.8 (66.1) 24	47.8 (60.7) 12	38.3 (50.6) 3	43.5 (55.1) 4	44.0 (58.8) 7	50.4 (61.3) 5	51.8 (64.9) 7	48.1 (63.2) 8	45.8 (59.5) 10	46.1 (60.5) 14	43.5 (56.2) 5	46.7 (59.3) 8	51.5 (66.5) 22	51.0 (63.2) 18	46.3 (60.2) 8	41.0 (52.5) 1	43.2 (57.8) 1		
15	武蔵野防災会館 (瑞穂町南平)	41.3 (54.3) 2	46.1 (59.3) 9	32.4 (46.5) 2	37.9 (49.8) 1	32.1 (49.8) 2	62.8 (75.3) 40	45.1 (58.6) 16	47.5 (61.2) 15	44.6 (58.6) 13	42.7 (57.5) 4	35.4 (50.3) 4	40.9 (52.5) 4	46.3 (60.8) 5	44.9 (57.2) 9	43.0 (57.7) 11	44.4 (59.5) 12	38.4 (52.9) 5	44.1 (58.7) 4	45.9 (59.8) 3	53.4 (66.1) 28	47.2 (60.6) 23	41.8 (57.0) 4	46.0 (58.1) 8	39.2 (59.1) 3	43.8 (57.3) 3	45.2 (61.3) 7	51.0 (63.3) 13	----	43.2 (57.8) 1	43.9 (58.9) 9	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

北関東防衛局 企画部 住宅防音課

TEL 048-600-1821、1822