

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)		
1	行政財産内 瑞穂町箱根ヶ崎	62.2 (80.2) 49	62.1 (75.5) 11	62.3 (74.7) 11	64.2 (81.0) 38	65.7 (78.6) 58	63.2 (76.4) 49	58.0 (73.2) 37	60.4 (74.7) 23	49.0 (65.3) 4	42.5 (56.7) 6	65.0 (76.9) 5	62.0 (83.5) 29	65.3 (81.1) 72	63.0 (81.1) 68	63.0 (81.5) 41	64.3 (79.2) 62	54.4 (71.0) 11	58.8 (72.3) 57	53.9 (68.6) 25	57.6 (73.4) 51	64.0 (82.6) 53	65.4 (82.7) 36	55.9 (71.3) 7	51.5 (67.8) 10	68.2 (81.7) 43	56.7 (73.2) 42	61.8 (80.2) 40	60.6 (79.3) 12	53.1 (71.8) 2	--- (---) 0		
2	行政財産内 昭島市美堀町	61.8 (76.6) 36	64.4 (80.7) 10	54.7 (77.6) 7	57.6 (72.2) 25	66.7 (83.0) 67	60.1 (78.0) 35	61.1 (79.9) 46	55.6 (72.5) 9	48.3 (66.7) 7	52.4 (69.7) 4	52.8 (72.8) 4	61.2 (77.8) 30	61.9 (79.2) 71	66.0 (83.5) 78	60.7 (80.4) 30	63.0 (80.5) 55	47.9 (65.6) 8	64.9 (84.3) 46	59.7 (76.9) 38	65.6 (82.0) 55	60.7 (79.5) 58	55.3 (69.2) 27	55.1 (73.7) 8	59.3 (75.6) 7	63.2 (80.5) 38	62.9 (80.1) 45	54.5 (72.0) 44	56.5 (73.9) 15	52.6 (70.6) 2	--- (---) 0		
3	飯能市保健センター 飯能市双柳	44.9 (56.4) 10	46.8 (58.2) 9	49.8 (61.5) 6	46.1 (58.9) 9	49.7 (59.0) 6	49.4 (61.6) 6	43.8 (56.7) 6	46.2 (57.9) 9	34.9 (46.2) 1	--- (---) 0	49.2 (57.5) 3	48.3 (62.4) 9	47.2 (61.6) 17	45.1 (57.1) 9	46.3 (59.8) 5	42.6 (53.2) 2	--- (---) 0	44.2 (56.5) 5	34.4 (48.9) 3	46.1 (55.7) 8	47.9 (58.2) 13	37.9 (50.0) 3	40.4 (52.2) 3	37.9 (49.9) 3	50.6 (62.3) 1	31.6 (43.6) 14	44.8 (58.6) 4	44.4 (56.4) 1	34.7 (47.1) 0	--- (---) 0		
4	加治地区行政センター 飯能市大字笠縫	45.3 (56.7) 10	47.3 (60.6) 10	50.6 (62.7) 7	45.8 (58.9) 7	48.8 (59.1) 4	49.7 (61.0) 8	42.8 (55.2) 8	40.9 (48.4) 13	36.3 (46.2) 2	32.1 (46.2) 2	49.6 (58.2) 2	45.6 (58.2) 6	45.1 (58.4) 2	46.5 (59.8) 12	45.4 (55.6) 5	43.5 (53.2) 3	38.3 (50.3) 2	41.2 (54.5) 4	38.2 (52.6) 5	45.9 (57.3) 10	47.3 (58.4) 9	44.2 (56.2) 5	40.7 (52.7) 2	37.3 (49.0) 2	51.0 (61.6) 10	37.9 (51.4) 4	46.0 (59.3) 16	44.1 (56.0) 5	35.4 (47.3) 1	--- (---) 0		
5	入間市金子地区センター 入間市寺竹	50.6 (63.8) 14	52.6 (64.2) 11	55.1 (70.5) 9	50.2 (63.8) 14	55.1 (64.5) 16	55.4 (65.3) 11	49.7 (63.1) 16	52.1 (63.4) 13	41.3 (54.8) 2	34.3 (48.0) 1	54.0 (62.6) 3	52.2 (68.3) 12	52.5 (65.4) 30	51.5 (65.2) 23	51.2 (66.0) 8	47.9 (62.5) 5	41.1 (55.5) 2	50.2 (64.1) 11	40.0 (54.4) 7	48.9 (65.3) 18	51.2 (60.7) 23	47.2 (59.8) 7	46.1 (58.2) 3	42.5 (56.2) 3	56.6 (68.4) 14	47.2 (60.9) 18	50.0 (64.3) 6	49.5 (63.2) 18	39.7 (53.1) 6	--- (---) 0		
6	特別養護老人ホームみずほ 園 瑞穂町箱根ヶ崎	53.2 (66.3) 24	56.0 (67.8) 11	57.4 (68.5) 9	52.8 (66.6) 18	56.3 (67.1) 28	56.6 (68.1) 17	51.9 (65.5) 24	53.6 (65.9) 16	42.4 (55.8) 2	36.9 (51.0) 2	58.0 (68.2) 3	51.8 (67.0) 12	54.8 (68.3) 47	54.4 (69.1) 35	54.3 (69.2) 11	52.3 (67.0) 15	41.2 (54.9) 3	52.0 (65.0) 21	44.8 (59.3) 12	51.6 (65.4) 29	54.2 (67.4) 35	51.8 (67.0) 26	49.0 (61.5) 7	43.9 (57.2) 4	58.4 (69.4) 27	50.9 (65.9) 26	50.9 (64.6) 23	39.4 (52.2) 10	32.1 (50.0) 1			
7	第十小学校 武蔵村山市残堀	46.2 (58.7) 10	---	---	36.3 (50.6) 1	39.7 (49.7) 1	49.4 (60.8) 11	37.2 (52.7) 2	37.9 (47.7) 3	34.9 (47.7) 2	---	39.6 (53.6) 2	41.5 (51.8) 1	49.0 (64.2) 6	39.5 (51.4) 1	48.1 (63.5) 5	30.7 (46.1) 1	31.8 (43.6) 1	46.3 (59.0) 15	---	49.3 (68.6) 0	39.3 (52.3) 3	36.1 (49.7) 2	33.4 (43.6) 1	37.7 (48.9) 3	48.1 (60.5) 7	33.4 (44.4) 1	40.5 (55.6) 7	---	32.9 (48.2) 0	---		
8	田中小学校 昭島市田中町	46.7 (59.7) 10	52.3 (62.5) 9	41.2 (53.1) 4	45.4 (58.9) 9	53.7 (66.2) 31	48.8 (61.8) 18	53.2 (63.4) 28	43.1 (54.1) 6	33.6 (44.8) 1	36.6 (47.8) 2	41.4 (58.2) 2	51.1 (63.6) 19	48.0 (61.3) 25	53.9 (66.9) 33	47.7 (60.7) 7	50.8 (64.0) 21	---	52.8 (65.5) 0	49.7 (62.9) 25	56.0 (69.1) 35	50.7 (62.9) 25	46.7 (59.4) 9	41.9 (56.1) 5	45.4 (61.7) 4	47.9 (63.4) 13	50.9 (60.5) 24	46.7 (60.7) 17	47.9 (60.5) 9	46.0 (53.1) 2	---		
9	清泉中学校 昭島市宮沢町	49.1 (62.4) 12	45.9 (56.5) 3	37.5 (49.3) 2	41.5 (52.9) 5	40.6 (55.6) 5	43.9 (53.8) 7	40.5 (53.8) 7	---	---	33.6 (45.1) 0	34.5 (45.4) 1	38.4 (50.7) 1	48.3 (59.7) 6	51.7 (61.8) 10	42.0 (55.2) 3	---	---	48.4 (60.3) 0	47.0 (59.0) 16	52.3 (61.2) 11	48.9 (61.2) 15	41.4 (55.1) 13	33.6 (43.6) 4	36.7 (51.1) 1	32.8 (47.4) 3	47.1 (59.9) 2	44.0 (61.8) 5	47.9 (55.2) 3	40.4 (51.1) 0	---		
10	八王子市石川市民センター 八王子市石川町	54.1 (65.4) 17	56.9 (66.6) 10	44.6 (57.9) 3	47.4 (59.8) 5	56.1 (68.1) 25	52.7 (65.6) 20	51.1 (64.7) 21	46.9 (59.4) 8	39.0 (52.5) 2	42.0 (55.2) 3	46.2 (61.5) 3	45.6 (59.3) 7	51.8 (64.4) 22	54.8 (67.8) 29	50.1 (64.1) 7	41.0 (54.4) 3	33.5 (47.0) 1	51.0 (65.1) 16	47.5 (60.5) 13	57.2 (70.3) 27	50.7 (63.8) 22	47.6 (59.9) 3	43.8 (58.6) 5	51.7 (66.3) 6	51.2 (65.8) 20	52.0 (60.2) 16	45.7 (63.8) 6	48.2 (58.1) 21	44.0 (53.1) 2	---		
11	福生市保健センター 福生市福生	34.8 (47.5) 1	---	---	---	40.1 (52.6) 3	39.1 (52.2) 4	37.6 (51.7) 2	37.8 (51.7) 4	---	---	37.9 (50.4) 0	---	43.9 (59.1) 11	48.3 (64.3) 16	42.1 (56.0) 2	41.8 (59.1) 3	---	37.0 (48.9) 2	39.2 (55.0) 3	38.7 (54.0) 2	46.5 (59.1) 6	40.9 (56.9) 4	---	39.1 (51.2) 4	41.0 (56.9) 3	34.1 (44.3) 1	38.0 (52.7) 4	---	---	---	---	
12	瑞穂第三小学校 瑞穂町二本木	42.0 (53.0) 2	46.4 (56.7) 9	50.7 (64.5) 7	41.7 (54.7) 3	38.1 (48.9) 1	47.4 (59.0) 5	43.1 (54.9) 7	43.0 (53.4) 4	33.7 (45.1) 1	---	33.1 (43.4) 1	33.1 (44.5) 1	42.9 (56.7) 3	40.8 (52.2) 4	39.5 (51.0) 2	41.3 (52.3) 2	30.9 (44.4) 1	42.3 (51.7) 2	---	35.7 (47.7) 0	35.3 (50.8) 2	32.0 (45.7) 1	38.2 (49.1) 2	35.0 (47.3) 1	47.1 (56.9) 4	---	29.9 (43.1) 0	30.7 (44.3) 1	---			
13	滝合小学校 日野市西平山	43.1 (54.3) 5	52.1 (61.4) 9	39.2 (51.4) 3	44.2 (56.7) 6	51.4 (63.9) 18	50.0 (61.6) 14	47.5 (60.3) 19	43.9 (55.2) 6	39.7 (51.6) 4	40.3 (53.3) 4	43.2 (56.4) 2	43.8 (59.2) 5	48.3 (62.6) 15	51.6 (60.8) 23	48.4 (60.7) 7	39.3 (50.7) 3	35.0 (47.8) 1	48.1 (60.6) 9	45.2 (57.2) 11	52.8 (64.0) 19	47.0 (59.0) 16	47.1 (57.4) 2	42.1 (54.5) 3	47.2 (60.2) 6	47.0 (60.6) 13	49.5 (55.8) 10	43.3 (53.1) 8	43.0 (53.1) 5	40.1 (51.1) 1	---		
14	個人住宅 昭島市美堀町	47.9 (61.2) 10	40.4 (55.1) 1	39.3 (55.3) 1	46.8 (58.1) 1	47.9 (58.1) 10	39.8 (53.8) 5	45.0 (56.8) 4	41.7 (56.4) 4	44.7 (60.7) 5	35.4 (47.9) 1	34.5 (48.4) 2	47.8 (64.5) 6	49.6 (64.3) 20	51.2 (65.3) 5	50.9 (63.5) 8	45.4 (59.1) 3	38.3 (51.9) 3	45.2 (59.6) 11	42.0 (57.7) 4	46.2 (61.1) 7	52.1 (64.1) 18	50.2 (64.1) 26	32.1 (48.6) 2	33.3 (46.0) 1	44.7 (58.6) 9	---	45.7 (61.1) 0	45.1 (57.7) 11	36.7 (49.8) 5	---		
15	武蔵野防災会館 瑞穂町南平	48.3 (58.4) 8	53.1 (62.3) 11	51.5 (64.4) 6	48.4 (65.8) 14	50.8 (65.8) 44	51.9 (66.5) 28	51.3 (66.5) 31	48.7 (61.3) 16	41.0 (54.6) 3	38.0 (51.2) 3	49.9 (60.1) 4	46.8 (60.6) 12	47.7 (62.6) 30	52.8 (67.4) 50	52.5 (67.3) 27	54.3 (68.4) 51	37.3 (50.7) 3	49.9 (62.4) 20	46.2 (61.1) 21	49.6 (63.2) 30	47.4 (61.0) 23	49.3 (58.9) 16	44.4 (61.8) 8	45.9 (61.8) 12	54.4 (66.9) 26	47.1 (60.9) 24	40.5 (53.5) 7	40.0 (52.9) 5	31.8 (47.2) 1	---		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822