

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年6月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	
1	行政財産内 (瑞穂町箱根ヶ崎)	63.0 (81.6) 16	65.4 (83.1) 51	68.5 (85.1) 31	62.2 (79.8) 60	67.0 (85.1) 90	64.2 (81.8) 31	62.1 (80.2) 23	60.4 (79.8) 18	69.0 (84.9) 66	63.7 (79.6) 20	62.7 (81.5) 54	68.9 (85.5) 54	69.6 (76.4) 55	58.2 (76.4) 14	48.4 (64.4) 8	64.1 (81.8) 42	60.2 (77.7) 16	57.0 (73.7) 31	59.2 (76.7) 18	54.3 (72.2) 13	58.0 (76.3) 45	57.2 (76.0) 11	65.4 (78.1) 47	64.4 (81.3) 30	71.5 (86.6) 61	60.8 (78.1) 28	68.9 (82.1) 85	59.7 (80.2) 16	59.8 (78.2) 5	67.8 (83.2) 38	
2	行政財産内 (昭島市美堀町)	60.1 (77.1) 32	64.0 (76.3) 47	55.5 (70.9) 33	63.2 (80.5) 55	65.9 (79.7) 84	54.5 (71.2) 28	60.4 (74.7) 19	54.0 (70.3) 27	56.8 (72.0) 77	54.1 (71.2) 15	62.6 (81.1) 40	61.0 (79.7) 54	56.6 (73.7) 79	56.2 (71.9) 21	56.5 (74.5) 7	55.9 (74.6) 34	56.5 (72.6) 29	56.7 (74.9) 33	62.5 (78.6) 19	48.3 (63.9) 18	52.4 (72.2) 6	41.9 (58.7) 10	62.1 (79.7) 58	66.7 (80.2) 26	66.8 (74.9) 53	62.5 (80.3) 21	62.5 (74.4) 63	59.5 (80.3) 7	61.0 (76.0) 10	57.0 (74.9) 39	
3	飯能市保健センター (飯能市双柳)	45.5 (58.7) 10	46.1 (58.6) 14	51.3 (61.0) 16	45.9 (58.8) 9	50.3 (62.2) 26	39.6 (51.5) 6	42.1 (54.5) 6	39.4 (51.4) 3	51.3 (63.5) 15	45.9 (60.2) 3	38.4 (50.1) 7	52.8 (62.6) 4	46.3 (60.4) 7	39.5 (51.4) 3	33.8 (46.8) 1	40.7 (52.4) 3	41.2 (53.7) 4	33.8 (48.5) 1	39.7 (52.5) 1	33.7 (48.5) 1	38.4 (50.0) 2	35.8 (47.2) 2	47.1 (57.0) 2	45.0 (57.9) 6	46.5 (60.1) 13	51.2 (56.0) 6	40.0 (52.8) 10	39.5 (51.0) 2	47.6 (58.5) 6		
4	加治地区行政センター (飯能市大字笠縫)	45.8 (58.5) 10	42.7 (54.9) 13	51.8 (61.2) 21	49.7 (63.2) 21	48.9 (60.8) 18	51.7 (53.9) 5	41.1 (51.3) 6	39.8 (61.4) 12	50.1 (61.4) 3	46.6 (58.0) 9	43.5 (57.9) 9	53.8 (65.8) 7	43.1 (55.1) 2	39.5 (51.1) 4	33.9 (48.2) 1	42.0 (53.1) 3	43.1 (59.6) 4	34.8 (47.2) 3	40.3 (53.5) 4	34.2 (45.0) 1	39.9 (51.5) 3	40.2 (54.2) 2	49.6 (61.4) 2	44.1 (56.2) 6	45.4 (58.1) 8	41.6 (53.9) 5	52.0 (63.9) 16	41.2 (53.7) 3	40.6 (52.7) 3	46.6 (58.3) 5	
5	入間市金子地区センター (入間市寺竹)	50.5 (64.9) 10	49.3 (63.4) 20	56.6 (67.8) 30	52.1 (66.4) 24	55.6 (68.5) 39	47.1 (60.7) 7	48.3 (62.3) 9	46.4 (59.8) 35	56.7 (68.3) 16	52.1 (62.3) 17	48.3 (67.6) 14	47.0 (61.1) 13	45.9 (59.1) 4	37.4 (51.9) 1	37.4 (51.9) 1	49.4 (63.7) 8	46.4 (59.9) 3	39.2 (52.8) 8	45.5 (58.3) 1	40.2 (54.8) 3	44.9 (57.7) 2	41.7 (55.2) 6	52.8 (61.9) 6	51.5 (64.0) 14	55.3 (68.6) 29	47.0 (60.8) 10	55.7 (67.5) 20	48.3 (62.0) 6	45.7 (59.9) 3	51.4 (64.3) 12	
6	特別養護老人ホームみずほ 園 (瑞穂町箱根ヶ崎)	50.1 (63.9) 10	53.7 (67.4) 36	56.3 (66.4) 25	54.4 (69.6) 34	55.3 (68.6) 53	50.8 (65.4) 22	50.3 (63.5) 15	49.2 (62.5) 16	57.5 (70.3) 46	50.0 (61.0) 13	49.7 (64.2) 28	51.6 (65.7) 24	45.3 (59.2) 27	40.7 (55.4) 1	52.4 (66.0) 23	48.8 (61.9) 10	44.9 (58.5) 10	48.6 (62.2) 12	38.8 (50.8) 1	38.8 (56.8) 3	44.7 (57.1) 3	43.5 (67.7) 3	57.0 (67.7) 15	52.8 (65.7) 23	57.8 (69.5) 42	49.0 (63.3) 12	57.1 (70.6) 28	49.9 (64.0) 6	47.2 (61.2) 4	52.9 (66.2) 25	
7	第十小学校 (武蔵村山市残堀)	39.3 (55.3) 1	44.7 (62.9) 4	---	44.8 (57.7) 7	39.4 (52.3) 5	42.0 (58.9) 2	26.5 (45.4) 0	39.5 (54.8) 1	39.5 (54.8) 2	---	41.2 (55.4) 0	37.9 (53.9) 2	---	---	---	41.8 (54.7) 0	---	---	37.5 (51.0) 0	---	---	---	31.7 (43.9) 1	38.1 (50.8) 3	---	39.5 (52.5) 0	46.9 (60.5) 9	28.8 (50.3) 2	29.6 (44.1) 1	---	33.6 (48.3) 1
8	田中小学校 (昭島市田中町)	52.1 (65.6) 7	53.8 (65.8) 15	43.9 (57.5) 11	50.3 (65.0) 28	53.9 (66.9) 30	47.6 (61.3) 8	51.9 (64.2) 9	43.8 (56.7) 5	49.9 (64.5) 15	---	50.3 (63.8) 24	46.5 (59.8) 23	47.2 (60.3) 11	41.7 (54.1) 4	46.9 (60.6) 4	48.7 (61.9) 9	47.7 (61.9) 21	49.5 (63.0) 9	39.6 (53.1) 2	42.1 (54.9) 2	25.9 (44.0) 1	51.3 (65.5) 18	55.4 (65.0) 8	58.3 (68.3) 21	48.8 (57.4) 4	49.0 (62.3) 19	47.1 (51.7) 3	52.3 (62.3) 3	45.3 (64.6) 6		
9	清泉中学校 (昭島市宮沢町)	50.7 (63.6) 8	51.3 (64.2) 17	40.8 (55.7) 10	46.9 (61.5) 7	50.7 (64.4) 22	49.3 (65.2) 6	49.2 (59.9) 9	44.3 (56.1) 6	47.2 (60.1) 15	43.3 (56.3) 4	41.8 (54.4) 5	47.0 (60.3) 11	42.0 (55.9) 5	50.6 (66.1) 5	31.0 (43.3) 1	50.2 (65.6) 10	42.8 (54.5) 4	41.6 (55.5) 10	44.0 (45.9) 5	35.4 (49.9) 1	43.1 (55.2) 3	---	43.7 (57.9) 4	51.4 (60.6) 6	53.5 (64.0) 17	41.2 (55.0) 5	38.5 (51.7) 5	50.7 (62.3) 8	44.8 (57.3) 5		
10	八王子市石川市民センター (八王子市石川町)	52.5 (68.8) 11	56.2 (68.3) 25	46.0 (58.7) 8	52.0 (66.5) 22	55.8 (66.8) 20	47.3 (60.2) 4	53.0 (67.1) 10	44.9 (57.9) 7	49.1 (62.2) 19	42.3 (54.2) 1	51.6 (65.8) 26	45.8 (59.8) 22	51.3 (68.3) 12	44.1 (58.1) 7	47.1 (60.6) 8	46.8 (59.7) 4	47.5 (61.4) 8	52.1 (63.6) 17	39.8 (56.7) 2	43.9 (56.3) 3	45.9 (59.9) 5	47.0 (60.9) 3	55.4 (65.3) 10	57.2 (66.6) 16	52.3 (63.9) 5	50.5 (65.3) 17	51.5 (63.4) 3	52.3 (67.1) 5	47.1 (61.3) 7		
11	福生市保健センター (福生市福生)	---	49.0 (64.3) 0	---	40.4 (56.2) 5	40.6 (53.5) 6	37.7 (52.5) 3	32.0 (43.9) 1	37.5 (47.2) 4	44.2 (58.2) 4	---	43.7 (56.5) 7	33.2 (48.6) 2	40.3 (56.0) 2	---	---	---	---	33.0 (43.1) 0	37.8 (52.4) 0	38.3 (50.6) 2	---	---	---	32.6 (45.2) 0	59.9 (70.6) 1	40.4 (55.9) 2	35.8 (49.8) 3	---	39.5 (57.0) 0	38.9 (56.2) 1	
12	瑞穂第三小学校 (瑞穂町二本木)	32.3 (47.1) 1	---	---	42.6 (57.0) 7	41.9 (57.2) 5	---	31.2 (43.5) 0	41.3 (53.4) 2	---	35.8 (47.8) 1	38.5 (49.2) 3	38.4 (54.6) 1	---	---	---	---	---	---	---	34.5 (46.8) 2	---	---	---	38.6 (51.6) 2	---	37.3 (51.2) 0	45.0 (58.5) 1	37.7 (49.3) 5	34.3 (45.5) 1	30.9 (44.4) 1	40.7 (55.0) 1
13	滝合小学校 (日野市西平山)	48.4 (61.3) 9	51.2 (59.7) 14	41.9 (55.7) 3	48.7 (61.8) 14	52.2 (62.4) 14	44.0 (57.9) 5	47.9 (61.7) 5	41.5 (53.0) 8	44.7 (56.9) 5	38.4 (48.7) 1	48.8 (61.0) 18	48.2 (59.6) 4	39.7 (53.0) 4	45.1 (61.2) 4	44.7 (56.2) 4	42.3 (54.6) 5	43.0 (54.5) 5	45.0 (57.8) 12	48.4 (59.9) 8	---	41.5 (54.2) 0	---	45.3 (58.1) 0	50.3 (59.4) 9	53.2 (62.4) 11	49.1 (58.7) 7	47.9 (63.6) 13	48.7 (58.2) 3	47.3 (61.7) 4	44.4 (56.7) 5	
14	個人住宅 (昭島市美堀町)	48.9 (61.7) 12	52.0 (65.3) 28	37.6 (48.4) 3	42.6 (57.6) 10	53.4 (67.3) 52	47.5 (62.3) 16	48.9 (62.0) 12	46.9 (62.7) 17	38.8 (64.0) 27	43.6 (50.5) 1	53.9 (60.5) 14	48.2 (60.5) 1	31.3 (43.2) 1	48.2 (61.5) 4	31.3 (43.5) 1	48.3 (61.3) 16	48.3 (60.9) 11	43.7 (58.0) 6	44.2 (56.8) 7	40.6 (54.9) 6	41.2 (52.6) 3	30.7 (43.2) 1	42.1 (54.4) 5	53.9 (65.8) 12	51.6 (64.1) 19	46.0 (61.3) 8	52.9 (67.7) 19	39.4 (52.5) 1	46.1 (59.6) 5	47.9 (62.5) 18	
15	武蔵野防災会館 (瑞穂町南平)	40.9 (54.6) 5	50.8 (64.7) 26	42.5 (57.1) 3	51.9 (64.7) 35	45.6 (62.7) 10	49.8 (61.9) 15	39.9 (55.0) 4	38.0 (50.9) 3	54.3 (68.8) 58	29.5 (47.6) 2	57.0 (66.8) 54	54.0 (65.1) 33	40.6 (55.0) 27	37.3 (50.7) 4	41.9 (55.8) 5	43.8 (57.6) 6	43.2 (57.4) 11	43.8 (57.0) 8	---	40.4 (54.9) 0	33.4 (46.4) 4	49.1 (62.6) 1	42.3 (52.3) 15	52.6 (64.7) 5	47.1 (62.3) 19	51.9 (64.8) 37	44.6 (58.7) 8	40.8 (54.5) 5	50.8 (63.4) 13		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822