

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年7月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	31日 (木)
1	行政財産内 (瑞穂町箱根ヶ崎)	61.2 (79.6) 20	63.9 (79.3) 65	66.2 (82.0) 29	60.3 (77.4) 6	53.0 (69.5) 13	52.9 (69.4) 8	61.4 (80.3) 9	65.2 (83.0) 46	67.3 (85.1) 53	71.0 (92.8) 21	64.1 (80.5) 14	62.4 (80.0) 35	67.5 (84.9) 11	63.1 (79.9) 22	65.5 (84.7) 30	69.6 (88.7) 49	68.3 (87.0) 60	67.6 (85.0) 78	66.3 (85.3) 23	58.6 (77.0) 7	58.5 (76.2) 24	68.9 (87.5) 84	65.2 (83.1) 52	68.0 (87.2) 51	67.3 (83.9) 40	53.4 (71.1) 9	59.2 (75.3) 8	67.9 (84.9) 56	65.8 (82.3) 44	67.0 (84.4) 69	63.2 (79.2) 65
2	行政財産内 (昭島市美堀町)	61.0 (72.9) 19	63.8 (80.8) 54	62.7 (78.8) 23	61.8 (78.5) 8	61.7 (72.4) 17	57.2 (74.1) 6	50.0 (73.4) 11	63.5 (74.7) 41	58.2 (76.7) 39	62.0 (81.8) 17	65.7 (83.6) 10	64.8 (82.5) 35	56.2 (73.0) 9	56.0 (77.0) 9	58.3 (75.0) 27	64.1 (78.3) 46	59.7 (76.6) 56	61.8 (75.5) 65	60.8 (75.6) 13	52.4 (67.1) 1	57.4 (76.6) 16	67.3 (80.5) 82	61.8 (76.2) 43	61.8 (76.1) 37	63.0 (76.1) 42	51.4 (66.8) 9	47.4 (64.0) 6	66.5 (80.8) 36	59.2 (77.8) 35	66.6 (83.3) 67	63.5 (80.5) 55
3	飯能市保健センター (飯能市双柳)	41.4 (54.2) 5	46.4 (62.2) 3	50.1 (61.7) 8	40.9 (52.8) 4	34.1 (46.3) 1	34.7 (45.4) 1	42.2 (55.3) 4	46.2 (59.3) 9	44.9 (58.8) 8	51.9 (65.7) 9	46.7 (61.8) 4	46.8 (60.1) 9	51.2 (62.7) 7	46.9 (60.8) 11	45.1 (57.3) 11	51.3 (63.2) 20	49.1 (61.7) 23	49.9 (62.0) 20	40.9 (52.4) 4	38.9 (51.7) 3	31.4 (45.2) 1	43.6 (57.5) 7	46.1 (58.1) 14	47.0 (58.5) 8	49.4 (60.5) 11	37.5 (50.2) 2	39.6 (50.9) 2	49.1 (62.0) 9	46.9 (59.5) 8	49.5 (61.4) 14	47.4 (58.9) 12
4	加治地区行政センター (飯能市大字笠縫)	42.6 (55.4) 5	47.3 (62.0) 4	50.5 (62.8) 8	42.2 (54.1) 4	33.2 (45.9) 1	37.6 (50.3) 2	43.3 (57.5) 4	44.1 (56.3) 5	45.5 (57.7) 8	53.3 (68.9) 10	48.0 (61.9) 7	47.8 (62.3) 9	51.4 (63.7) 8	47.6 (61.6) 11	43.5 (54.9) 6	52.0 (64.2) 19	49.6 (61.9) 25	49.8 (61.6) 16	42.0 (58.0) 5	40.0 (52.8) 4	33.2 (44.0) 1	44.3 (57.5) 7	46.5 (58.2) 13	47.7 (59.4) 9	49.0 (60.4) 10	38.3 (51.8) 2	39.7 (51.1) 2	49.2 (62.7) 9	49.1 (62.4) 11	49.8 (62.5) 21	49.0 (61.3) 20
5	入間市金子地区センター (入間市寺竹)	49.0 (62.5) 16	52.7 (66.6) 8	55.1 (68.8) 11	47.4 (60.8) 4	38.4 (51.7) 2	43.1 (56.8) 3	48.1 (62.8) 6	50.6 (64.2) 14	51.7 (65.7) 19	58.7 (76.9) 18	53.8 (68.9) 10	52.5 (67.2) 13	54.9 (69.0) 8	53.2 (68.3) 13	54.1 (68.2) 13	58.4 (72.5) 27	55.8 (70.2) 38	55.6 (68.9) 42	50.7 (65.6) 34	44.9 (58.8) 10	44.0 (56.7) 5	53.1 (67.5) 27	52.7 (66.5) 25	53.7 (68.2) 23	54.8 (68.2) 19	43.7 (58.2) 2	45.8 (59.2) 2	55.5 (69.1) 24	53.6 (68.0) 15	54.8 (68.5) 28	52.9 (66.5) 28
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	48.9 (62.8) 17	55.4 (69.8) 15	56.8 (69.7) 11	48.2 (61.8) 4	40.0 (52.6) 3	47.1 (62.0) 3	47.8 (62.3) 6	52.1 (65.4) 30	52.0 (66.1) 27	58.9 (76.3) 18	54.2 (68.2) 10	53.4 (67.9) 16	57.6 (69.9) 9	53.6 (67.8) 15	52.1 (66.6) 23	58.8 (72.5) 38	55.9 (69.7) 44	55.6 (69.1) 42	49.8 (63.7) 10	44.9 (58.7) 5	48.4 (62.5) 10	57.0 (71.1) 58	53.1 (66.7) 36	55.2 (69.7) 30	54.8 (68.5) 26	44.3 (58.9) 3	45.2 (57.3) 3	56.7 (71.1) 34	56.7 (70.8) 27	57.8 (72.7) 40	55.6 (70.5) 37
7	第十小学校 (武蔵村山市残堀)	28.2 (48.3) 1	40.8 (51.8) 4	42.7 (58.4) 5	44.3 (65.5) 3	---	---	---	32.6 (47.8) 1	43.7 (61.3) 4	28.9 (47.4) 1	---	32.0 (44.8) 1	31.4 (43.3) 1	43.2 (54.4) 8	40.1 (52.9) 1	32.9 (47.9) 1	39.2 (53.1) 1	43.0 (59.5) 5	---	---	30.4 (43.4) 1	50.6 (70.5) 9	38.0 (54.9) 1	---	---	---	---	43.6 (57.8) 4	---	38.7 (51.9) 0	42.3 (55.1) 1
8	田中小学校 (昭島市田中町)	48.1 (59.7) 9	49.7 (64.0) 17	45.8 (57.7) 5	50.0 (63.5) 3	53.3 (63.1) 5	46.4 (59.9) 6	35.6 (50.6) 2	48.7 (62.4) 6	50.7 (64.4) 14	55.4 (71.6) 12	51.6 (62.6) 8	52.8 (65.4) 27	47.5 (64.1) 5	43.3 (56.0) 5	52.5 (65.6) 15	55.8 (67.6) 22	53.0 (66.6) 25	52.2 (65.0) 20	46.9 (62.2) 6	---	47.7 (62.9) 5	48.3 (63.3) 25	55.5 (67.2) 22	53.6 (66.1) 10	55.7 (66.1) 21	40.7 (54.7) 5	36.8 (51.4) 1	47.1 (61.0) 14	50.7 (62.7) 20	54.3 (67.8) 44	52.0 (66.3) 35
9	清泉中学校 (昭島市宮沢町)	38.1 (51.7) 3	41.6 (52.6) 4	43.7 (58.8) 6	51.5 (64.3) 6	51.1 (60.7) 4	45.9 (58.9) 3	36.3 (47.9) 1	52.6 (63.2) 10	47.3 (60.6) 9	51.7 (67.3) 9	45.8 (58.9) 6	47.7 (58.6) 9	40.7 (53.6) 3	40.4 (53.7) 4	52.2 (64.9) 17	55.5 (68.7) 26	52.5 (66.6) 26	53.8 (66.3) 25	48.5 (59.6) 5	43.4 (55.3) 1	43.3 (55.8) 3	54.8 (65.8) 20	52.3 (66.3) 20	53.2 (65.2) 9	53.8 (65.2) 20	44.9 (56.1) 4	38.0 (53.1) 1	54.4 (64.3) 12	44.1 (54.7) 5	44.4 (56.7) 4	40.1 (54.8) 4
10	八王子市石川市民センター (八王子市石川町)	51.2 (61.0) 5	50.7 (64.9) 23	52.2 (66.8) 9	54.2 (66.4) 9	48.4 (61.1) 5	46.7 (60.2) 5	41.6 (56.7) 6	54.8 (64.6) 16	48.7 (63.3) 8	53.5 (68.9) 12	56.0 (70.7) 14	55.6 (71.0) 27	50.3 (66.6) 8	46.5 (63.9) 5	51.8 (66.0) 23	56.1 (68.5) 30	52.5 (67.3) 25	53.5 (65.8) 24	52.1 (65.0) 7	47.2 (64.1) 3	47.6 (66.8) 6	56.7 (68.9) 16	54.1 (66.8) 22	53.7 (68.9) 13	55.0 (67.3) 27	44.1 (55.9) 4	42.2 (60.0) 2	57.4 (68.6) 11	48.8 (63.3) 15	56.8 (69.1) 27	53.6 (67.0) 12
11	福生市保健センター (福生市福生)	---	28.4 (44.0) 1	39.9 (57.6) 2	---	---	---	---	36.1 (50.5) 2	41.8 (55.2) 2	29.9 (45.1) 1	39.8 (52.1) 2	34.7 (45.7) 1	28.8 (44.0) 1	36.0 (50.4) 1	33.3 (49.5) 1	---	37.2 (51.1) 3	34.8 (48.9) 2	---	35.4 (53.6) 1	34.6 (49.2) 2	46.0 (63.6) 9	39.4 (54.4) 4	43.4 (49.7) 4	36.6 (49.7) 1	---	---	40.5 (58.6) 2	---	32.6 (48.0) 2	31.5 (46.8) 1
12	瑞穂第三小学校 (瑞穂町二本木)	---	48.2 (61.2) 6	31.2 (44.7) 1	34.3 (51.1) 2	---	33.3 (45.0) 1	---	---	---	42.1 (54.3) 3	37.3 (48.4) 2	35.3 (46.9) 2	48.9 (59.8) 4	38.0 (49.7) 3	---	42.9 (57.4) 2	37.0 (50.2) 1	45.0 (60.9) 4	---	---	31.2 (45.0) 1	---	---	---	33.7 (49.2) 1	---	---	38.3 (52.2) 3	---	43.2 (54.3) 5	42.6 (53.9) 6
13	滝合小学校 (日野市西平山)	47.1 (57.6) 4	45.8 (59.4) 9	46.8 (57.5) 5	50.2 (62.4) 6	44.8 (55.0) 3	43.6 (55.7) 6	34.0 (46.5) 2	51.0 (60.7) 5	45.0 (59.3) 7	48.6 (64.2) 7	51.5 (62.7) 8	51.8 (63.9) 19	46.1 (59.0) 7	41.4 (54.2) 4	46.3 (58.8) 9	50.4 (62.4) 14	46.8 (59.2) 16	49.1 (61.0) 14	49.1 (60.4) 6	39.8 (50.7) 1	43.1 (56.0) 3	52.6 (63.3) 15	50.3 (62.3) 11	49.5 (62.9) 9	50.6 (61.7) 15	39.5 (53.2) 2	33.5 (47.3) 1	53.1 (62.9) 10	44.1 (57.0) 7	54.2 (64.8) 27	49.2 (61.9) 12
14	個人住宅 (昭島市美堀町)	34.1 (47.0) 1	46.5 (60.5) 5	42.4 (55.9) 6	49.8 (61.6) 7	48.6 (59.5) 3	44.6 (56.9) 3	35.6 (49.0) 1	50.8 (63.3) 1	52.0 (65.8) 25	52.1 (67.0) 8	36.3 (49.6) 2	46.4 (57.9) 4	42.8 (55.6) 4	36.8 (49.7) 1	49.3 (60.9) 10	55.1 (65.7) 18	51.1 (64.0) 22	52.4 (66.8) 30	47.5 (59.9) 9	44.2 (54.6) 1	46.4 (61.2) 6	53.4 (68.6) 24	50.5 (63.4) 18	53.3 (63.6) 20	51.1 (63.6) 17	41.7 (52.2) 1	41.3 (54.3) 5	52.7 (66.4) 9	43.2 (55.3) 2	49.8 (65.5) 3	---
15	武蔵野防災会館 (瑞穂町南平)	42.4 (58.3) 10	58.4 (68.0) 38	49.3 (63.3) 13	46.1 (61.1) 10	43.5 (56.7) 7	45.6 (57.0) 7	40.3 (54.5) 4	47.7 (58.6) 5	55.3 (68.8) 50	50.5 (63.4) 15	55.8 (66.7) 12	52.1 (62.0) 22	53.7 (66.7) 7	48.7 (62.6) 11	50.5 (63.1) 19	51.8 (66.2) 25	48.9 (62.3) 17	48.4 (64.0) 19	48.3 (62.4) 18	38.1 (54.1) 2	35.7 (48.6) 2	45.1 (60.1) 10	43.2 (57.3) 12	49.9 (63.9) 13	46.4 (60.3) 11	34.4 (45.4) 1	34.2 (48.0) 1	48.2 (64.0) 22	49.9 (62.2) 19	55.0 (68.6) 48	50.4 (64.2) 37

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822