

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年8月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	31日 (日)	
1	行政財産内 (瑞穂町箱根ヶ崎)	69.5 (81.7) 16	53.2 (70.6) 8	53.1 (71.8) 4	67.9 (85.8) 70	66.4 (84.6) 69	61.5 (78.5) 61	57.4 (72.6) 38	59.4 (78.5) 22	56.2 (75.0) 17	56.8 (75.1) 4	69.1 (86.4) 90	62.2 (81.3) 54	66.6 (85.8) 100	65.4 (82.5) 75	67.5 (81.6) 43	61.3 (78.1) 8	64.5 (84.6) 5	61.3 (80.4) 41	63.3 (82.6) 32	67.6 (85.6) 73	63.2 (81.4) 54	59.4 (80.2) 23	62.4 (82.6) 18	66.0 (86.2) 17	65.9 (82.9) 58	60.5 (79.8) 30	63.3 (81.6) 41	65.0 (83.7) 53	67.8 (82.7) 21	67.3 (83.9) 21	65.1 (79.1) 10	
2	行政財産内 (昭島市美堀町)	68.2 (83.9) 21	52.6 (69.6) 3	52.4 (70.3) 3	60.8 (75.3) 55	62.2 (78.3) 68	61.6 (78.3) 57	64.4 (77.1) 56	62.6 (77.1) 27	51.0 (66.8) 6	66.0 (81.3) 5	57.0 (73.3) 63	61.0 (78.0) 67	70.6 (80.1) 99	63.6 (83.7) 21	52.0 (69.4) 6	59.3 (77.6) 4	52.0 (67.9) 6	53.7 (70.9) 38	58.0 (76.5) 36	69.8 (86.1) 61	58.1 (72.8) 44	62.4 (76.0) 20	54.9 (69.6) 9	39.9 (51.7) 4	62.8 (80.9) 56	65.9 (78.1) 25	58.2 (75.4) 40	59.1 (74.5) 41	65.3 (78.6) 40	55.6 (71.6) 16	55.8 (70.5) 6	
3	飯能市保健センター (飯能市双柳)	54.6 (64.4) 7	35.1 (49.2) 2	32.4 (44.3) 1	43.8 (57.1) 9	45.6 (57.8) 6	41.6 (54.7) 2	30.9 (43.8) 1	47.3 (60.5) 9	39.5 (52.0) 5	39.3 (50.7) 2	48.1 (59.0) 12	45.0 (57.4) 8	50.0 (66.6) 13	45.1 (58.4) 9	49.1 (59.6) 5	42.4 (53.0) 4	45.8 (58.0) 2	42.3 (60.0) 4	39.6 (52.5) 6	52.0 (66.5) 13	42.6 (55.8) 8	39.4 (51.6) 4	41.9 (53.8) 6	46.0 (56.2) 4	46.6 (59.4) 16	41.9 (58.6) 8	43.8 (57.0) 6	45.7 (58.6) 13	47.3 (59.1) 10	48.6 (59.8) 9	49.0 (79.1) 2	
4	加治地区行政センター (飯能市大字笠縫)	56.2 (66.3) 7	37.2 (50.9) 3	--- (---) 0	47.2 (60.4) 10	47.7 (60.1) 6	50.1 (66.7) 9	37.7 (50.6) 4	46.1 (58.2) 6	39.3 (51.5) 5	39.9 (50.7) 3	49.1 (59.6) 10	39.6 (51.0) 4	48.7 (63.7) 11	43.7 (57.0) 13	50.6 (61.1) 6	44.0 (54.7) 4	42.1 (56.6) 2	41.0 (56.9) 5	41.7 (52.7) 5	52.8 (68.0) 13	41.7 (54.5) 6	45.5 (52.2) 3	49.8 (59.8) 7	45.5 (59.5) 4	48.1 (60.8) 14	47.5 (59.7) 3	37.3 (48.8) 9	44.0 (56.3) 8	50.3 (61.1) 11	48.5 (59.9) 9	49.4 (59.6) 2	
5	入間市金子地区センター (入間市寺竹)	59.8 (70.4) 9	41.5 (56.8) 3	40.4 (53.4) 3	53.9 (67.4) 17	52.9 (66.1) 32	51.5 (67.8) 20	44.2 (58.5) 14	49.5 (63.5) 10	45.0 (58.6) 6	45.4 (58.6) 4	54.8 (66.1) 28	50.4 (64.7) 26	52.9 (67.1) 29	50.4 (64.8) 9	55.6 (66.6) 4	48.4 (61.0) 2	48.4 (66.7) 4	48.5 (64.3) 7	51.0 (63.1) 12	58.4 (72.7) 31	49.3 (63.1) 20	45.5 (58.9) 7	48.3 (61.9) 6	54.4 (67.1) 6	51.5 (65.5) 24	45.2 (58.6) 11	51.4 (64.3) 14	55.5 (65.0) 23	54.2 (69.4) 11	54.2 (66.9) 13	53.2 (66.0) 3	54.9 (69.6) 3
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	61.2 (72.1) 11	40.7 (54.3) 3	42.0 (54.9) 3	56.5 (70.9) 46	55.4 (68.6) 49	52.3 (67.9) 30	48.8 (62.9) 25	50.3 (64.3) 16	44.7 (57.6) 6	44.7 (57.5) 2	56.8 (69.8) 57	53.7 (68.0) 44	56.3 (71.1) 60	54.6 (68.8) 41	55.3 (65.4) 17	48.6 (60.3) 5	51.9 (63.9) 3	49.4 (66.6) 11	58.4 (74.3) 29	52.0 (65.6) 49	46.3 (60.8) 39	48.8 (62.7) 9	52.5 (64.1) 11	54.2 (68.7) 5	47.3 (61.1) 31	50.3 (63.7) 16	53.5 (67.4) 24	56.2 (67.5) 33	54.0 (67.0) 21	54.9 (66.1) 3		
7	第十小学校 (武蔵村山市残堀)	--- (---) 0	--- (---) 0	--- (---) 0	40.6 (54.2) 5	--- (---) 3	37.8 (49.9) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	41.7 (56.7) 5	--- (---) 0	36.7 (49.7) 2	37.5 (52.0) 2	29.6 (43.9) 0	33.5 (---) 0	29.6 (---) 0	46.3 (63.8) 7	29.1 (45.1) 1	49.3 (63.0) 1	39.9 (53.0) 6	33.4 (47.8) 9	--- (---) 0	--- (---) 0	40.9 (55.4) 2	34.0 (50.2) 1	49.4 (65.1) 2	40.8 (53.3) 1	43.9 (60.8) 3	49.9 (55.3) 1	39.1 (46.5) 3	33.7 (46.5) 3
8	田中小学校 (昭島市田中町)	54.3 (64.4) 10	34.7 (45.0) 1	40.6 (52.0) 2	43.7 (57.6) 9	50.9 (64.4) 25	52.0 (65.0) 32	51.0 (63.9) 28	48.5 (60.1) 11	41.8 (54.8) 3	41.8 (59.1) 4	57.6 (72.8) 13	46.9 (60.0) 14	46.3 (62.8) 29	58.1 (72.6) 44	53.0 (66.3) 8	43.7 (56.7) 3	48.3 (61.6) 0	--- (---) 0	38.2 (54.5) 4	50.9 (65.6) 18	61.9 (73.7) 26	47.4 (61.4) 19	49.1 (62.3) 12	40.8 (53.9) 2	48.9 (63.0) 26	47.1 (61.0) 13	49.4 (64.9) 17	52.9 (65.3) 20	49.4 (66.7) 16	54.9 (62.3) 9	49.4 (64.1) 2	
9	清泉中学校 (昭島市宮沢町)	49.1 (61.3) 5	37.9 (50.5) 1	38.0 (50.5) 2	47.2 (62.0) 12	48.8 (62.4) 14	47.1 (61.0) 7	48.3 (62.8) 10	44.9 (58.3) 5	42.8 (56.2) 6	52.2 (64.1) 5	48.0 (62.4) 15	42.0 (55.5) 9	55.9 (70.8) 13	52.0 (65.6) 15	41.6 (53.4) 4	51.1 (63.2) 5	44.0 (56.9) 5	42.8 (59.0) 7	45.5 (59.6) 9	61.1 (72.3) 9	48.5 (61.9) 13	42.2 (54.9) 4	44.7 (56.7) 3	--- (---) 0	49.4 (63.0) 7	53.1 (63.1) 7	44.0 (57.5) 7	49.1 (61.8) 7	53.8 (67.8) 14	46.5 (59.0) 10	47.2 (60.2) 6	
10	八王子市石川市民センター (八王子市石川町)	58.6 (71.3) 14	40.9 (55.4) 1	43.1 (55.6) 3	52.8 (65.5) 10	54.4 (67.4) 17	48.5 (62.8) 18	53.0 (67.3) 10	52.9 (64.5) 12	41.0 (54.8) 2	56.8 (72.3) 2	44.7 (59.8) 4	50.1 (63.7) 16	58.2 (75.1) 18	51.8 (65.1) 10	46.0 (60.0) 9	52.4 (69.5) 4	43.4 (55.7) 4	43.9 (59.2) 5	50.5 (66.8) 16	58.6 (74.1) 10	50.0 (65.3) 15	51.8 (60.2) 13	47.2 (56.7) 5	39.9 (51.1) 1	53.4 (70.4) 23	55.9 (66.6) 5	47.9 (61.8) 13	50.4 (69.0) 10	56.6 (68.8) 19	45.9 (58.8) 8	48.3 (63.0) 8	
11	福生市保健センター (福生市福生)	27.8 (43.4) 1	--- (---) 0	36.1 (47.7) 1	31.5 (45.8) 1	38.2 (52.3) 2	40.1 (55.4) 4	40.0 (55.8) 2	33.0 (44.2) 1	33.0 (45.8) 1	--- (---) 0	44.5 (59.0) 5	--- (---) 0	41.7 (56.4) 3	44.9 (60.4) 7	34.3 (44.5) 1	30.5 (43.8) 1	--- (---) 0	49.9 (67.9) 11	36.4 (51.3) 2	54.9 (68.1) 2	38.9 (55.4) 3	38.4 (55.5) 1	31.1 (47.8) 1	--- (---) 0	40.0 (54.3) 3	41.8 (56.9) 4	50.2 (68.5) 4	--- (---) 0	35.4 (49.9) 3	32.5 (47.4) 1	--- (---) 0	
12	瑞穂第三小学校 (瑞穂町二本木)	47.3 (59.1) 7	--- (---) 0	--- (---) 0	30.4 (45.1) 1	37.3 (50.7) 2	33.4 (43.2) 1	--- (---) 0	36.8 (47.8) 2	--- (---) 0	--- (---) 0	39.5 (56.1) 2	30.5 (43.7) 1	37.5 (48.1) 2	38.4 (54.4) 1	35.0 (48.7) 1	--- (---) 0	--- (---) 0	46.6 (64.5) 17	45.2 (59.9) 2	38.6 (52.2) 4	33.5 (49.5) 1	35.2 (50.7) 2	--- (---) 0	--- (---) 0	42.1 (54.3) 4	32.7 (48.5) 3	45.9 (62.5) 4	--- (---) 0	36.5 (49.9) 2	34.2 (50.4) 1	45.5 (56.6) 1	
13	滝合小学校 (日野市西平山)	55.2 (65.2) 7	39.1 (51.1) 2	37.2 (50.1) 2	50.0 (63.2) 5	50.5 (64.6) 9	44.6 (58.8) 10	50.3 (64.6) 17	49.3 (63.2) 9	39.1 (51.9) 2	53.5 (64.5) 3	41.0 (53.9) 7	45.6 (68.2) 13	54.4 (68.3) 10	48.3 (61.6) 18	37.4 (50.7) 3	47.6 (61.6) 6	41.0 (53.2) 4	41.9 (57.1) 8	44.3 (57.7) 8	53.3 (66.6) 5	44.0 (55.6) 3	49.0 (63.8) 11	42.8 (54.8) 4	31.2 (43.3) 1	47.1 (61.1) 11	51.5 (62.2) 5	42.5 (55.5) 4	47.0 (62.0) 5	50.6 (65.9) 14	45.0 (57.5) 13	42.9 (55.3) 5	
14	個人住宅 (昭島市美堀町)	39.8 (52.1) 3	40.1 (50.9) 1	38.3 (50.9) 31	53.2 (67.7) 15	49.2 (63.3) 5	43.3 (58.2) 6	43.7 (56.3) 4	43.2 (56.3) 6	44.5 (57.2) 6	48.2 (61.8) 3	52.2 (66.2) 32	47.1 (61.3) 21	56.7 (70.8) 33	52.9 (67.9) 18	42.1 (53.8) 4	49.9 (62.1) 5	46.6 (59.2) 3	47.5 (60.2) 23	46.4 (60.3) 9	62.6 (75.5) 35	46.4 (58.9) 9	41.8 (53.8) 9	45.3 (57.1) 4	30.5 (43.3) 1	50.3 (63.7) 12	48.8 (61.0) 9	47.6 (62.9) 16	50.3 (65.9) 15	53.3 (69.3) 26	46.1 (59.3) 12	46.1 (58.3) 5	
15	武蔵野防災会館 (瑞穂町南平)	52.7 (65.0) 13	42.6 (58.7) 7	40.7 (56.3) 2	48.7 (61.9) 17	41.8 (58.5) 3	48.9 (63.1) 30	46.4 (60.5) 21	43.7 (58.4) 7	42.4 (55.5) 6	42.0 (55.5) 4	56.8 (70.0) 68	45.1 (61.0) 14	66.0 (81.8) 17	49.2 (63.0) 32	46.1 (60.6) 6	42.9 (56.2) 5	39.7 (55.2) 4	49.3 (67.1) 12	44.5 (59.1) 7	58.1 (70.2) 30	41.9 (54.9) 8	43.2 (54.9) 5	40.5 (54.9) 4	--- (---) 0	47.8 (61.6) 25	43.6 (61.0) 4	49.8 (61.3) 18	49.3 (61.3) 13	--- (---) 16	49.3 (65.8) 16	49.7 (60.9) 8	

※1 数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※2 No. 15については、8月29日は落雷による停電の影響により欠測。

お問い合わせ先  
 北関東防衛局 企画部 住宅防音課  
 TEL 048-600-1821、1822