

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年9月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)
1	行政財産内 (瑞穂町箱根ヶ崎)	68.5 (85.0) 29	69.5 (87.7) 64	56.2 (71.2) 54	60.4 (74.9) 50	62.1 (78.1) 33	59.4 (75.9) 21	54.6 (75.7) 15	65.3 (82.3) 47	70.0 (83.8) 51	63.4 (79.9) 27	60.6 (77.5) 63	65.4 (82.4) 26	53.8 (70.6) 10	41.3 (55.1) 12	74.2 (92.8) 27	64.6 (81.4) 65	66.6 (84.5) 70	60.4 (77.7) 34	70.6 (88.9) 70	76.0 (94.8) 17	80.5 (101.2) 26	59.0 (74.7) 51	62.5 (77.1) 52	60.9 (75.9) 58	70.8 (86.1) 82	57.4 (71.9) 16	60.4 (77.7) 16	61.9 (79.9) 19	60.9 (78.7) 55	65.1 (83.9) 27
2	行政財産内 (昭島市美堀町)	63.9 (75.4) 31	74.4 (94.8) 40	63.6 (81.4) 63	67.2 (83.7) 53	65.3 (83.5) 34	51.8 (65.5) 7	46.9 (77.7) 6	60.3 (77.7) 29	59.5 (74.1) 26	59.0 (76.1) 21	60.2 (86.4) 49	67.1 (77.1) 22	60.5 (69.2) 5	52.4 (69.2) 4	60.9 (78.6) 24	55.5 (69.3) 44	54.7 (69.3) 35	59.4 (77.5) 62	73.6 (93.9) 9	71.7 (91.0) 30	70.0 (92.2) 45	60.4 (77.4) 56	65.7 (83.7) 56	62.7 (81.2) 57	62.7 (76.5) 13	58.2 (75.6) 14	52.5 (68.1) 11	53.4 (68.3) 58	66.9 (84.9) 24	59.7 (77.6) 24
3	飯能市保健センター (飯能市双柳)	50.9 (61.2) 10	45.6 (57.8) 11	37.3 (51.2) 3	44.5 (56.2) 5	42.1 (54.7) 5	36.4 (49.8) 2	33.6 (46.2) 2	42.4 (55.0) 4	53.0 (62.7) 13	38.6 (51.3) 3	41.0 (53.8) 8	47.6 (59.1) 6	30.9 (43.7) 1	--- (---) 0	53.0 (69.8) 4	41.6 (54.7) 8	44.9 (59.4) 15	46.2 (59.3) 4	50.2 (62.4) 10	56.3 (70.5) 8	54.7 (67.8) 5	38.8 (51.9) 9	46.2 (57.6) 8	42.7 (54.8) 20	55.0 (62.7) 2	37.8 (46.7) 2	35.2 (46.7) 5	40.1 (56.6) 8	44.6 (62.3) 7	49.6 (62.3) 7
4	加治地区行政センター (飯能市大字笠縫)	50.4 (61.9) 9	47.0 (60.6) 8	37.7 (54.3) 3	46.2 (56.9) 8	45.2 (58.5) 9	37.7 (50.0) 2	--- (---) 2	44.7 (56.4) 7	53.1 (66.5) 10	42.2 (53.0) 5	41.5 (55.6) 9	49.6 (61.8) 8	33.9 (45.4) 1	--- (---) 0	54.2 (69.5) 4	44.9 (55.0) 7	44.4 (57.3) 8	46.6 (58.3) 14	51.3 (67.4) 9	56.6 (70.7) 11	56.9 (68.6) 9	41.6 (55.2) 14	48.9 (60.0) 12	44.8 (57.5) 15	44.8 (62.3) 2	38.2 (49.2) 2	36.7 (51.6) 4	39.7 (56.9) 9	44.9 (63.3) 8	51.0 (63.3) 8
5	入間市金子地区センター (入間市寺竹)	57.0 (68.4) 15	54.8 (68.8) 26	46.4 (61.2) 15	51.0 (62.6) 26	50.2 (63.4) 13	47.0 (62.5) 5	40.4 (54.1) 3	52.4 (65.0) 23	50.6 (68.7) 29	48.7 (63.4) 16	55.1 (68.3) 23	42.3 (56.6) 15	55.2 (68.3) 5	--- (---) 0	64.0 (79.1) 10	49.7 (63.5) 19	51.2 (65.7) 7	51.4 (64.4) 8	57.7 (73.5) 21	61.2 (77.0) 15	61.2 (72.6) 14	45.7 (59.8) 9	52.5 (64.6) 17	48.7 (62.2) 20	59.7 (69.3) 36	44.5 (58.2) 6	42.8 (56.9) 5	50.5 (63.5) 9	54.8 (67.3) 11	54.8 (67.3) 11
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	56.7 (68.8) 26	53.6 (67.2) 30	48.1 (62.9) 25	52.7 (65.0) 31	50.0 (69.6) 22	46.1 (62.8) 5	42.9 (56.4) 4	55.0 (69.1) 20	51.0 (64.4) 29	48.3 (61.4) 16	50.5 (65.1) 23	55.2 (67.8) 15	42.9 (56.7) 4	--- (---) 0	65.8 (81.6) 13	51.0 (64.3) 23	52.6 (66.5) 33	52.3 (64.9) 26	60.7 (75.6) 25	64.6 (79.1) 12	56.9 (71.4) 21	49.0 (62.7) 25	54.2 (66.9) 28	51.6 (71.4) 56	61.4 (77.8) 8	45.1 (56.7) 7	43.0 (56.7) 14	49.1 (62.5) 7	53.6 (67.9) 14	56.1 (69.2) 17
7	第十小学校 (武蔵村山市残堀)	--- (---) 0	36.8 (53.5) 3	--- (---) 0	--- (---) 0	--- (---) 0	29.9 (43.2) 1	--- (---) 1	31.2 (47.4) 1	41.9 (59.5) 2	--- (---) 0	44.0 (73.4) 4	44.0 (56.3) 4	--- (---) 0	--- (---) 0	32.3 (47.0) 1	44.9 (59.6) 0	45.4 (59.6) 6	37.1 (53.0) 2	46.2 (58.8) 5	33.2 (45.9) 1	43.7 (60.4) 4	40.5 (52.1) 1	43.7 (49.3) 3	--- (---) 0	37.6 (52.6) 3	34.2 (47.1) 2	--- (---) 0	33.2 (51.0) 1	34.3 (48.8) 1	34.9 (47.3) 2
8	田中小学校 (昭島市田中町)	57.3 (65.9) 16	60.3 (75.0) 26	51.9 (65.4) 29	53.1 (65.8) 24	52.0 (64.1) 23	38.7 (52.1) 3	41.5 (56.2) 3	51.9 (65.9) 29	46.3 (60.5) 16	49.0 (61.3) 19	50.2 (63.1) 35	54.9 (69.6) 15	50.3 (63.9) 4	43.5 (55.7) 4	45.9 (60.1) 8	49.7 (61.9) 16	47.7 (63.6) 24	45.1 (58.0) 16	57.7 (72.0) 35	56.2 (71.9) 9	59.1 (78.8) 14	51.7 (66.1) 24	51.4 (65.5) 42	50.0 (64.0) 36	49.6 (63.7) 25	46.4 (58.9) 11	47.5 (60.3) 7	53.7 (66.0) 10	49.0 (62.2) 14	
9	清泉中学校 (昭島市宮沢町)	51.8 (62.1) 13	59.8 (76.3) 20	36.4 (47.7) 2	48.0 (62.9) 6	46.6 (59.7) 9	45.2 (59.7) 5	34.0 (49.6) 2	46.8 (59.1) 12	49.2 (60.8) 4	47.2 (60.8) 6	46.2 (61.1) 9	51.2 (64.8) 5	50.0 (62.5) 5	38.4 (50.4) 2	39.8 (50.9) 3	44.0 (56.9) 9	42.2 (56.7) 7	43.4 (56.7) 9	54.5 (69.1) 16	51.0 (65.5) 8	55.4 (72.4) 16	46.6 (59.6) 8	48.9 (61.9) 15	46.7 (61.4) 12	53.0 (64.3) 23	43.3 (55.6) 4	43.7 (58.5) 6	46.0 (60.1) 8	46.2 (57.2) 7	44.7 (57.2) 4
10	八王子市石川市民センター (八王子市石川町)	56.3 (66.6) 17	56.4 (67.8) 20	48.2 (62.9) 20	57.4 (68.8) 34	53.6 (67.4) 16	47.0 (60.9) 5	41.9 (56.4) 6	50.0 (66.3) 13	49.3 (61.2) 9	50.4 (65.1) 22	49.5 (63.2) 23	59.3 (76.5) 20	51.1 (63.8) 5	43.2 (56.0) 4	49.9 (64.5) 13	44.3 (57.4) 10	48.4 (65.6) 14	50.9 (65.6) 20	61.1 (76.3) 17	59.7 (75.7) 8	59.2 (79.0) 11	48.1 (62.2) 10	56.4 (69.7) 36	53.1 (67.1) 23	55.4 (66.2) 25	48.4 (60.3) 9	46.2 (58.5) 7	45.8 (61.5) 6	55.9 (68.2) 33	49.9 (64.2) 11
11	福生市保健センター (福生市福生)	33.0 (50.7) 1	39.0 (53.1) 5	41.0 (54.1) 1	38.7 (52.7) 1	35.7 (47.2) 2	30.8 (45.8) 1	--- (---) 0	--- (---) 0	30.8 (46.2) 1	34.0 (44.1) 1	49.0 (67.9) 7	--- (---) 0	--- (---) 0	--- (---) 0	33.3 (44.5) 1	31.2 (43.7) 1	44.2 (60.3) 4	37.5 (51.5) 4	46.2 (59.5) 5	34.6 (44.1) 1	47.9 (63.7) 6	--- (---) 0	40.8 (55.8) 4	38.0 (51.5) 2	37.3 (53.7) 2	51.0 (66.8) 3	--- (---) 0	39.9 (54.9) 1	42.6 (56.6) 3	46.1 (59.1) 5
12	瑞穂第三小学校 (瑞穂町二本木)	35.1 (51.3) 1	43.1 (59.1) 5	26.9 (43.1) 1	40.1 (53.3) 3	36.5 (47.2) 1	--- (---) 0	--- (---) 0	--- (---) 0	46.8 (57.8) 2	--- (---) 0	50.7 (68.1) 4	40.2 (50.9) 3	--- (---) 0	--- (---) 0	53.0 (64.3) 2	38.4 (52.2) 1	32.6 (46.3) 1	41.9 (54.5) 6	50.6 (61.4) 3	53.1 (65.1) 8	53.7 (65.7) 7	37.5 (51.5) 3	40.9 (51.6) 3	48.7 (65.4) 19	47.4 (60.5) 5	36.5 (50.5) 2	--- (---) 0	--- (---) 0	33.5 (48.0) 2	41.0 (52.6) 4
13	滝合小学校 (日野市西平山)	51.4 (61.5) 9	53.3 (63.0) 14	44.0 (56.6) 9	52.9 (63.3) 21	50.4 (61.6) 15	38.7 (51.5) 2	35.9 (49.5) 2	42.2 (54.7) 6	45.5 (57.3) 4	46.0 (58.8) 13	44.7 (57.2) 10	54.1 (68.4) 12	47.2 (59.2) 5	40.6 (52.8) 5	46.0 (58.1) 8	37.5 (49.4) 2	41.2 (53.7) 8	46.5 (59.1) 14	60.7 (73.4) 13	57.0 (70.7) 11	55.7 (68.4) 11	47.9 (59.8) 11	53.5 (65.2) 29	49.4 (61.3) 14	51.3 (63.7) 11	44.4 (56.3) 6	44.6 (57.2) 3	41.2 (53.1) 3	51.7 (62.4) 21	46.6 (58.7) 9
14	個人住宅 (昭島市美堀町)	49.7 (60.5) 18	62.7 (81.0) 31	43.5 (60.5) 6	42.0 (54.1) 2	47.2 (58.3) 5	44.3 (55.4) 1	--- (---) 0	46.7 (58.8) 8	48.0 (59.0) 5	45.3 (58.2) 5	46.0 (60.0) 2	46.2 (60.5) 6	38.9 (51.0) 2	47.4 (65.0) 7	47.9 (62.0) 15	49.2 (64.8) 7	40.0 (53.3) 4	54.0 (68.8) 23	47.8 (61.4) 4	51.4 (66.2) 10	46.3 (60.1) 13	39.7 (52.2) 4	35.7 (48.0) 2	53.0 (65.0) 27	43.4 (55.1) 4	49.8 (63.8) 12	48.4 (62.2) 3	40.4 (55.4) 12	46.9 (59.3) 4	
15	武蔵野防災会館 (瑞穂町南平)	44.3 (56.6) 12	64.9 (80.9) 18	49.9 (63.8) 19	50.2 (63.6) 26	52.3 (65.5) 33	42.8 (55.0) 5	--- (---) 0	42.3 (54.4) 8	52.5 (68.2) 18	48.5 (62.3) 3	52.8 (68.6) 31	49.3 (64.8) 18	44.3 (57.9) 8	--- (---) 0	62.5 (78.5) 13	46.6 (59.6) 12	52.6 (67.1) 58	50.3 (62.6) 17	59.6 (74.7) 23	63.7 (75.1) 12	64.6 (79.3) 19	47.8 (61.8) 28	52.2 (64.7) 35	50.4 (65.6) 41	53.8 (60.8) 16	48.3 (65.5) 13	50.0 (58.1) 15	43.3 (64.6) 14	50.5 (62.5) 38	49.7 (62.5) 23

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822