

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)		
1	行政財産内 (瑞穂町箱根ヶ崎)	56.1 (72.1)	61.6 (76.2)	61.4 (76.1)	59.2 (76.2)	54.3 (69.5)	61.7 (79.2)	67.1 (79.2)	60.9 (75.8)	62.8 (78.1)	66.4 (78.7)	61.8 (77.4)	64.4 (79.4)	58.1 (75.0)	53.1 (68.6)	72.4 (87.1)	69.1 (84.8)	65.8 (82.0)	65.2 (84.3)	65.3 (80.7)	74.0 (92.4)	78.4 (96.3)	71.4 (86.7)	63.8 (75.5)	69.9 (85.6)	65.2 (85.3)	70.6 (86.2)	69.4 (86.6)	73.0 (88.4)	72.2 (86.9)	72.6 (88.8)	72.0		
2	行政財産内 (昭島市美堀町)	61.0 (80.1)	62.5 (80.3)	63.4 (79.7)	59.7 (77.9)	61.4 (76.6)	62.3 (79.3)	66.7 (83.3)	61.1 (78.9)	65.9 (84.1)	56.2 (74.2)	59.0 (76.9)	53.1 (69.5)	60.9 (79.4)	58.9 (77.2)	69.1 (83.1)	68.7 (82.4)	60.0 (79.8)	62.1 (77.8)	76.4 (98.0)	65.4 (84.4)	78.1 (98.3)	68.8 (87.6)	67.8 (82.1)	73.3 (90.8)	69.2 (85.6)	58.6 (76.3)	69.0 (86.0)	69.4 (86.3)	67.7 (84.0)	67.9 (85.2)	69.1 (85.7)	69.1	
3	飯能市保健センター (飯能市双柳)	39.1 (49.0)	46.4 (56.2)	47.5 (61.3)	44.7 (56.5)	40.0 (52.5)	33.1 (45.2)	48.0 (58.5)	41.8 (54.3)	43.8 (57.2)	49.2 (60.9)	46.1 (58.7)	45.9 (56.0)	43.4 (53.6)	38.6 (49.8)	58.8 (67.9)	52.3 (62.0)	50.1 (62.6)	54.3 (57.6)	49.7 (61.7)	54.6 (67.4)	56.1 (67.8)	47.9 (67.9)	52.7 (58.4)	49.9 (65.6)	54.8 (62.9)	54.8 (66.5)	54.8 (66.0)	54.8 (69.0)	57.8 (68.9)	57.8 (66.9)	58.5 (69.8)	58.5	
4	加治地区行政センター (飯能市大字笠縫)	42.4 (54.1)	46.4 (56.6)	48.1 (60.4)	45.7 (58.0)	41.4 (54.6)	41.6 (55.3)	47.8 (60.6)	44.3 (57.4)	43.9 (56.3)	50.1 (60.9)	48.3 (59.7)	52.2 (58.0)	47.8 (55.5)	44.5 (53.1)	53.2 (71.7)	52.8 (63.1)	50.7 (64.8)	45.0 (59.6)	50.8 (63.5)	54.9 (67.8)	58.5 (70.6)	51.1 (69.8)	56.7 (80.5)	50.9 (68.1)	55.1 (65.3)	55.1 (66.9)	55.1 (64.8)	55.1 (68.5)	57.4 (70.4)	50.8 (67.9)	58.0 (70.9)	58.7 (70.9)	58.7
5	入間市金子地区センター (入間市寺竹)	47.4 (60.6)	50.9 (62.3)	52.7 (64.6)	50.2 (62.9)	45.4 (58.2)	46.2 (60.2)	52.2 (65.6)	47.8 (60.5)	49.5 (62.8)	55.2 (66.0)	52.1 (64.6)	47.7 (60.2)	44.6 (58.1)	46.0 (74.1)	60.7 (69.4)	57.7 (69.6)	56.4 (66.6)	52.1 (68.1)	54.7 (71.2)	59.5 (74.3)	62.4 (73.4)	56.6 (64.8)	55.6 (72.4)	55.6 (69.5)	61.5 (72.1)	59.5 (72.1)	59.5 (70.2)	57.5 (73.3)	61.7 (74.2)	61.8 (73.4)	62.5 (75.9)	62.3 (75.9)	62.3
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	49.5 (63.7)	53.5 (66.3)	53.9 (66.3)	51.6 (65.3)	47.9 (61.0)	49.9 (64.5)	59.3 (68.8)	51.6 (64.8)	53.8 (62.8)	54.5 (65.8)	53.0 (66.2)	50.9 (62.3)	50.6 (64.4)	46.7 (60.8)	63.0 (76.7)	59.0 (70.6)	58.4 (71.2)	54.9 (69.6)	57.1 (70.8)	60.1 (74.5)	65.5 (78.3)	56.9 (76.4)	64.5 (67.7)	56.9 (73.6)	61.5 (71.4)	56.6 (73.6)	60.4 (73.6)	59.9 (72.5)	64.5 (76.5)	63.9 (77.3)	63.6 (76.9)	63.6 (76.9)	63.6
7	第十小学校 (武蔵村山市残堀)	---	55.6 (70.5)	33.0 (44.9)	---	60.0 (74.2)	62.1 (76.9)	39.3 (48.7)	36.9 (52.0)	34.9 (52.3)	---	34.9 (47.0)	---	34.9 (47.0)	---	---	---	42.2 (55.7)	34.3 (47.9)	---	45.9 (56.5)	44.4 (55.9)	38.8 (49.3)	36.2 (50.3)	34.8 (45.0)	---	---	---	---	34.0 (43.3)	---	---	---	---
8	田中小学校 (昭島市田中町)	47.4 (60.4)	50.1 (63.2)	50.2 (63.6)	46.2 (57.9)	48.0 (60.3)	53.5 (66.7)	55.9 (69.5)	50.9 (64.1)	56.8 (70.2)	44.9 (57.6)	44.3 (55.9)	36.6 (47.4)	47.0 (59.2)	49.3 (62.7)	55.5 (66.3)	53.3 (63.5)	50.4 (65.6)	51.5 (65.9)	67.6 (82.8)	49.9 (62.7)	58.8 (75.8)	58.7 (73.0)	53.8 (65.2)	59.3 (72.0)	56.5 (68.3)	44.7 (54.7)	55.0 (65.8)	55.6 (67.7)	55.3 (66.0)	54.9 (65.7)	56.6 (66.5)	56.6 (66.5)	56.6
9	清泉中学校 (昭島市宮沢町)	35.5 (47.7)	45.3 (55.0)	39.4 (51.0)	38.4 (49.9)	40.9 (53.2)	47.7 (60.1)	43.8 (57.5)	44.2 (57.9)	45.5 (52.3)	39.0 (49.2)	37.3 (48.2)	42.8 (54.6)	40.7 (52.9)	40.5 (49.1)	48.6 (59.7)	47.5 (59.7)	50.0 (63.6)	53.9 (66.2)	63.7 (76.0)	46.8 (58.5)	55.5 (70.1)	52.1 (66.3)	49.5 (61.6)	54.5 (67.1)	49.9 (61.1)	---	49.2 (58.9)	50.1 (61.3)	49.3 (61.3)	49.2 (60.1)	50.4 (60.4)	50.4 (60.4)	50.4
10	八王子市石川市民センター (八王子市石川町)	51.4 (65.9)	52.4 (65.9)	53.1 (68.1)	50.5 (65.8)	51.2 (64.4)	52.4 (66.9)	55.9 (70.7)	51.3 (65.6)	53.7 (67.7)	45.6 (58.9)	48.1 (61.3)	46.8 (62.8)	51.5 (65.6)	48.9 (62.9)	60.2 (76.2)	57.1 (71.1)	52.2 (65.3)	52.1 (65.3)	67.5 (86.1)	55.7 (71.4)	62.2 (78.0)	59.2 (74.4)	56.7 (67.4)	63.4 (76.1)	60.0 (72.2)	48.4 (61.3)	59.0 (72.3)	59.7 (73.1)	59.2 (71.5)	58.8 (72.0)	60.6 (72.8)	60.6 (72.8)	60.6
11	福生市保健センター (福生市福生)	---	52.8 (67.5)	43.1 (55.3)	---	51.1 (65.7)	48.7 (63.1)	48.1 (63.7)	46.1 (56.6)	45.9 (56.6)	35.1 (47.7)	45.0 (60.0)	---	29.7 (43.2)	---	33.5 (44.9)	---	---	39.4 (54.0)	---	50.7 (63.2)	48.4 (60.9)	48.3 (63.1)	35.2 (47.9)	45.2 (59.3)	32.5 (44.3)	38.0 (53.6)	50.7 (65.1)	47.2 (61.1)	46.4 (60.1)	43.6 (59.2)	43.6 (59.2)	43.6	
12	瑞穂第三小学校 (瑞穂町二本木)	39.6 (50.5)	31.9 (43.6)	44.0 (55.3)	38.7 (48.8)	38.7 (51.1)	29.7 (47.1)	43.4 (56.2)	40.0 (53.1)	35.3 (46.0)	40.5 (52.3)	36.3 (47.6)	---	38.7 (50.7)	34.2 (44.4)	54.0 (65.3)	40.5 (52.1)	50.9 (64.4)	42.5 (55.3)	43.6 (56.4)	54.2 (71.0)	58.7 (68.5)	55.8 (65.5)	45.0 (56.5)	48.0 (59.3)	46.3 (57.6)	47.6 (57.9)	51.3 (64.3)	52.9 (64.7)	49.9 (61.1)	51.2 (62.7)	51.2 (62.7)	51.2	
13	滝合小学校 (日野市西平山)	48.1 (61.1)	48.6 (60.9)	49.4 (60.9)	46.6 (58.8)	48.5 (60.3)	49.9 (62.7)	51.7 (63.9)	46.9 (58.9)	49.6 (62.8)	43.0 (54.9)	44.4 (56.2)	41.1 (52.8)	48.7 (60.5)	45.7 (57.8)	54.8 (65.7)	54.2 (65.7)	48.5 (61.9)	41.8 (53.5)	60.5 (74.2)	54.8 (67.1)	60.0 (75.1)	57.2 (71.0)	53.8 (63.5)	59.9 (71.4)	56.9 (67.0)	44.5 (55.4)	54.3 (66.6)	55.7 (67.9)	56.4 (67.9)	---	57.1 (69.7)	57.1 (69.7)	57.1
14	個人住宅 (昭島市美堀町)	---	49.7 (64.1)	35.6 (50.1)	25.2 (43.1)	41.7 (55.0)	46.6 (58.4)	48.3 (61.5)	46.9 (60.4)	48.1 (61.7)	40.1 (51.7)	---	43.2 (54.6)	33.1 (47.1)	37.1 (49.7)	---	---	51.4 (67.3)	44.1 (58.0)	60.0 (74.2)	48.4 (61.8)	63.1 (78.9)	55.8 (73.1)	32.6 (48.6)	46.9 (64.0)	46.8 (60.4)	52.8 (70.2)	50.1 (66.1)	53.3 (67.1)	47.4 (59.4)	50.3 (63.8)	45.9 (59.3)	45.9 (59.3)	45.9
15	武蔵野防災会館 (瑞穂町南平)	46.0 (59.2)	53.0 (64.4)	52.4 (63.5)	46.3 (59.2)	46.2 (59.2)	50.9 (64.2)	57.1 (70.1)	49.7 (61.3)	55.1 (69.5)	47.0 (61.5)	50.9 (64.5)	43.3 (57.4)	44.5 (57.4)	43.4 (56.7)	57.4 (70.0)	52.0 (64.9)	57.6 (70.8)	50.8 (64.2)	50.9 (65.5)	64.0 (79.0)	67.8 (83.5)	65.6 (83.5)	53.3 (66.0)	53.0 (66.0)	52.4 (65.2)	51.6 (65.2)	52.2 (65.8)	56.6 (70.6)	57.0 (70.6)	54.7 (67.8)	56.8 (69.7)	56.8 (69.7)	56.8

※1 数値は速報値です。後日、修正されることがありますので、データ利用の際にはご注意ください。
 ※2 No. 13については、防水工事のため屋上での測定は10/29(水)で一時的に終了。同一敷地内にある屋外プールでの測定を10/31(金)から開始。
 なお、10/30(木)は移設作業のため欠測。

お問い合わせ先
 北関東防衛局 企画部 住宅防音課
 TEL 048-600-1821、1822