

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)	31日 (水)		
1	行政財産内 (瑞穂町箱根ヶ崎)	64.4 (81.6) 61	67.7 (81.0) 39	60.3 (77.9) 72	59.6 (75.5) 64	55.0 (72.0) 19	65.4 (84.1) 24	70.3 (90.5) 8	62.3 (80.9) 48	59.5 (76.0) 48	68.7 (85.2) 70	60.7 (78.0) 46	59.8 (69.6) 7	62.0 (75.0) 15	41.3 (55.3) 9	60.0 (74.2) 37	70.9 (86.8) 73	67.9 (85.5) 53	62.9 (76.0) 48	60.2 (77.3) 32	63.5 (80.7) 31	57.0 (72.9) 4	53.6 (68.4) 21	54.9 (69.3) 7	68.0 (84.0) 2	53.1 (69.1) 2	49.2 (63.9) 4	59.5 (77.7) 16	53.8 (70.9) 3	47.6 (63.0) 6	42.2 (56.4) 5	51.9 (68.8) 3		
2	行政財産内 (昭島市美堀町)	59.2 (74.7) 59	65.1 (83.2) 38	62.3 (80.0) 72	61.5 (79.6) 59	54.4 (72.5) 17	58.1 (74.4) 15	68.6 (86.1) 9	62.2 (78.1) 36	63.4 (81.0) 53	59.5 (78.0) 62	61.2 (78.6) 44	55.5 (73.5) 6	58.3 (76.3) 11	---	62.4 (81.6) 42	66.2 (80.6) 56	60.8 (74.2) 52	62.4 (80.1) 47	57.2 (75.3) 25	55.0 (68.1) 24	55.7 (73.3) 5	57.8 (76.1) 20	55.1 (73.2) 7	49.1 (66.2) 1	61.3 (78.7) 4	---	48.9 (63.5) 12	52.0 (69.1) 2	52.6 (69.9) 8	64.3 (80.4) 11	45.9 (63.9) 1		
3	飯能市保健センター (飯能市双柳)	43.1 (56.3) 6	51.0 (61.0) 7	45.2 (56.8) 10	42.5 (56.0) 5	39.9 (51.5) 4	45.1 (57.3) 12	42.2 (55.4) 3	44.7 (57.1) 9	46.0 (58.4) 12	52.6 (64.5) 14	42.5 (55.4) 8	48.0 (59.0) 3	49.2 (59.5) 4	---	38.7 (51.7) 5	54.0 (62.7) 19	47.9 (59.3) 14	49.4 (59.6) 7	44.2 (56.8) 4	46.8 (57.7) 12	43.1 (54.6) 3	36.1 (51.2) 3	37.4 (49.7) 2	51.9 (61.7) 2	39.6 (52.4) 2	33.9 (47.8) 1	37.0 (49.4) 3	39.2 (49.8) 1	32.9 (43.6) 1	---	35.4 (47.2) 0	35.4 (47.2) 1	
4	加治地区行政センター (飯能市大字笠縫)	44.0 (56.7) 6	54.6 (63.2) 9	45.4 (57.5) 10	43.3 (57.0) 7	41.8 (54.2) 5	47.1 (60.6) 14	44.4 (57.1) 3	44.9 (57.1) 7	42.0 (54.3) 5	53.4 (65.8) 15	43.2 (54.9) 8	46.9 (57.9) 1	50.1 (60.1) 5	---	41.2 (56.1) 5	54.1 (63.2) 13	47.7 (58.8) 9	49.0 (60.4) 7	43.5 (55.5) 6	47.4 (56.8) 9	43.5 (54.3) 3	38.4 (52.0) 5	44.9 (57.5) 2	51.1 (60.5) 2	39.5 (51.9) 2	42.5 (56.7) 3	36.9 (48.4) 3	40.0 (52.3) 1	33.3 (44.1) 1	---	36.3 (49.7) 0	36.3 (49.7) 1	
5	入間市金子地区センター (入間市寺竹)	49.3 (63.4) 15	58.0 (67.7) 19	50.3 (64.0) 22	48.9 (63.3) 17	44.7 (58.2) 5	51.5 (64.7) 14	50.8 (65.0) 3	50.2 (64.0) 16	48.8 (61.9) 16	57.9 (71.3) 22	50.5 (64.3) 18	53.5 (63.5) 4	54.0 (65.5) 5	---	44.7 (57.4) 9	58.1 (68.0) 23	53.0 (66.4) 24	53.6 (63.8) 11	48.0 (61.0) 9	52.9 (65.2) 17	48.3 (61.4) 3	44.4 (57.9) 10	46.5 (61.4) 3	57.5 (68.8) 2	43.7 (57.7) 2	42.1 (54.7) 2	43.1 (56.5) 6	42.0 (53.8) 1	37.5 (49.9) 1	35.2 (47.9) 1	42.8 (57.1) 1		
6	特別養護老人ホームみずほ園 (瑞穂町箱根ヶ崎)	52.4 (66.9) 33	58.7 (69.9) 26	52.3 (67.1) 34	52.5 (67.4) 33	45.9 (59.5) 7	53.2 (67.9) 16	52.4 (66.7) 8	52.7 (67.9) 21	52.2 (66.2) 24	61.1 (73.7) 28	53.0 (67.5) 32	53.9 (65.2) 2	54.8 (65.6) 5	---	48.6 (62.1) 12	61.3 (72.6) 53	54.7 (67.7) 40	54.5 (66.6) 17	50.7 (64.6) 20	53.2 (65.5) 23	50.2 (63.0) 3	47.9 (61.3) 12	49.1 (64.2) 3	57.9 (68.8) 2	46.7 (61.6) 2	43.8 (56.6) 2	47.7 (61.6) 14	46.5 (59.5) 1	39.9 (52.8) 2	39.3 (51.1) 3	43.9 (57.7) 2		
7	第十小学校 (武蔵村山市残堀)	41.4 (55.8) 1	---	27.9 (45.3) 1	47.3 (62.5) 3	---	36.6 (48.8) 3	29.6 (46.0) 1	35.5 (53.6) 1	---	41.6 (54.2) 4	42.0 (56.2) 1	---	---	---	---	46.5 (59.9) 2	---	---	39.0 (50.8) 2	34.8 (44.6) 1	---	---	32.5 (44.6) 1	---	35.2 (46.6) 1	35.8 (52.9) 1	30.9 (48.4) 1	---	---	38.5 (49.4) 2	---	38.5 (49.4) 0	---
8	田中小学校 (昭島市田中町)	50.4 (63.7) 19	52.5 (66.1) 28	50.7 (63.5) 30	49.1 (62.7) 26	42.6 (55.7) 10	45.3 (57.5) 9	57.3 (70.8) 8	50.1 (63.5) 15	53.1 (67.2) 36	48.3 (61.9) 21	49.8 (62.6) 27	40.6 (52.1) 2	48.0 (63.8) 5	---	49.9 (64.5) 24	54.9 (66.8) 19	46.9 (61.7) 12	52.0 (65.5) 30	45.5 (58.3) 14	46.4 (56.3) 2	42.0 (53.6) 4	46.6 (60.4) 17	41.4 (53.8) 5	36.1 (46.4) 1	47.2 (58.7) 4	35.4 (52.6) 4	40.7 (53.1) 4	36.2 (47.8) 1	40.0 (52.2) 4	50.0 (62.0) 8	---	50.0 (62.0) 0	
9	清泉中学校 (昭島市宮沢町)	45.2 (57.8) 7	40.8 (53.5) 4	43.3 (57.4) 4	27.7 (43.2) 1	30.9 (45.2) 1	48.5 (60.3) 8	56.3 (68.6) 4	44.5 (59.1) 7	38.3 (53.2) 4	47.0 (61.6) 15	46.3 (60.2) 10	36.2 (49.2) 2	45.3 (56.6) 2	---	45.0 (58.0) 10	51.7 (64.6) 17	46.4 (61.0) 9	39.9 (52.8) 3	36.6 (48.6) 3	49.6 (61.1) 12	38.5 (49.9) 3	35.6 (48.2) 2	---	---	42.3 (53.8) 4	---	40.1 (52.5) 4	43.3 (55.0) 1	41.0 (53.8) 3	43.9 (53.9) 6	---	43.9 (53.9) 0	---
10	八王子市石川市民センター (八王子市石川町)	51.1 (67.7) 11	54.2 (68.3) 22	52.6 (66.8) 27	48.6 (62.3) 16	43.3 (56.9) 6	51.4 (63.5) 13	53.6 (67.1) 3	48.3 (63.6) 9	51.4 (66.5) 25	48.6 (63.2) 17	53.1 (65.5) 21	45.8 (59.2) 4	52.2 (69.1) 11	---	50.6 (65.2) 14	57.1 (67.4) 15	44.7 (59.1) 7	47.8 (62.3) 11	47.4 (61.0) 7	48.5 (58.8) 8	46.3 (60.1) 4	47.1 (61.3) 10	48.1 (63.8) 8	39.5 (51.9) 1	51.8 (64.5) 4	35.4 (48.7) 1	36.6 (48.4) 2	44.2 (55.8) 2	43.4 (56.6) 4	53.4 (65.2) 9	37.9 (53.5) 3		
11	福生市保健センター (福生市福生)	50.3 (64.6) 6	---	44.5 (59.1) 6	35.5 (50.9) 2	---	37.9 (52.9) 1	42.5 (56.5) 3	43.2 (58.9) 3	38.6 (51.9) 5	32.8 (49.8) 1	30.8 (44.3) 1	---	34.9 (43.2) 1	---	46.0 (60.0) 5	39.1 (51.9) 2	39.7 (47.9) 2	43.5 (57.9) 5	---	37.6 (48.4) 3	34.7 (45.0) 1	30.4 (46.1) 1	---	30.3 (45.9) 1	---	---	37.2 (51.7) 1	---	31.8 (49.2) 1	34.1 (43.9) 1	---	34.1 (43.9) 0	---
12	瑞穂第三小学校 (瑞穂町二本木)	38.1 (52.3) 2	43.8 (57.2) 4	33.8 (46.5) 1	40.2 (51.4) 2	36.6 (48.5) 2	39.0 (52.7) 1	38.7 (53.2) 3	34.9 (44.6) 1	41.0 (52.9) 3	46.2 (61.1) 3	41.9 (54.0) 6	47.5 (58.4) 2	32.8 (43.4) 1	---	38.7 (50.2) 3	49.6 (65.7) 3	42.6 (58.1) 2	44.8 (56.4) 4	32.9 (44.0) 1	30.1 (46.3) 2	40.4 (51.5) 3	37.1 (51.3) 3	34.6 (45.6) 1	45.6 (56.5) 2	37.3 (48.0) 2	36.9 (49.4) 2	---	31.9 (45.6) 1	---	---	---	---	---
13	滝合小学校 (日野市西平山)	44.0 (54.0) 3	51.2 (64.2) 20	49.2 (61.8) 19	43.9 (57.1) 8	40.0 (52.2) 4	48.1 (58.6) 10	48.2 (60.8) 4	44.4 (55.6) 3	46.4 (59.1) 17	44.0 (56.5) 8	48.8 (60.7) 17	41.6 (52.8) 2	53.1 (67.7) 6	---	47.7 (60.6) 10	52.8 (63.0) 8	42.5 (55.6) 9	43.5 (57.2) 6	44.4 (57.0) 9	40.7 (50.5) 2	43.5 (55.8) 6	42.1 (53.9) 6	43.4 (58.6) 5	36.0 (46.8) 1	49.3 (60.3) 6	---	28.2 (45.8) 1	43.2 (55.2) 3	44.9 (59.6) 3	48.5 (59.8) 10	---	48.5 (59.8) 0	---
14	個人住宅 (昭島市美堀町)	47.3 (61.8) 19	39.7 (53.0) 4	41.1 (54.2) 7	32.1 (43.9) 1	36.2 (54.5) 2	46.0 (58.4) 8	62.4 (75.1) 6	46.4 (58.2) 14	42.7 (56.4) 6	51.3 (66.4) 13	42.2 (54.9) 6	30.4 (44.2) 1	44.7 (59.6) 8	26.6 (45.5) 1	46.4 (61.3) 11	56.1 (70.2) 32	49.1 (62.3) 21	48.1 (62.1) 4	37.3 (53.5) 3	48.9 (60.3) 15	36.5 (53.7) 1	---	38.6 (54.7) 2	---	39.2 (51.3) 2	30.8 (46.4) 2	43.6 (55.4) 6	40.9 (52.5) 1	39.6 (53.1) 2	38.4 (49.5) 2	33.5 (44.6) 1	33.5 (44.6) 1	33.5 (44.6) 1
15	武蔵野防災会館 (瑞穂町南平)	58.3 (71.5) 78	52.1 (66.8) 27	50.3 (64.5) 44	51.7 (66.5) 37	49.1 (64.7) 10	47.8 (63.3) 12	64.1 (79.3) 16	48.3 (61.7) 23	51.4 (65.5) 39	53.0 (66.1) 25	53.9 (67.3) 37	52.4 (62.7) 5	49.8 (61.3) 7	---	48.9 (62.8) 13	53.9 (65.0) 13	53.7 (68.0) 35	51.5 (65.8) 35	44.0 (57.4) 11	46.8 (59.6) 7	45.7 (58.9) 3	46.9 (60.7) 20	42.2 (55.6) 3	49.0 (64.1) 3	42.2 (56.5) 5	40.3 (54.0) 2	42.9 (57.1) 4	38.4 (50.6) 3	37.3 (50.6) 2	34.5 (46.6) 2	36.5 (50.6) 2	36.5 (50.6) 2	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822