

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和8年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	
1	行政財産内 (瑞穂町箱根ヶ崎)	53.9 (75.0) 9	64.2 (82.7) 59	58.2 (73.8) 41	57.8 (72.7) 39	54.7 (66.9) 4	61.4 (80.3) 12	60.1 (77.4) 19	50.4 (65.9) 4	63.6 (79.3) 11	67.5 (81.1) 25	60.1 (76.6) 30	62.6 (75.2) 13	60.4 (77.4) 33	57.2 (73.4) 19	68.2 (81.1) 25	57.4 (75.9) 5	63.2 (81.7) 66	66.0 (83.5) 88	54.7 (68.7) 22	63.2 (77.0) 28	75.9 (96.2) 23	75.6 (97.1) 16	68.5 (87.9) 22	73.5 (92.6) 22	54.5 (71.7) 5	64.0 (80.5) 6	60.9 (78.4) 24	69.9 (88.8) 7	60.2 (79.1) 11	69.3 (85.7) 78	62.8 (82.5) 15	
2	行政財産内 (昭島市美堀町)	39.3 (55.3) 1	65.0 (76.2) 43	63.7 (81.8) 43	67.4 (82.7) 39	58.7 (75.3) 8	55.6 (70.7) 4	58.5 (76.3) 16	57.7 (74.7) 7	66.2 (83.6) 13	59.7 (76.8) 26	54.6 (72.0) 21	64.2 (81.3) 14	56.4 (74.4) 31	64.9 (81.0) 18	56.8 (74.2) 19	51.5 (67.2) 8	56.9 (74.8) 40	59.8 (78.5) 72	60.7 (77.9) 29	71.2 (90.3) 26	75.9 (95.8) 24	71.8 (91.0) 3	64.5 (78.1) 13	53.5 (69.6) 8	56.4 (71.6) 10	65.0 (81.3) 9	56.0 (72.8) 7	56.0 (73.3) 7	54.3 (71.2) 3	63.5 (80.5) 61	59.9 (74.8) 19	
3	飯能市保健センター (飯能市双柳)	31.9 (46.9) 2	44.6 (56.6) 9	41.3 (54.2) 6	42.7 (56.4) 7	44.5 (56.6) 1	47.1 (61.4) 4	46.3 (59.2) 5	37.4 (54.8) 3	50.2 (62.8) 6	53.0 (62.9) 8	43.1 (55.3) 5	46.2 (58.5) 5	45.4 (59.4) 6	42.6 (54.6) 3	51.5 (61.4) 9	41.7 (53.6) 1	46.7 (57.7) 11	47.8 (61.2) 15	41.8 (54.0) 3	47.4 (57.0) 4	45.1 (58.7) 3	50.2 (65.8) 4	44.4 (58.1) 5	53.0 (66.7) 7	35.8 (47.2) 1	47.6 (59.3) 6	43.6 (56.2) 4	41.7 (53.7) 2	44.2 (57.3) 1	49.7 (60.4) 11	43.4 (57.0) 4	
4	加治地区行政センター (飯能市大字笠縫)	---	45.6 (59.6) 10	47.3 (61.2) 18	35.9 (48.2) 1	46.1 (58.3) 1	47.4 (60.4) 3	47.9 (60.3) 10	38.1 (52.7) 4	49.8 (62.3) 10	53.0 (62.4) 17	44.4 (57.0) 7	47.2 (60.1) 6	46.8 (59.9) 6	44.8 (57.7) 4	52.6 (62.5) 8	39.6 (52.5) 1	46.7 (58.5) 11	47.0 (60.1) 15	41.3 (53.5) 5	49.1 (59.9) 12	49.6 (63.1) 7	52.4 (69.6) 5	44.1 (57.5) 5	52.9 (68.0) 9	40.3 (51.6) 2	50.4 (63.1) 6	45.9 (58.3) 4	45.2 (59.5) 3	44.6 (58.0) 1	49.3 (60.8) 12	39.1 (51.0) 2	
5	入間市金子地区センター (入間市寺竹)	38.8 (52.6) 4	50.1 (64.0) 17	49.6 (63.6) 27	46.9 (60.9) 13	47.7 (60.6) 1	51.2 (67.2) 4	51.6 (64.2) 12	42.6 (58.2) 4	54.1 (65.8) 10	57.1 (67.7) 23	48.7 (62.5) 9	51.5 (63.6) 9	51.1 (63.5) 15	48.2 (61.4) 5	57.8 (67.9) 9	46.5 (60.1) 2	51.3 (64.7) 20	52.3 (65.9) 29	45.9 (60.1) 9	53.9 (65.8) 17	56.6 (71.6) 10	57.4 (74.6) 6	48.1 (61.9) 6	57.6 (73.2) 11	44.7 (57.4) 2	53.6 (66.9) 6	50.1 (63.6) 9	52.3 (70.3) 3	48.5 (64.9) 2	54.7 (66.8) 20	49.1 (64.8) 8	
6	特別養護老人ホームみずほ 園 (瑞穂町箱根ヶ崎)	43.5 (57.8) 6	55.1 (69.6) 51	53.0 (67.4) 38	50.4 (65.1) 22	47.9 (61.0) 1	51.6 (66.9) 6	52.9 (67.0) 14	44.3 (58.4) 3	54.9 (67.5) 10	59.9 (71.0) 23	49.9 (64.9) 14	52.3 (65.2) 9	53.1 (66.6) 19	50.0 (63.8) 12	58.3 (68.7) 11	46.2 (60.3) 2	53.1 (66.2) 38	56.5 (70.7) 62	47.7 (60.9) 9	55.5 (67.1) 18	61.2 (77.0) 11	59.3 (76.2) 7	48.6 (62.4) 10	46.9 (59.3) 11	55.8 (69.9) 3	51.3 (65.0) 6	54.7 (68.8) 9	50.0 (66.9) 3	56.4 (70.5) 2	52.5 (66.8) 36		
7	第十小学校 (武蔵村山市残堀)	42.8 (66.3) 2	36.9 (48.3) 2	---	34.2 (49.8) 3	---	40.9 (51.4) 4	---	27.2 (45.3) 1	---	---	---	---	35.3 (50.1) 3	---	---	---	---	41.5 (57.2) 4	48.8 (63.5) 5	---	---	39.1 (55.6) 1	39.2 (54.3) 2	44.1 (59.1) 1	48.6 (65.9) 2	---	---	28.7 (44.5) 1	---	39.5 (55.4) 0	49.3 (60.4) 9	---
8	田中小学校 (昭島市田中町)	---	55.9 (65.5) 11	50.7 (63.3) 35	53.7 (64.5) 18	44.4 (56.6) 4	39.9 (51.5) 2	47.0 (60.7) 15	43.9 (55.6) 4	52.6 (64.9) 12	47.3 (59.8) 22	43.7 (57.8) 6	47.8 (62.6) 9	44.2 (57.5) 16	51.3 (63.5) 13	49.7 (63.3) 12	47.9 (59.3) 8	46.9 (61.1) 18	49.7 (63.3) 29	48.3 (61.9) 14	61.4 (77.6) 23	57.9 (73.9) 22	53.8 (69.4) 3	52.7 (65.2) 6	48.7 (61.3) 6	47.1 (58.9) 8	49.9 (61.4) 8	47.2 (60.3) 7	46.6 (59.5) 6	43.5 (55.3) 3	50.3 (64.9) 26	48.6 (62.0) 5	
9	清泉中学校 (昭島市宮沢町)	---	53.3 (63.3) 13	43.6 (55.2) 9	48.2 (60.8) 8	41.6 (54.6) 4	47.0 (57.8) 2	35.6 (49.1) 3	---	45.4 (57.4) 5	43.7 (54.8) 7	40.0 (52.8) 4	43.1 (57.4) 5	38.2 (52.2) 5	46.5 (57.3) 6	46.3 (58.6) 3	40.4 (53.1) 3	33.5 (45.4) 1	44.7 (56.8) 5	45.4 (58.4) 8	59.7 (75.7) 9	51.9 (66.4) 10	50.8 (66.1) 2	48.5 (61.4) 5	45.4 (58.4) 4	42.7 (53.0) 5	45.7 (56.9) 5	42.9 (54.6) 5	45.3 (58.9) 5	40.2 (52.1) 1	48.2 (62.0) 18	45.0 (57.9) 6	
10	八王子市石川市民センター (八王子市石川町)	25.7 (43.4) 1	57.3 (65.3) 13	55.6 (69.4) 41	58.5 (68.8) 18	47.9 (61.0) 8	49.1 (59.3) 4	48.7 (62.1) 8	47.5 (59.6) 5	57.2 (69.5) 15	52.7 (66.1) 25	44.5 (58.8) 7	51.1 (64.5) 12	46.9 (61.8) 15	55.2 (68.2) 13	46.9 (60.7) 4	44.1 (56.9) 5	36.7 (49.2) 2	49.7 (64.3) 18	52.7 (67.2) 22	66.3 (84.9) 20	56.4 (71.1) 10	56.0 (70.1) 2	55.3 (64.7) 5	48.1 (61.5) 6	49.7 (61.5) 10	53.7 (66.9) 9	48.3 (64.7) 8	47.8 (60.9) 7	41.8 (55.3) 2	50.5 (63.8) 18	49.3 (61.6) 6	
11	福生市保健センター (福生市福生)	33.2 (49.1) 1	57.2 (69.2) 20	43.6 (60.2) 1	40.8 (55.4) 3	---	32.5 (44.3) 1	37.8 (53.7) 2	28.5 (47.0) 1	---	42.0 (58.5) 2	41.6 (56.7) 8	37.2 (53.8) 2	42.1 (58.2) 4	---	---	34.0 (46.6) 2	41.5 (55.3) 6	45.8 (63.3) 5	40.3 (54.9) 2	45.0 (59.9) 2	49.4 (65.9) 8	50.1 (63.8) 3	57.9 (74.4) 6	39.2 (57.3) 1	---	---	34.9 (50.3) 3	---	32.7 (43.1) 1	38.9 (52.5) 1	---	
12	瑞穂第三小学校 (瑞穂町二本木)	---	34.0 (48.7) 2	36.4 (48.1) 3	40.6 (54.2) 5	38.2 (48.4) 1	36.9 (51.8) 2	39.4 (51.8) 3	36.9 (48.5) 2	45.1 (56.6) 3	45.4 (58.1) 3	34.0 (45.6) 1	39.1 (50.4) 3	46.0 (58.2) 5	40.7 (53.8) 5	44.8 (55.2) 2	33.4 (45.3) 1	37.7 (53.6) 1	40.9 (52.1) 3	36.3 (48.1) 1	43.5 (55.9) 4	53.1 (64.5) 4	52.3 (65.8) 4	38.7 (52.8) 2	52.1 (71.4) 4	38.2 (48.1) 1	46.0 (56.1) 5	37.9 (50.4) 2	45.1 (60.3) 2	34.3 (46.7) 1	36.4 (48.7) 3	---	
13	滝合小学校 (日野市西平山)	---	52.8 (62.4) 4	52.8 (64.9) 36	54.4 (67.5) 15	44.2 (56.1) 5	43.4 (53.9) 2	43.4 (55.2) 7	43.2 (54.1) 3	53.6 (65.1) 12	50.0 (63.0) 22	43.0 (56.5) 5	47.9 (60.8) 6	44.5 (57.2) 12	51.6 (62.1) 9	42.6 (55.8) 3	38.8 (50.6) 2	32.8 (47.5) 2	44.0 (57.1) 10	50.1 (60.7) 12	49.5 (71.8) 21	52.5 (67.8) 9	47.7 (60.3) 5	51.8 (67.5) 7	50.0 (63.9) 5	42.0 (58.9) 4	27.4 (45.4) 1	43.2 (56.5) 3	43.5 (55.4) 4	42.2 (55.3) 2	52.5 (66.6) 34	47.3 (60.5) 5	
14	個人住宅 (昭島市美堀町)	---	51.5 (64.2) 24	40.7 (53.8) 2	50.2 (68.1) 2	36.2 (47.1) 1	43.6 (54.6) 2	39.3 (53.4) 7	34.8 (49.0) 3	---	38.4 (56.2) 3	44.1 (56.8) 7	35.1 (48.2) 1	43.7 (55.8) 1	---	46.3 (61.1) 9	40.2 (52.4) 2	44.0 (57.3) 11	50.1 (65.0) 22	37.3 (53.9) 3	49.5 (66.6) 10	52.5 (69.1) 23	47.7 (62.8) 5	51.8 (67.5) 9	50.0 (63.9) 5	42.0 (58.9) 4	27.4 (45.4) 1	43.2 (56.5) 3	43.5 (55.4) 4	42.2 (55.3) 2	52.5 (66.6) 34	47.3 (60.5) 5	
15	武蔵野防災会館 (瑞穂町南平)	37.2 (52.2) 3	60.8 (73.9) 98	49.7 (63.9) 34	50.3 (67.5) 20	45.0 (57.7) 4	46.4 (59.9) 8	48.5 (61.0) 16	41.4 (55.3) 4	52.3 (64.2) 12	50.6 (63.3) 23	45.4 (59.5) 23	45.5 (65.1) 9	52.8 (65.1) 30	50.7 (63.6) 14	51.9 (64.5) 7	46.2 (63.4) 5	48.9 (63.0) 33	49.3 (62.2) 31	46.7 (60.3) 19	58.6 (75.1) 15	63.4 (79.8) 17	64.2 (82.9) 10	57.3 (74.4) 12	63.2 (80.8) 17	46.9 (58.4) 6	51.7 (64.5) 13	47.6 (61.5) 19	56.5 (70.1) 7	44.4 (59.4) 6	50.6 (64.4) 34	38.1 (52.8) 3	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822