

# 横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和3年5月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)	31日 (月)	
1	行政財産内(北側) 瑞穂町箱根ヶ崎	58.9 (76.7) 8	44.2 (66.7) 2	60.5 (78.5) 22	61.4 (79.2) 21	70.1 (91.1) 33	69.1 (88.2) 34	67.6 (87.5) 15	68.1 (83.2) 7	60.3 (79.5) 4	61.9 (84.3) 25	66.5 (81.9) 89	65.3 (73.8) 96	58.1 (75.5) 63	59.5 (80.4) 47	70.3 (88.5) 13	69.3 (77.0) 6	60.9 (72.8) 123	57.7 (78.8) 61	63.5 (86.8) 56	67.0 (79.9) 23	66.3 (82.0) 12	63.9 (86.8) 7	68.0 (86.8) 94	67.5 (83.8) 74	70.2 (88.9) 112	65.2 (84.9) 63	67.8 (83.9) 13	56.7 (75.9) 7	58.1 (75.0) 12	64.0 (82.5) 11		
2	行政財産内(南側) 昭島市美堀町	48.1 (65.0) 2	61.4 (76.0) 8	52.6 (69.5) 17	60.5 (73.2) 23	58.2 (75.6) 32	65.5 (84.7) 32	68.1 (87.6) 17	53.0 (69.4) 12	63.4 (78.8) 9	62.3 (71.9) 16	63.1 (77.4) 79	61.0 (80.1) 88	65.1 (82.5) 65	61.1 (79.2) 48	50.4 (65.9) 14	60.2 (74.9) 8	63.6 (78.0) 122	65.5 (83.4) 69	64.4 (83.3) 64	66.3 (84.0) 55	47.3 (63.7) 6	60.3 (79.6) 9	55.9 (69.2) 15	64.3 (80.5) 83	59.8 (79.4) 66	61.3 (75.1) 81	64.8 (81.4) 63	52.0 (68.0) 7	61.6 (79.4) 22	62.8 (77.8) 7	55.4 (76.9) 16	
3	飯能市保健センター 飯能市双柳	43.6 (56.4) 6	33.2 (51.1) 1	42.6 (55.1) 6	44.0 (56.9) 6	51.0 (65.9) 15	49.0 (59.7) 6	53.0 (65.4) 5	47.1 (58.6) 7	45.2 (56.4) 4	46.7 (59.7) 5	48.3 (61.0) 9	44.3 (57.0) 11	41.5 (54.2) 8	42.9 (55.6) 9	40.6 (52.3) 4	50.9 (66.9) 5	50.7 (63.5) 23	40.1 (49.0) 4	34.4 (59.8) 3	48.3 (61.1) 6	47.9 (59.5) 16	47.5 (58.6) 3	46.5 (58.8) 3	47.0 (61.0) 11	48.9 (63.4) 10	50.3 (61.1) 22	50.1 (61.1) 26	49.8 (61.0) 5	38.4 (50.3) 1	43.4 (55.1) 4	48.2 (60.3) 9	
4	加治地区行政センター 飯能市大字笠縫	44.1 (56.0) 6	35.4 (51.0) 2	43.2 (55.5) 6	43.5 (55.6) 6	53.0 (70.7) 15	48.3 (62.5) 7	53.1 (64.1) 3	47.2 (59.6) 6	47.0 (61.7) 5	47.0 (60.7) 9	49.2 (60.1) 14	44.2 (57.5) 14	44.0 (55.9) 10	40.3 (51.9) 9	51.3 (68.6) 4	50.8 (62.7) 4	41.9 (54.5) 20	41.9 (56.0) 6	49.9 (60.6) 6	48.7 (61.4) 15	49.5 (61.1) 5	47.1 (59.6) 3	47.2 (60.0) 13	50.0 (61.0) 10	50.7 (64.2) 31	50.5 (62.5) 28	49.4 (61.2) 5	37.0 (49.0) 1	44.1 (56.5) 5	48.9 (61.4) 10		
5	人間市金子公民館 人間市寺竹	48.5 (62.2) 7	37.7 (53.2) 2	48.1 (62.2) 10	50.5 (64.2) 12	57.1 (75.5) 15	56.0 (72.0) 16	57.5 (71.4) 12	55.1 (66.7) 7	50.5 (64.2) 4	49.7 (65.2) 10	52.6 (65.5) 24	52.4 (66.0) 35	48.7 (62.0) 27	49.8 (64.0) 24	48.1 (64.4) 7	58.5 (78.2) 5	56.6 (70.0) 42	50.4 (62.9) 34	47.4 (60.8) 25	53.6 (65.0) 24	55.4 (69.8) 22	54.3 (66.5) 8	52.7 (66.7) 5	53.8 (67.6) 37	55.3 (72.7) 27	57.4 (65.7) 65	55.2 (69.0) 46	56.0 (67.8) 9	43.9 (57.3) 2	49.1 (62.3) 5	53.9 (68.0) 12	
6	特別養護老人ホームみずほ園 瑞穂町箱根ヶ崎	49.5 (62.5) 7	35.6 (51.0) 1	50.1 (63.3) 11	51.1 (64.7) 14	59.6 (76.4) 26	58.7 (75.1) 23	58.6 (71.1) 11	53.8 (65.6) 7	50.6 (62.6) 4	52.5 (68.6) 12	55.6 (69.7) 47	56.6 (72.8) 65	52.8 (68.6) 48	50.5 (64.6) 31	49.5 (66.2) 10	57.5 (76.3) 5	59.4 (73.3) 95	54.5 (66.5) 57	51.8 (68.7) 50	55.9 (68.7) 34	54.3 (68.2) 22	55.7 (68.2) 9	52.1 (63.9) 5	57.8 (71.8) 72	58.8 (75.1) 55	60.2 (69.5) 90	56.3 (65.6) 53	55.1 (65.6) 9	41.9 (52.4) 2	49.9 (64.0) 4	52.2 (66.4) 11	
7	武蔵村山市立第十小学校 武蔵村山市残堀	56.4 (72.1) 10	---	44.3 (57.3) 7	44.7 (56.7) 6	37.0 (48.9) 2	41.1 (52.0) 2	47.4 (57.2) 3	---	---	46.7 (59.1) 0	45.2 (61.0) 13	44.0 (59.4) 3	---	37.2 (46.3) 1	---	42.6 (60.8) 2	42.1 (56.3) 6	---	36.9 (56.0) 0	---	---	---	---	44.5 (57.7) 5	41.2 (57.4) 2	47.1 (61.9) 10	---	39.3 (56.9) 1	---	---	---	---
8	昭島市立田中小学校 昭島市田中町	40.1 (53.5) 1	50.4 (64.3) 7	47.9 (58.7) 7	54.5 (66.8) 17	53.2 (68.4) 6	60.0 (72.8) 15	57.2 (69.1) 9	45.5 (60.8) 2	48.9 (59.9) 2	53.4 (63.0) 8	48.3 (62.7) 28	51.0 (65.7) 40	50.5 (62.2) 29	50.6 (59.2) 28	45.8 (64.4) 6	53.4 (67.3) 4	52.3 (64.4) 38	49.5 (61.9) 44	52.2 (63.9) 38	41.1 (52.3) 31	45.2 (55.1) 4	50.6 (58.1) 8	56.6 (65.0) 3	48.8 (62.6) 24	53.0 (65.7) 19	54.2 (67.5) 30	44.9 (57.9) 46	49.6 (66.6) 4	52.2 (65.0) 4	47.9 (60.7) 5		
9	昭島市立清泉中学校 昭島市宮沢町	42.1 (56.7) 1	45.1 (58.2) 6	45.6 (58.1) 7	51.6 (64.2) 15	53.2 (70.5) 10	53.5 (67.8) 8	54.4 (66.6) 10	45.5 (57.7) 4	48.0 (61.7) 5	50.0 (61.1) 13	45.1 (58.4) 13	45.4 (57.6) 10	40.0 (51.4) 8	47.1 (60.5) 8	42.9 (54.7) 6	54.9 (69.3) 4	49.6 (62.5) 26	45.9 (56.5) 5	44.3 (54.3) 3	46.6 (56.7) 8	38.9 (52.3) 2	41.5 (53.6) 4	49.9 (61.4) 21	48.7 (62.3) 9	44.5 (58.4) 6	46.7 (61.8) 17	48.9 (59.6) 5	46.1 (65.2) 5	48.4 (61.1) 6	48.5 (59.6) 4	46.3 (59.6) 12	
10	八王子市石川市民センター 八王子市石川町	37.3 (48.6) 1	52.0 (63.8) 7	50.0 (60.9) 8	56.0 (66.5) 13	51.5 (64.4) 6	58.4 (74.4) 15	54.4 (67.7) 10	47.0 (59.7) 4	53.0 (65.1) 5	55.7 (64.4) 6	49.7 (64.0) 22	50.3 (64.3) 26	56.6 (69.4) 62	50.6 (65.4) 19	42.9 (56.2) 5	52.5 (66.4) 4	51.7 (63.6) 18	56.4 (69.3) 66	54.9 (68.5) 60	56.5 (69.4) 43	38.2 (51.1) 4	49.2 (64.6) 9	50.5 (62.6) 3	54.8 (66.1) 25	46.4 (60.9) 12	51.5 (64.4) 10	56.7 (69.5) 38	44.5 (56.9) 4	52.5 (67.9) 6	54.4 (60.8) 10		
11	福生市保健センター 福生市福生	31.9 (47.9) 2	38.2 (53.2) 1	52.3 (66.0) 1	47.5 (61.1) 4	47.1 (66.5) 4	48.1 (60.9) 9	50.3 (61.6) 2	---	31.5 (49.7) 1	---	45.0 (60.5) 4	44.7 (59.3) 8	41.6 (53.7) 1	45.7 (62.7) 6	37.5 (50.9) 2	38.1 (50.8) 8	45.0 (58.7) 0	---	38.8 (57.3) 1	45.0 (60.7) 3	---	---	29.1 (43.5) 0	40.7 (53.6) 1	42.9 (58.3) 6	48.1 (64.3) 9	49.4 (64.3) 4	40.0 (51.7) 1	---	39.7 (55.1) 0	42.2 (55.4) 1	
12	瑞穂町立瑞穂第三小学校 瑞穂町二本木	45.2 (63.7) 3	31.9 (47.4) 1	---	41.2 (54.7) 4	44.2 (57.9) 2	38.2 (51.0) 4	48.9 (62.4) 1	---	38.9 (50.2) 1	35.7 (47.0) 3	35.9 (47.0) 1	38.9 (51.3) 2	39.3 (51.6) 3	37.5 (50.1) 4	---	26.7 (43.4) 0	44.7 (63.0) 1	---	33.9 (45.9) 1	46.4 (57.3) 3	---	34.9 (48.4) 0	---	46.4 (61.7) 0	47.1 (61.0) 1	46.3 (60.8) 7	41.2 (52.2) 3	---	---	36.1 (47.7) 0	---	
13	日野市立滝合小学校 日野市西平山	46.6 (61.6) 6	49.2 (60.7) 9	50.1 (59.2) 7	53.2 (61.3) 10	46.8 (60.4) 4	51.7 (65.2) 8	54.4 (66.4) 11	41.4 (54.9) 5	50.1 (60.3) 6	55.1 (63.1) 4	45.1 (57.9) 9	46.5 (59.0) 18	53.3 (65.3) 39	46.2 (60.3) 12	40.4 (52.6) 4	46.5 (58.5) 6	47.6 (57.1) 8	51.9 (63.9) 33	51.5 (63.1) 39	53.7 (65.4) 34	37.8 (52.2) 2	47.6 (61.4) 9	45.5 (55.7) 2	43.6 (61.9) 7	46.6 (56.1) 8	53.5 (65.8) 31	47.3 (60.3) 14	51.0 (61.8) 7	38.0 (51.2) 3			

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
北関東防衛局 企画部 住宅防音課  
TEL 048-600-1821、1822