

横田飛行場周辺の航空機騒音状況

横田飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年8月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)	
1	行政財産内(北側) 瑞穂町箱根ヶ崎	66.6 (85.1)	62.1 (81.3)	58.4 (82.0)	53.3 (71.6)	65.4 (83.9)	73.5 (90.7)	70.1 (85.9)	67.4 (84.9)	61.3 (78.8)	66.6 (81.1)	61.0 (79.6)	64.6 (82.9)	68.7 (83.7)	67.9 (87.0)	64.3 (83.0)	69.4 (88.7)	61.6 (77.8)	56.6 (75.3)	61.3 (82.3)	58.9 (76.6)	67.3 (85.7)	60.5 (78.9)	64.8 (81.9)	65.7 (87.8)	54.9 (73.8)	67.8 (83.7)	75.3 (96.3)	62.8 (80.7)	66.3 (84.3)	63.3 (81.7)	53.6 (70.9)	
		86	61	10	2	46	70	77	77	33	8	7	13	97	69	20	41	14	13	12	21	48	35	42	8	8	16	90	55	85	40	17	
2	行政財産内(南側) 昭島市美堀町	60.8 (79.4)	63.1 (79.0)	53.4 (66.2)	46.4 (63.0)	57.0 (73.8)	58.1 (75.1)	61.9 (77.1)	61.1 (79.3)	65.0 (79.6)	64.8 (81.4)	62.2 (74.9)	59.4 (76.6)	62.5 (79.5)	56.9 (73.5)	55.1 (69.6)	64.6 (82.4)	52.3 (71.9)	54.7 (77.0)	63.8 (78.4)	62.8 (80.7)	62.7 (81.5)	64.5 (82.7)	65.1 (80.6)	60.9 (78.4)	50.5 (69.8)	62.6 (78.8)	74.7 (95.5)	66.4 (83.3)	66.4 (83.5)	62.0 (80.4)	59.4 (77.3)	
		81	56	7	5	41	63	71	69	40	23	9	15	78	43	23	37	4	4	17	43	68	48	19	11	3	8	109	55	89	40	6	
3	飯能市保健センター 飯能市双柳	45.5 (59.2)	42.3 (54.3)	33.5 (44.8)	35.7 (47.4)	48.0 (60.0)	52.7 (65.1)	47.3 (58.1)	44.8 (56.9)	44.2 (56.1)	48.6 (58.9)	41.0 (52.9)	46.6 (61.2)	51.3 (64.5)	42.7 (54.6)	45.3 (57.5)	49.6 (61.8)	45.8 (61.3)	39.3 (50.5)	41.1 (53.1)	37.8 (49.8)	38.1 (49.5)	39.6 (52.6)	45.9 (57.6)	45.9 (60.8)	36.7 (49.3)	49.3 (60.1)	56.4 (68.1)	44.6 (57.8)	48.2 (61.0)	47.0 (60.2)	34.7 (46.0)	
		13	6	1	1	9	15	6	8	8	5	5	6	14	7	11	20	3	2	3	2	2	3	11	3	2	7	8	10	14	21	1	
4	A邸 飯能市岩沢	38.0 (51.0)	29.8 (43.8)	---	---	41.9 (54.0)	48.4 (60.5)	34.2 (43.5)	---	39.4 (51.9)	49.4 (58.9)	38.3 (48.0)	38.6 (51.3)	48.7 (59.5)	37.2 (48.1)	40.5 (50.1)	39.3 (52.1)	42.8 (57.1)	36.8 (48.2)	41.0 (53.7)	33.2 (44.9)	---	33.7 (45.3)	45.8 (51.5)	38.8 (59.7)	47.3 (53.8)	55.5 (57.4)	43.2 (57.4)	44.3 (57.0)	35.1 (47.4)	33.8 (44.4)		
		4	1	0	0	3	5	1	0	3	4	2	2	4	2	3	3	2	1	3	1	0	1	5	3	2	5	2	7	3	2	1	
5	入間市金子公民館 入間市寺竹	53.3 (69.1)	50.5 (65.3)	45.5 (60.7)	43.9 (58.2)	53.9 (67.6)	59.0 (73.3)	55.2 (67.7)	52.6 (66.7)	50.9 (64.5)	56.5 (67.8)	49.9 (63.5)	52.0 (64.6)	56.9 (66.9)	52.0 (67.4)	53.2 (69.4)	56.3 (67.3)	51.7 (67.3)	44.7 (57.1)	50.1 (63.7)	47.4 (63.3)	48.5 (61.6)	50.0 (64.3)	52.3 (65.2)	56.7 (79.0)	40.8 (55.3)	56.8 (70.0)	64.0 (81.1)	53.5 (68.2)	55.5 (69.8)	53.1 (67.2)	40.9 (54.4)	
		29	26	6	2	17	30	19	25	24	6	6	6	22	20	21	34	4	3	7	11	8	9	23	3	2	9	37	42	34	38	1	
6	特別養護老人ホームみずほ 園 瑞穂町箱根ヶ崎	54.1 (68.0)	51.5 (65.8)	45.2 (61.6)	43.6 (57.9)	54.7 (68.2)	59.5 (72.1)	57.9 (70.1)	56.7 (70.1)	51.2 (64.8)	57.8 (68.1)	50.4 (63.7)	52.3 (65.2)	58.7 (70.0)	57.1 (71.1)	52.6 (66.2)	56.8 (69.3)	52.9 (68.9)	46.9 (59.9)	55.7 (69.6)	51.0 (66.3)	56.5 (70.2)	52.2 (67.2)	53.5 (66.3)	54.6 (73.1)	42.8 (56.9)	57.5 (71.2)	65.6 (83.6)	54.0 (68.9)	56.0 (71.0)	51.3 (64.5)	41.8 (55.5)	
		40	32	6	2	30	56	51	50	23	6	6	8	52	59	20	35	6	3	14	16	41	17	29	3	3	12	49	47	41	35	2	
7	武蔵村山市立第十小学校 武蔵村山市残掘	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
8	昭島市立田中小学校 昭島市田中町	48.9 (62.7)	53.9 (66.1)	48.0 (61.5)	39.7 (54.4)	48.3 (62.5)	50.1 (63.8)	55.1 (68.7)	50.4 (64.6)	51.2 (63.0)	55.2 (70.3)	50.9 (63.1)	52.4 (65.5)	50.1 (64.4)	46.6 (62.3)	49.2 (64.2)	51.4 (65.2)	39.3 (51.5)	42.2 (53.5)	48.9 (61.2)	50.5 (66.2)	52.1 (67.0)	50.6 (63.8)	50.5 (62.6)	53.4 (65.4)	44.9 (55.6)	47.3 (58.2)	57.3 (73.0)	52.0 (66.4)	51.9 (65.3)	52.9 (65.3)	48.7 (62.4)	
		32	30	1	2	7	19	16	20	18	12	5	8	17	6	16	13	2	2	8	13	27	23	9	7	3	4	57	36	34	29	3	
9	昭島市立清泉中学校 昭島市宮沢町	44.6 (58.0)	51.3 (62.5)	45.3 (57.8)	41.0 (54.5)	44.7 (57.7)	45.5 (58.3)	50.3 (62.8)	43.6 (55.9)	46.9 (62.8)	51.4 (66.0)	45.5 (59.4)	49.0 (61.3)	48.1 (63.6)	42.0 (55.1)	46.9 (60.2)	51.9 (67.0)	39.4 (52.6)	35.1 (46.2)	---	48.3 (65.9)	45.8 (59.3)	42.1 (54.1)	46.4 (59.1)	48.5 (60.4)	43.8 (54.8)	43.5 (55.3)	52.1 (68.9)	47.5 (60.4)	46.8 (60.1)	49.5 (60.9)	42.1 (54.6)	
		8	11	1	3	7	9	9	7	6	11	5	7	10	6	12	17	1	1	0	6	11	4	7	6	2	3	12	13	11	20	2	
10	小宮会館 八王子市小宮町	41.2 (53.4)	47.7 (59.8)	39.2 (49.7)	35.0 (47.6)	42.7 (53.9)	42.8 (54.8)	47.1 (59.8)	40.5 (51.6)	41.9 (54.6)	48.9 (60.9)	40.9 (53.1)	48.7 (61.7)	43.5 (55.1)	41.0 (54.0)	43.3 (56.7)	46.9 (59.9)	38.6 (51.1)	---	44.2 (56.0)	48.2 (66.1)	44.6 (57.0)	40.0 (50.7)	45.2 (58.3)	44.8 (56.2)	40.7 (52.4)	35.6 (46.5)	49.8 (67.8)	42.6 (54.8)	45.7 (59.9)	46.8 (57.7)	40.5 (53.0)	
		3	6	1	1	4	5	7	2	1	9	2	8	3	3	5	11	1	0	2	5	3	2	6	3	1	2	4	6	4	9	1	
11	福生市保健センター 福生市福生	45.4 (61.9)	46.2 (63.1)	32.9 (47.5)	---	45.1 (62.4)	49.6 (66.8)	42.2 (56.0)	46.3 (61.3)	44.0 (60.7)	---	---	34.9 (48.1)	48.0 (67.2)	42.7 (57.2)	---	48.1 (64.2)	---	34.8 (49.2)	34.2 (48.8)	44.7 (64.2)	40.9 (60.1)	37.0 (51.7)	30.6 (43.5)	41.9 (57.1)	---	---	47.4 (62.1)	---	43.5 (58.7)	36.7 (51.4)	36.6 (55.0)	
		8	8	2	0	8	14	4	5	6	0	0	1	9	3	0	5	0	1	2	1	3	1	1	4	0	0	6	0	10	1	1	
12	瑞穂町立瑞穂第三小学校 瑞穂町二本木	48.0 (63.0)	41.6 (54.9)	---	---	49.1 (66.2)	47.6 (65.4)	41.9 (56.4)	48.6 (64.9)	38.5 (51.5)	44.5 (55.2)	34.8 (48.5)	---	42.9 (58.4)	---	---	41.2 (56.3)	---	36.9 (48.0)	59.2 (74.3)	32.1 (43.6)	37.7 (51.5)	35.8 (47.2)	39.6 (50.3)	44.3 (54.5)	---	42.9 (53.9)	54.6 (63.1)	36.0 (48.0)	41.6 (52.7)	34.9 (46.4)	26.9 (45.6)	
		5	2	0	0	11	12	2	4	5	3	2	0	5	0	0	3	0	2	6	1	2	1	2	2	0	5	3	2	3	1	1	
13	日野市立滝合小学校 日野市西平山	41.2 (53.8)	48.1 (61.9)	37.5 (48.6)	35.5 (49.1)	44.4 (56.7)	44.2 (57.3)	47.6 (59.0)	40.1 (52.0)	48.5 (59.9)	50.9 (62.8)	51.1 (59.7)	43.5 (56.0)	46.0 (59.7)	38.0 (50.8)	38.0 (50.8)	41.1 (54.3)	36.9 (50.9)	42.2 (54.9)	48.4 (58.1)	48.4 (62.7)	46.8 (60.0)	46.7 (59.2)	39.3 (59.4)	44.4 (56.8)	36.9 (50.3)	51.4 (63.0)	56.9 (72.8)	50.6 (62.2)	49.3 (61.5)	47.2 (59.7)	44.9 (57.5)	
		6	11	1	3	5	9	8	3	7	11	6	6	6	4	4	8	2	3	4	13	16	9	5	7	1	4	28	23	17	8	5	

※1 数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※2 測定点7は、機器故障等のため1日から31日まで欠測

お問い合わせ先
北関東防衛局 企画部 住宅防音課
TEL 048-600-1821、1822