

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年4月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)		
1	嘉手納飛行場内西側 (北谷町砂辺)	70.2 (86.5) 32	54.5 (72.6) 13	75.0 (95.4) 129	68.4 (86.2) 91	69.2 (88.0) 78	74.7 (93.8) 89	72.1 (90.4) 57	67.1 (83.7) 42	63.5 (84.3) 19	64.3 (82.9) 66	76.0 (95.0) 82	75.9 (97.7) 76	67.6 (86.8) 47	65.3 (84.5) 35	64.6 (85.0) 20	63.2 (82.0) 16	67.6 (86.0) 63	68.4 (86.0) 39	65.6 (86.8) 17	62.1 (75.8) 19	69.5 (86.6) 40	53.2 (68.7) 15	53.0 (70.6) 9	67.9 (87.1) 52	63.3 (80.2) 60	65.9 (85.0) 63	64.2 (80.6) 102	64.8 (81.8) 49	58.8 (71.2) 48	60.0 (75.9) 33		
2	嘉手納飛行場内北側 (沖縄市大工廻)	70.4 (88.5) 39	63.3 (76.8) 7	76.9 (94.5) 114	77.3 (96.2) 87	76.7 (95.1) 114	76.0 (95.8) 101	73.9 (92.8) 45	67.9 (84.5) 31	64.3 (84.1) 17	73.4 (92.2) 52	78.0 (96.5) 93	77.6 (95.8) 70	78.5 (98.3) 62	69.8 (87.7) 31	65.0 (85.7) 21	65.9 (84.3) 20	75.6 (96.0) 66	74.9 (95.3) 62	71.7 (91.3) 45	60.1 (79.9) 23	74.0 (92.1) 41	66.9 (84.1) 13	60.8 (79.5) 8	74.8 (93.8) 63	73.8 (91.9) 65	72.1 (88.5) 67	75.2 (94.4) 98	72.8 (89.3) 57	66.2 (82.5) 46	65.2 (79.6) 31		
3	個人住宅 (北谷町吉原)	---	---	45.4 (59.8) 0	49.0 (63.4) 18	45.7 (60.9) 16	40.7 (57.6) 3	37.8 (48.8) 3	44.4 (60.4) 5	---	48.4 (60.9) 16	48.8 (61.8) 22	47.6 (63.0) 15	33.0 (50.4) 3	---	---	37.1 (55.4) 2	49.0 (63.8) 7	---	---	---	29.9 (48.0) 0	34.5 (47.3) 1	---	---	43.0 (58.5) 0	39.8 (52.4) 5	43.1 (58.1) 10	43.3 (58.8) 8	39.8 (54.0) 7	---	---	0
4	嘉手納中央区コミュニティセンター (嘉手納町嘉手納)	48.4 (60.5) 6	---	61.9 (77.9) 0	60.4 (75.1) 79	60.4 (76.6) 61	59.8 (77.3) 61	56.8 (70.2) 29	49.9 (64.9) 10	47.9 (60.6) 4	60.8 (77.2) 38	62.5 (78.5) 62	59.5 (77.5) 42	61.9 (77.0) 35	51.3 (70.3) 8	41.3 (57.9) 2	50.4 (68.1) 3	59.1 (75.7) 37	58.1 (77.7) 20	52.8 (70.9) 7	44.1 (56.3) 3	53.9 (69.3) 17	41.0 (57.2) 1	33.2 (43.9) 1	59.5 (77.3) 38	59.0 (74.6) 52	56.1 (69.6) 21	62.7 (80.4) 58	59.0 (74.6) 29	44.0 (58.5) 3	---	0	
5	読谷中学校 (読谷村字座喜味)	---	---	49.6 (66.1) 0	44.3 (61.3) 7	39.5 (56.2) 4	42.6 (57.4) 6	45.5 (45.9) 1	---	---	39.3 (54.1) 3	31.6 (47.1) 1	---	42.5 (57.5) 5	---	33.1 (49.1) 0	---	---	---	57.7 (74.7) 0	45.0 (64.2) 1	51.9 (69.2) 9	34.3 (45.7) 1	---	---	33.9 (48.7) 0	39.8 (55.5) 2	43.1 (43.2) 2	29.9 (44.2) 1	---	---	0	
6	私有地 (沖縄市字倉敷)	51.8 (69.4) 21	51.4 (66.1) 12	68.9 (85.6) 38	68.7 (86.2) 34	70.7 (86.7) 47	65.7 (86.1) 47	63.2 (78.1) 18	61.7 (75.4) 21	61.8 (74.9) 18	67.1 (85.4) 26	70.7 (89.3) 29	69.1 (85.9) 34	69.0 (85.8) 36	64.3 (81.9) 27	63.6 (77.0) 10	56.0 (74.3) 19	68.9 (85.2) 35	70.4 (90.3) 30	58.9 (75.6) 33	62.5 (78.4) 19	60.2 (73.3) 19	59.4 (74.1) 10	58.9 (83.9) 7	67.5 (84.0) 25	65.2 (77.6) 27	62.2 (87.9) 29	69.1 (83.7) 41	68.3 (83.7) 32	64.4 (81.7) 42	56.9 (72.2) 22		
7	体験学習施設やまっち (沖縄市山内)	43.8 (57.1) 6	---	53.9 (69.6) 62	58.6 (73.4) 36	54.3 (69.1) 37	45.5 (60.8) 5	45.5 (57.3) 4	---	---	55.2 (70.4) 28	54.6 (69.4) 45	53.9 (67.3) 33	46.0 (59.4) 16	36.2 (45.4) 1	---	38.3 (53.7) 2	54.1 (70.5) 24	33.9 (47.9) 1	42.7 (59.6) 4	48.8 (68.5) 4	51.5 (67.0) 17	45.8 (61.2) 6	43.1 (56.2) 1	52.7 (69.2) 19	53.2 (68.5) 25	54.0 (69.9) 26	58.8 (74.3) 48	53.8 (68.9) 24	41.7 (56.6) 7	---	0	
8	美里中学校 (沖縄市知花)	37.4 (54.4) 2	30.2 (43.0) 1	53.0 (69.1) 29	53.7 (68.1) 21	53.7 (68.8) 11	56.0 (73.8) 11	47.7 (60.9) 8	43.8 (55.3) 4	31.4 (44.2) 1	52.4 (66.5) 22	52.2 (66.1) 24	51.6 (67.0) 13	52.9 (61.0) 5	46.6 (61.0) 5	---	44.2 (57.8) 0	55.0 (70.2) 2	47.6 (59.2) 16	40.8 (55.2) 6	47.5 (65.9) 2	58.0 (74.3) 11	43.0 (54.7) 2	33.3 (46.4) 1	49.4 (58.7) 6	54.6 (68.8) 22	51.1 (64.3) 18	53.4 (67.0) 19	51.4 (63.3) 16	38.2 (51.8) 3	---	0	
9	あげな小学校 (うるま市字西原)	33.0 (49.0) 3	32.0 (45.6) 1	56.7 (72.0) 16	57.7 (69.0) 10	61.8 (78.2) 17	52.2 (68.8) 5	47.1 (60.9) 5	48.8 (61.0) 5	41.2 (53.0) 4	54.4 (68.2) 15	61.2 (75.9) 25	55.6 (68.7) 17	59.4 (73.2) 18	47.0 (59.6) 6	---	32.9 (48.0) 1	53.4 (69.6) 11	55.9 (71.6) 17	47.3 (63.3) 10	34.6 (52.8) 7	52.8 (68.2) 7	42.0 (53.8) 3	44.5 (55.8) 6	43.1 (43.6) 1	52.7 (69.7) 8	53.2 (68.5) 8	54.0 (69.9) 8	58.8 (74.3) 10	53.8 (68.9) 10	47.2 (57.2) 5	41.4 (57.8) 4	
10	個人住宅 (うるま市石川山城)	29.1 (47.6) 1	29.4 (44.6) 1	56.0 (69.1) 21	57.7 (70.2) 22	61.8 (78.2) 16	52.2 (68.8) 24	47.1 (60.9) 5	48.8 (61.0) 5	41.2 (53.0) 4	54.4 (68.2) 15	61.2 (75.9) 25	55.6 (68.7) 17	59.4 (73.2) 18	47.0 (59.6) 6	---	32.9 (48.0) 1	53.4 (69.6) 11	55.9 (71.6) 17	47.3 (63.3) 10	34.6 (52.8) 7	52.8 (68.2) 7	42.0 (53.8) 3	44.5 (55.8) 6	43.1 (43.6) 1	52.7 (69.7) 8	53.2 (68.5) 8	54.0 (69.9) 8	58.8 (74.3) 10	53.8 (68.9) 10	47.2 (57.2) 5	41.4 (57.8) 4	
11	個人住宅 (うるま市字昆布)	37.5 (50.9) 3	---	58.9 (69.9) 21	55.7 (67.5) 12	59.5 (70.7) 18	49.9 (63.8) 10	47.9 (61.9) 8	45.5 (68.4) 13	56.7 (67.2) 5	58.8 (70.7) 6	58.9 (69.8) 16	58.2 (71.4) 17	46.1 (61.5) 8	40.7 (54.3) 1	---	57.0 (70.9) 11	56.5 (68.1) 14	44.7 (61.9) 3	46.5 (65.1) 2	51.1 (64.8) 13	48.8 (60.6) 6	48.7 (66.4) 3	56.5 (71.7) 15	52.4 (67.5) 7	56.6 (68.6) 16	56.5 (70.0) 16	56.4 (66.6) 11	49.9 (64.9) 2	42.7 (56.1) 3			
12	個人住宅 (うるま市石川東恩納)	49.2 (64.1) 17	51.6 (63.5) 7	62.6 (75.5) 29	63.2 (78.1) 33	63.6 (76.1) 38	63.7 (80.4) 52	62.3 (78.1) 15	58.8 (74.8) 24	54.0 (68.9) 12	60.5 (79.6) 19	65.1 (74.9) 28	62.8 (78.7) 29	65.0 (71.7) 22	56.3 (71.7) 12	54.3 (70.3) 12	53.4 (69.2) 10	55.8 (69.1) 3	---	58.5 (75.7) 0	51.5 (67.2) 18	55.7 (69.1) 25	44.9 (56.2) 2	47.2 (58.7) 3	60.9 (73.8) 24	58.9 (75.3) 21	57.0 (68.6) 28	62.6 (77.4) 29	60.6 (71.4) 21	54.9 (68.9) 21	52.0 (63.5) 9		
13	個人住宅 (うるま市石川東山)	43.6 (62.3) 5	39.3 (54.6) 6	50.0 (62.5) 24	55.5 (69.6) 21	49.2 (61.5) 15	47.4 (60.5) 9	39.7 (52.8) 4	43.4 (58.8) 6	43.0 (58.8) 10	46.0 (65.8) 10	55.1 (63.8) 22	48.9 (64.7) 16	52.9 (64.7) 18	42.7 (54.5) 5	41.8 (58.1) 3	42.2 (58.2) 6	43.2 (55.4) 5	50.4 (63.7) 12	47.1 (62.2) 13	51.1 (68.4) 22	38.2 (54.2) 2	40.9 (54.5) 6	37.2 (53.5) 8	47.5 (56.9) 9	45.0 (57.3) 9	44.9 (60.2) 8	51.2 (65.0) 17	47.3 (59.7) 8	40.7 (55.8) 4	45.3 (59.1) 5		
14	個人住宅 (北谷町字砂辺)	67.0 (82.0) 31	48.8 (63.5) 5	59.9 (75.9) 76	61.1 (76.5) 21	62.5 (81.0) 15	69.8 (86.3) 73	67.8 (84.9) 39	54.0 (70.1) 20	41.1 (54.4) 5	59.1 (75.7) 31	67.5 (83.9) 72	58.4 (73.7) 58	59.9 (75.4) 38	46.6 (61.8) 12	58.2 (72.2) 17	59.9 (75.3) 17	58.5 (74.9) 39	54.9 (71.2) 19	61.7 (76.2) 8	56.7 (70.2) 16	68.1 (83.3) 38	56.0 (71.8) 15	50.7 (65.7) 6	64.5 (81.8) 43	59.1 (74.4) 48	54.2 (69.6) 30	62.5 (78.7) 69	58.6 (73.9) 30	58.6 (69.6) 33	47.5 (60.1) 8		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。

お問い合わせ先

沖縄防衛局 企画部 住宅防音課

098-921-8131(内線299)