

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年5月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)	31日 (水)	
1	嘉手納飛行場内西側 (北谷町砂辺)	69.8 (88.6) 79	71.4 (90.4) 91	62.1 (80.3) 46	66.7 (83.7) 29	58.7 (78.3) 20	59.4 (74.4) 12	53.8 (67.1) 10	72.8 (88.6) 87	68.9 (86.1) 109	73.4 (90.9) 92	70.1 (87.8) 75	69.0 (87.1) 58	52.1 (67.4) 11	57.6 (73.0) 12	57.1 (73.5) 37	69.0 (87.6) 102	65.4 (84.2) 81	57.9 (72.8) 19	71.0 (87.8) 74	47.4 (61.7) 8	59.5 (74.9) 12	72.8 (89.3) 68	76.4 (98.5) 133	71.4 (89.9) 152	69.1 (86.4) 97	55.7 (72.5) 18	59.4 (74.9) 20	44.2 (60.8) 2	51.4 (68.0) 8	54.6 (74.5) 5		
2	嘉手納飛行場内北側 (沖縄市大工廻)	77.0 (94.7) 101	77.3 (94.7) 85	76.5 (93.5) 53	77.9 (96.0) 57	74.6 (93.5) 26	56.6 (73.5) 9	58.3 (79.6) 25	78.2 (93.9) 90	79.3 (94.6) 91	80.1 (96.9) 89	80.6 (96.4) 80	75.6 (92.4) 72	62.6 (76.8) 18	57.1 (78.3) 12	75.5 (91.3) 42	80.8 (97.0) 121	79.2 (95.8) 103	63.7 (83.0) 22	71.0 (90.4) 67	53.7 (75.4) 5	57.0 (75.7) 15	77.7 (94.4) 108	78.7 (98.8) 115	78.8 (96.3) 166	74.1 (92.1) 94	75.8 (93.7) 100	64.0 (77.4) 13	62.5 (77.0) 6	56.8 (71.5) 10	53.4 (68.7) 10	60.5 (74.2) 9	
3	個人住宅 (北谷町字吉原)	45.1 (60.6) 12	42.1 (57.3) 11	---	---	---	---	---	48.0 (62.2) 18	42.2 (57.8) 9	42.6 (57.6) 9	40.3 (55.7) 6	41.2 (55.9) 10	---	---	39.2 (53.6) 4	31.1 (47.2) 1	41.4 (60.6) 1	31.4 (43.6) 1	---	---	---	43.8 (59.6) 13	42.6 (59.0) 14	39.5 (55.3) 6	41.1 (55.3) 9	---	---	---	---	---	---	---
4	嘉手納中央区コミュニティセンター (嘉手納町嘉手納)	62.9 (80.1) 62	62.3 (77.3) 67	61.8 (78.5) 23	60.7 (74.4) 26	55.2 (72.9) 9	---	---	61.8 (76.6) 59	65.5 (80.2) 68	65.8 (81.3) 55	66.2 (81.8) 57	60.9 (76.3) 52	48.3 (60.1) 12	---	52.6 (66.7) 14	65.3 (79.4) 56	63.4 (77.5) 44	47.1 (59.0) 6	53.8 (69.1) 18	---	---	58.8 (73.8) 41	59.1 (74.7) 46	64.9 (80.6) 102	60.8 (77.1) 48	62.6 (78.8) 70	39.2 (56.3) 6	39.4 (56.9) 5	---	40.4 (54.1) 4	---	---
5	読谷中学校 (読谷村字座喜味)	35.7 (50.4) 2	28.6 (43.0) 1	---	---	---	28.9 (45.8) 1	---	---	51.0 (69.1) 13	34.6 (51.1) 2	43.4 (57.9) 1	---	40.9 (51.1) 4	---	---	44.1 (58.7) 2	42.5 (58.4) 2	36.5 (55.0) 3	---	---	---	32.3 (46.2) 1	44.0 (54.4) 2	50.4 (65.1) 16	39.6 (53.8) 4	45.4 (60.4) 8	---	26.7 (45.0) 1	---	---	---	40.4 (59.6) 3
6	私有地 (沖縄市字倉敷)	65.7 (82.2) 36	66.4 (82.5) 32	65.2 (81.4) 27	69.1 (86.7) 38	64.9 (79.6) 19	48.6 (63.0) 8	43.9 (59.0) 12	70.0 (84.7) 60	72.6 (86.2) 46	72.6 (87.1) 43	70.4 (83.6) 32	66.0 (80.7) 26	52.4 (67.1) 10	50.5 (65.6) 10	71.6 (86.9) 35	74.8 (89.0) 52	70.1 (86.4) 36	53.0 (73.0) 15	55.6 (72.9) 42	44.1 (60.0) 4	55.3 (67.2) 12	66.2 (85.0) 49	67.6 (85.4) 47	69.7 (85.2) 56	69.5 (84.8) 39	66.9 (84.8) 36	55.6 (70.2) 16	54.5 (62.8) 10	49.2 (59.1) 5	44.5 (59.1) 8	50.6 (63.3) 8	
7	体験学習施設やまっち (沖縄市山内)	56.6 (72.6) 54	55.4 (71.5) 49	41.0 (54.4) 6	38.3 (49.3) 3	---	---	---	60.7 (75.9) 44	58.4 (76.3) 36	55.7 (70.9) 43	57.4 (73.9) 36	55.3 (70.9) 42	---	---	48.9 (64.5) 9	56.8 (70.6) 37	47.8 (64.3) 16	42.4 (61.1) 2	48.8 (62.3) 10	---	---	48.9 (60.9) 11	45.4 (78.7) 55	59.3 (74.0) 79	56.2 (71.6) 41	60.3 (76.3) 56	---	41.3 (55.0) 2	---	---	---	---
8	美里中学校 (沖縄市知花)	54.4 (67.0) 20	55.0 (68.3) 22	49.6 (62.8) 13	53.3 (64.9) 15	49.1 (64.0) 2	---	---	57.4 (68.7) 26	56.7 (68.1) 25	57.9 (68.1) 20	57.2 (70.2) 26	55.1 (70.7) 20	---	---	52.6 (64.6) 12	57.7 (70.6) 20	53.0 (66.6) 14	37.4 (56.2) 2	52.4 (68.4) 5	---	---	41.5 (56.6) 2	54.6 (67.5) 20	60.8 (76.3) 47	61.6 (77.3) 23	58.4 (73.5) 25	---	---	---	---	---	---
9	あげな小学校 (うるま市字西原)	49.3 (60.6) 14	50.0 (64.0) 18	46.4 (57.3) 10	51.2 (62.7) 21	45.6 (59.4) 3	---	---	56.5 (68.3) 19	55.2 (70.5) 25	55.7 (64.9) 15	55.7 (66.8) 18	46.9 (59.2) 11	30.5 (43.1) 1	32.6 (47.7) 2	49.7 (58.8) 13	56.6 (68.4) 21	52.8 (65.9) 19	41.7 (59.0) 3	42.9 (57.1) 3	35.3 (50.8) 4	40.9 (54.4) 3	39.6 (51.5) 2	50.6 (63.5) 22	50.0 (63.2) 29	50.3 (64.2) 18	50.6 (62.3) 17	45.8 (56.9) 2	38.9 (50.7) 1	---	26.1 (43.1) 1	---	---
10	個人住宅 (うるま市石川山城)	58.4 (71.8) 17	54.8 (67.6) 24	56.8 (69.4) 26	58.3 (70.7) 27	53.5 (65.5) 11	---	---	59.7 (71.4) 22	60.0 (72.3) 26	63.4 (72.3) 26	61.2 (74.1) 20	55.5 (67.3) 13	31.6 (44.2) 1	30.0 (43.4) 1	56.8 (70.2) 13	62.8 (74.9) 23	62.8 (73.7) 20	35.0 (50.1) 1	40.0 (55.0) 4	40.7 (59.6) 1	28.7 (48.0) 12	46.4 (60.9) 12	54.8 (67.7) 22	59.0 (72.0) 36	55.0 (65.8) 12	55.8 (71.1) 20	44.0 (59.5) 3	48.0 (60.6) 4	---	33.7 (46.6) 2	48.9 (63.4) 5	
11	個人住宅 (うるま市字昆布)	57.6 (67.8) 17	51.8 (64.3) 14	56.0 (65.5) 17	58.0 (68.9) 19	47.0 (60.9) 8	---	---	64.9 (74.4) 24	60.7 (72.0) 27	62.7 (72.9) 18	59.2 (71.7) 17	53.3 (65.1) 12	32.5 (44.1) 1	31.9 (44.8) 1	57.4 (66.4) 11	62.2 (70.6) 17	58.1 (69.1) 15	---	45.8 (61.3) 6	41.9 (55.1) 5	---	52.1 (67.5) 22	55.1 (68.1) 22	55.3 (66.1) 18	54.0 (66.1) 11	55.3 (64.6) 10	43.8 (55.2) 2	32.1 (44.4) 1	32.2 (45.5) 1	---	---	---
12	個人住宅 (うるま市石川東恩納)	62.8 (76.3) 31	58.4 (71.7) 29	61.8 (73.3) 29	63.9 (77.5) 37	60.0 (73.4) 6	46.4 (60.6) 13	47.9 (61.8) 13	65.5 (76.2) 24	65.7 (78.4) 32	68.3 (77.4) 34	65.5 (74.6) 21	61.5 (76.9) 7	50.1 (65.6) 7	44.1 (57.3) 5	64.1 (76.6) 23	67.5 (78.5) 40	67.5 (80.0) 36	53.0 (67.7) 20	54.1 (69.4) 33	39.5 (52.6) 2	50.4 (61.3) 6	64.6 (80.4) 66	61.8 (75.7) 35	62.8 (74.3) 36	61.9 (75.5) 28	60.6 (76.4) 12	51.7 (64.7) 7	53.5 (66.1) 6	43.4 (58.3) 6	40.5 (53.4) 7	43.8 (57.4) 6	
13	個人住宅 (うるま市石川東山)	51.2 (64.1) 23	47.4 (60.1) 8	54.6 (67.5) 20	54.6 (68.3) 25	48.8 (65.7) 13	37.1 (53.6) 1	42.4 (58.2) 3	54.3 (66.0) 23	55.4 (67.7) 25	58.5 (68.1) 21	55.3 (68.5) 23	49.4 (64.1) 15	43.1 (58.8) 4	45.0 (58.5) 7	51.6 (64.5) 14	59.8 (69.9) 23	57.6 (71.1) 22	46.9 (64.5) 11	44.1 (59.9) 10	40.9 (58.1) 5	39.9 (55.4) 7	40.8 (56.3) 5	55.4 (68.7) 29	50.1 (61.7) 19	50.5 (64.7) 14	51.2 (63.6) 18	40.5 (56.0) 8	38.2 (54.0) 7	42.5 (59.6) 9	38.4 (53.8) 4	45.0 (60.8) 15	
14	個人住宅 (北谷町字砂辺)	65.1 (80.1) 77	63.5 (79.0) 87	54.1 (69.1) 31	60.1 (77.8) 33	41.3 (57.4) 6	53.5 (66.2) 13	54.7 (67.0) 11	60.6 (76.5) 49	64.0 (79.8) 76	61.4 (77.0) 64	63.7 (79.4) 73	58.6 (76.1) 54	52.5 (66.5) 13	51.9 (63.9) 8	48.5 (62.6) 17	63.0 (80.5) 85	58.6 (73.8) 54	47.4 (62.8) 11	70.6 (86.2) 61	49.6 (63.3) 8	53.0 (67.6) 11	70.3 (84.5) 55	64.8 (82.0) 87	69.9 (87.6) 83	62.0 (78.4) 63	64.2 (78.7) 70	31.8 (44.7) 1	40.3 (54.3) 2	---	30.1 (43.2) 0	33.2 (43.7) 1	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。

お問い合わせ先

沖縄防衛局 企画部 住宅防音課

098-921-8131(内線299)