

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年2月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)				
1	嘉手納飛行場内西側 (北谷町砂辺)	76.5 (93.3) 84	76.9 (93.9) 54	59.5 (75.8) 25	50.2 (65.6) 9	61.9 (77.9) 30	71.2 (90.5) 61	74.3 (93.8) 51	73.6 (94.0) 45	64.3 (84.2) 34	60.1 (78.7) 32	60.0 (75.9) 11	54.2 (71.7) 11	75.5 (94.0) 143	77.3 (99.1) 51	76.1 (93.5) 73	62.5 (81.4) 39	62.0 (78.7) 43	55.0 (68.1) 7	57.2 (71.9) 47	57.0 (73.4) 26	74.6 (92.1) 77	73.9 (91.9) 76	61.4 (78.0) 29	66.9 (84.5) 21	48.8 (64.4) 9	66.6 (85.3) 38	76.5 (97.8) 38	66.1 (84.5) 63	73.7 (90.6) 56				
2	嘉手納飛行場内北側 (沖縄市大工廻)	79.2 (96.6) 118	76.7 (93.6) 62	58.1 (77.0) 21	67.5 (84.0) 17	68.7 (85.4) 13	75.3 (93.9) 68	74.3 (92.2) 50	75.9 (95.7) 54	69.4 (87.0) 31	74.9 (93.9) 35	63.4 (76.1) 11	57.6 (74.0) 11	78.4 (97.6) 117	78.2 (96.8) 66	73.2 (97.3) 109	60.8 (76.1) 46	66.2 (77.9) 43	63.3 (80.8) 61	64.8 (79.7) 25	78.2 (96.6) 106	79.5 (98.6) 123	70.1 (88.0) 34	73.8 (92.7) 25	59.0 (77.2) 13	71.3 (89.4) 44	74.6 (93.2) 45	75.2 (95.0) 76	77.6 (95.0) 80					
3	個人住宅 (北谷町字吉原)	50.6 (64.9) 20	55.3 (68.5) 15	33.6 (48.3) 1	30.7 (47.4) 1	46.1 (58.5) 3	54.9 (70.6) 37	43.4 (58.1) 9	53.9 (66.1) 16	54.3 (69.0) 7	42.1 (58.9) 4	---	---	57.7 (72.9) 61	53.1 (69.1) 15	56.7 (70.6) 22	44.4 (57.3) 3	43.3 (58.2) 6	30.5 (45.3) 1	32.9 (45.7) 1	37.1 (50.6) 4	50.3 (62.7) 13	47.6 (60.2) 6	43.2 (57.9) 6	---	40.2 (52.9) 2	46.9 (62.9) 0	48.9 (60.6) 10	47.8 (61.8) 7	48.0 (61.2) 8				
4	嘉手納中央区コミュニティセンター (嘉手納町嘉手納)	63.4 (78.9) 64	60.6 (75.5) 28	---	46.3 (62.3) 0	48.6 (64.0) 2	62.1 (78.1) 42	63.3 (78.2) 25	59.7 (74.9) 2	55.6 (69.5) 9	53.4 (68.1) 4	---	---	65.6 (80.9) 83	64.2 (81.0) 36	63.0 (78.6) 54	59.5 (74.5) 12	47.5 (60.7) 4	46.6 (63.5) 3	37.6 (51.0) 4	39.3 (55.5) 3	62.4 (77.3) 56	60.5 (77.0) 36	55.3 (69.8) 9	45.6 (59.5) 6	31.3 (47.9) 1	58.1 (73.6) 8	64.0 (80.2) 33	62.0 (77.6) 37	58.4 (74.3) 24				
5	読谷中学校 (読谷村字座喜味)	53.9 (70.4) 4	44.4 (58.5) 2	36.8 (48.1) 1	---	34.6 (53.5) 1	---	42.4 (57.3) 0	---	38.6 (53.0) 3	33.4 (53.5) 1	---	---	47.4 (62.2) 11	31.4 (47.1) 2	49.9 (64.9) 8	---	---	---	34.6 (48.8) 1	31.6 (44.0) 1	33.0 (47.5) 2	44.9 (60.3) 5	---	---	---	---	---	40.2 (59.2) 0	46.9 (61.8) 0	47.8 (61.2) 8	48.0 (53.7) 3		
6	私有地 (沖縄市字倉敷)	63.6 (81.1) 53	60.8 (76.0) 35	57.4 (70.3) 22	59.6 (79.6) 12	64.3 (82.1) 21	65.9 (85.6) 12	69.5 (84.9) 21	68.7 (80.8) 35	66.3 (80.8) 38	50.6 (65.8) 66	57.3 (70.4) 11	58.5 (69.2) 10	67.0 (83.1) 45	69.2 (84.5) 33	66.5 (84.8) 53	67.7 (81.7) 28	50.3 (65.6) 12	58.2 (74.6) 8	52.8 (67.2) 41	53.9 (70.6) 28	63.7 (83.4) 54	64.9 (84.8) 55	69.9 (86.1) 26	57.6 (74.3) 20	54.0 (69.9) 10	67.7 (83.6) 28	68.7 (84.7) 26	66.8 (83.6) 41	61.5 (78.8) 39				
7	体験学習施設やまっち (沖縄市山内)	56.3 (73.2) 37	59.1 (73.8) 19	---	---	49.6 (64.8) 5	58.9 (73.7) 41	50.6 (63.9) 17	51.9 (66.1) 16	51.4 (64.7) 4	47.2 (55.9) 4	31.0 (47.8) 1	---	59.8 (75.1) 72	53.6 (67.9) 21	61.8 (76.1) 39	47.9 (63.2) 9	31.3 (44.1) 1	---	---	34.6 (52.4) 4	38.0 (71.7) 32	54.4 (66.9) 18	50.2 (60.4) 7	38.8 (47.6) 1	---	52.2 (65.5) 10	50.3 (64.7) 17	48.9 (62.1) 11	49.0 (61.9) 19				
8	美里中学校 (沖縄市知花)	62.7 (78.6) 44	56.8 (72.4) 26	---	---	47.3 (59.1) 0	55.6 (68.0) 4	54.2 (64.9) 24	52.9 (65.9) 14	50.0 (60.2) 18	47.0 (51.6) 5	37.2 (41.1) 3	---	58.0 (72.0) 35	52.4 (66.5) 14	62.2 (77.4) 51	49.2 (61.3) 8	47.1 (63.3) 6	---	---	38.2 (51.6) 3	63.7 (81.2) 29	54.5 (71.7) 22	51.6 (63.0) 11	33.9 (48.5) 1	38.8 (55.2) 2	51.2 (62.0) 9	53.2 (64.8) 16	49.1 (63.7) 10	51.6 (66.7) 14				
9	あげな小学校 (うるま市字西原)	53.4 (70.2) 39	42.1 (58.2) 10	30.2 (48.3) 2	37.4 (47.9) 1	47.7 (51.9) 2	54.7 (64.3) 10	50.4 (61.9) 15	50.7 (61.5) 15	57.9 (65.7) 4	43.2 (58.3) 5	42.0 (55.3) 3	---	55.3 (67.6) 21	52.0 (64.6) 15	46.6 (62.0) 14	49.8 (62.7) 8	39.1 (52.4) 6	45.8 (61.1) 1	---	35.3 (48.6) 2	47.0 (63.5) 27	43.0 (60.2) 7	49.4 (61.1) 9	30.3 (43.8) 1	30.3 (43.4) 1	52.7 (62.9) 11	51.9 (62.6) 15	47.1 (60.4) 9	44.8 (59.5) 13				
10	個人住宅 (うるま市石川山城)	57.1 (74.3) 16	45.5 (62.0) 8	41.8 (54.2) 2	47.8 (58.9) 2	---	57.5 (68.7) 11	56.8 (68.7) 16	56.6 (68.2) 14	46.3 (63.5) 11	52.9 (73.1) 5	31.8 (43.0) 3	44.5 (56.0) 1	60.9 (72.5) 21	60.4 (71.1) 16	49.4 (65.2) 13	54.9 (67.1) 8	43.4 (54.7) 2	45.9 (57.0) 3	44.4 (57.4) 1	41.4 (55.0) 2	46.9 (62.8) 14	50.6 (67.1) 19	53.9 (63.4) 8	---	37.0 (56.3) 0	54.4 (67.5) 1	59.8 (72.4) 13	58.1 (70.6) 14	50.2 (63.3) 12				
11	個人住宅 (うるま市字昆布)	61.0 (75.7) 10	38.8 (54.5) 5	---	43.7 (55.0) 3	48.5 (62.6) 5	61.5 (70.4) 13	58.6 (68.5) 10	56.2 (74.2) 20	52.5 (65.4) 12	49.2 (60.5) 7	51.8 (61.8) 4	---	63.0 (73.4) 20	59.9 (73.6) 16	49.1 (65.4) 13	59.7 (72.9) 17	35.5 (47.5) 2	51.8 (63.2) 4	---	---	52.8 (67.2) 11	52.0 (68.2) 15	58.9 (71.4) 14	35.8 (49.0) 2	---	60.7 (73.4) 0	61.4 (73.4) 19	54.7 (66.8) 13	45.8 (58.9) 9				
12	個人住宅 (うるま市石川東恩納)	57.2 (73.0) 33	57.7 (74.8) 21	46.5 (59.9) 12	55.1 (65.4) 10	54.8 (70.4) 9	63.4 (73.4) 19	61.7 (72.6) 22	63.0 (74.4) 12	51.4 (65.4) 12	57.4 (72.3) 8	46.6 (63.5) 6	51.5 (63.1) 6	65.1 (76.3) 32	64.9 (76.6) 18	60.3 (76.3) 22	58.5 (71.4) 18	41.4 (55.2) 6	55.5 (64.2) 7	48.7 (61.9) 18	53.9 (66.1) 17	57.6 (73.5) 36	62.2 (78.4) 60	60.5 (72.5) 18	57.4 (72.8) 17	48.6 (61.3) 7	59.4 (72.4) 21	63.9 (75.0) 19	61.9 (76.8) 33	61.4 (76.9) 31				
13	個人住宅 (うるま市石川東山)	49.5 (67.5) 13	45.8 (63.6) 10	33.8 (45.8) 1	39.0 (51.5) 3	49.1 (65.1) 17	49.6 (60.0) 11	47.8 (59.2) 13	50.1 (63.0) 18	47.1 (59.3) 8	47.1 (61.0) 11	40.7 (56.4) 7	44.9 (58.5) 5	54.4 (66.7) 26	54.9 (65.2) 24	46.2 (59.8) 7	49.2 (65.0) 15	44.8 (59.7) 8	39.4 (53.7) 5	36.7 (52.3) 4	34.6 (51.4) 4	43.4 (59.3) 12	42.2 (56.6) 11	48.2 (58.7) 12	44.1 (60.3) 6	39.7 (57.0) 7	46.8 (60.3) 12	52.8 (66.8) 20	52.6 (64.1) 21	40.1 (54.9) 8				
14	個人住宅 (北谷町字砂辺)	72.4 (87.7) 66	70.6 (84.2) 48	52.7 (66.3) 14	35.5 (49.1) 1	57.4 (73.4) 23	63.8 (80.0) 46	61.1 (76.7) 35	58.2 (71.7) 26	58.1 (72.3) 17	40.8 (55.4) 2	---	---	67.9 (85.2) 88	62.2 (77.3) 42	72.2 (87.1) 65	59.2 (74.7) 14	43.8 (57.5) 10	43.6 (63.0) 2	53.0 (67.3) 19	51.3 (64.9) 19	71.6 (87.2) 46	71.1 (87.1) 55	61.5 (75.7) 25	63.6 (80.5) 24	50.1 (65.7) 9	56.6 (71.2) 24	62.7 (78.6) 36	54.9 (68.7) 42	70.9 (86.1) 64				

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先

沖縄防衛局 企画部 住宅防音課

098-921-8131(内線299)