

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	
		(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	
1	嘉手納飛行場内西側 (北谷町砂辺)	72.8 (92.0) 37	59.1 (75.8) 15	60.7 (77.3) 20	71.1 (90.0) 40	72.5 (91.1) 56	60.2 (75.2) 14	76.4 (94.4) 46	82.7 (99.9) 42	61.2 (76.7) 18	60.5 (73.9) 14	74.3 (92.7) 64	70.1 (90.9) 73	71.3 (90.8) 82	71.4 (89.7) 95	68.6 (87.9) 57	59.0 (73.3) 20	60.9 (73.4) 14	57.6 (71.7) 12	63.9 (85.6) 27	73.2 (94.8) 49	67.1 (85.3) 86	69.7 (88.2) 47	55.1 (72.4) 11	58.8 (72.5) 11	75.4 (92.2) 57	66.6 (83.9) 46	65.5 (80.8) 83	69.2 (88.1) 36	64.1 (82.6) 19	56.3 (74.7) 16	---	
2	嘉手納飛行場内北側 (沖繩市大工廻)	71.6 (90.3) 35	76.4 (90.7) 18	61.7 (80.9) 19	76.4 (94.5) 66	76.6 (95.6) 59	61.3 (77.9) 17	73.3 (91.1) 28	71.2 (88.2) 39	59.8 (78.2) 13	54.5 (70.4) 10	84.5 (101.2) 113	74.0 (91.8) 50	77.4 (98.3) 81	78.5 (99.1) 144	74.3 (93.5) 171	59.8 (77.6) 70	73.5 (85.9) 107	64.5 (77.0) 30	64.5 (86.5) 20	73.9 (95.4) 75	75.0 (96.4) 419	77.3 (98.6) 21	57.6 (74.5) 21	60.0 (77.4) 21	75.9 (94.4) 74	75.0 (95.3) 219	76.4 (95.8) 103	75.2 (95.8) 194	75.0 (96.7) 17	62.3 (80.8) 17	---	
3	個人住宅 (北谷町字吉原)	46.0 (56.1) 4	45.0 (60.2) 4	34.2 (50.4) 2	---	46.6 (53.7) 3	---	---	51.5 (66.1) 15	35.4 (51.8) 3	38.8 (57.7) 1	49.2 (67.0) 14	53.4 (67.8) 24	50.9 (65.5) 27	51.0 (68.1) 24	44.6 (61.3) 10	---	---	---	---	44.5 (55.3) 4	49.2 (64.2) 27	44.2 (56.8) 4	---	28.3 (48.7) 1	50.5 (64.2) 12	45.9 (58.0) 4	56.5 (71.1) 43	38.8 (49.1) 1	---	---	41.3 (59.9) 4	
4	嘉手納中央区コミュニティーセンター (嘉手納町嘉手納)	51.0 (67.5) 8	61.9 (74.7) 5	---	59.8 (72.6) 18	55.5 (68.9) 26	45.2 (57.3) 2	47.6 (59.5) 7	61.9 (74.8) 13	---	35.9 (50.2) 0	61.8 (77.7) 1	58.2 (72.6) 37	62.6 (77.9) 36	63.0 (79.2) 53	59.2 (77.2) 33	45.1 (56.6) 4	50.2 (62.4) 3	34.9 (50.5) 1	---	50.9 (63.5) 7	55.9 (73.2) 24	58.0 (74.9) 46	30.5 (44.3) 1	49.9 (58.5) 3	61.2 (72.1) 30	55.9 (72.1) 10	61.4 (77.4) 46	54.3 (73.3) 12	56.0 (73.1) 6	45.9 (62.5) 6	31.6 (45.9) 1	
5	読谷中学校 (読谷村字座喜味)	---	---	---	---	30.8 (43.8) 1	---	52.7 (66.2) 6	---	---	---	46.4 (60.6) 6	33.8 (46.4) 1	44.7 (58.6) 6	55.7 (72.1) 8	45.4 (60.3) 6	---	---	---	---	39.8 (57.6) 2	38.6 (51.8) 3	48.8 (64.3) 7	---	36.7 (55.4) 1	45.8 (68.6) 3	39.7 (53.1) 4	36.3 (46.5) 2	36.1 (47.6) 1	30.9 (45.1) 1	---	48.0 (65.4) 14	
6	私有地 (沖繩市字倉敷)	59.1 (77.3) 18	74.1 (82.3) 73	55.9 (70.0) 17	66.7 (84.2) 46	61.6 (78.1) 41	59.1 (75.1) 13	62.4 (76.0) 24	63.8 (80.2) 24	59.2 (71.2) 13	49.1 (64.8) 8	69.2 (84.2) 21	63.9 (82.5) 21	67.6 (84.1) 36	67.6 (84.1) 35	67.0 (85.0) 39	51.2 (68.7) 20	61.7 (73.9) 16	56.4 (70.5) 9	55.9 (71.7) 14	65.8 (81.9) 22	68.4 (86.7) 33	63.3 (79.9) 36	47.2 (60.5) 7	47.8 (64.1) 9	64.1 (83.0) 39	62.8 (80.7) 56	68.4 (85.7) 29	59.4 (76.3) 31	63.4 (76.0) 8	54.4 (71.8) 17		
7	体験学習施設やまっち (沖繩市山内)	51.7 (61.6) 5	59.6 (64.6) 2	---	37.2 (49.6) 2	45.5 (57.7) 8	---	---	52.8 (68.0) 18	---	---	53.9 (69.1) 0	55.9 (73.1) 27	54.9 (69.7) 36	56.5 (71.8) 39	52.0 (68.7) 27	---	31.5 (46.9) 1	---	---	45.8 (60.0) 5	51.0 (67.1) 24	50.3 (68.1) 25	---	38.1 (53.7) 1	55.5 (69.7) 23	48.2 (63.8) 7	59.4 (74.1) 51	44.2 (59.9) 3	---	27.2 (43.0) 1	48.1 (67.7) 11	
8	美里中学校 (沖繩市知花)	50.2 (62.9) 5	57.3 (65.7) 5	---	46.9 (61.3) 6	48.0 (62.5) 7	---	48.9 (68.0) 1	52.0 (67.4) 11	37.4 (54.1) 2	---	53.4 (68.7) 15	53.4 (67.1) 21	53.5 (65.4) 21	54.9 (69.0) 34	50.6 (63.1) 9	35.5 (47.0) 1	---	31.1 (44.0) 1	---	49.5 (60.0) 6	49.5 (62.7) 18	57.0 (72.6) 18	---	32.5 (46.0) 1	32.5 (46.0) 1	60.6 (77.2) 20	53.1 (67.0) 9	56.6 (71.4) 30	42.9 (53.6) 1	45.8 (58.3) 4	---	54.3 (74.0) 8
9	あげな小学校 (うるま市西原)	36.1 (50.8) 4	61.4 (68.7) 11	35.4 (50.6) 2	46.6 (59.7) 9	---	---	52.8 (61.3) 10	45.0 (59.0) 7	42.6 (56.8) 2	27.2 (43.5) 1	51.2 (62.4) 9	48.8 (61.3) 11	52.5 (64.2) 13	48.7 (59.6) 13	48.8 (58.5) 7	32.1 (44.3) 1	29.2 (46.8) 2	31.8 (48.4) 2	---	53.9 (66.4) 7	49.7 (64.3) 14	47.1 (60.0) 5	---	36.5 (49.8) 1	43.5 (58.8) 11	42.9 (54.5) 6	53.8 (66.3) 17	23.4 (44.2) 1	44.7 (57.1) 9	---	53.1 (72.1) 17	
10	個人住宅 (うるま市石川山城)	37.6 (52.7) 4	43.9 (56.2) 5	43.9 (59.4) 10	53.1 (67.8) 15	40.7 (54.9) 5	25.4 (43.0) 1	57.4 (72.4) 4	49.3 (65.0) 11	41.6 (55.6) 4	40.8 (57.2) 4	60.3 (69.7) 17	47.8 (64.3) 7	57.0 (68.6) 15	57.2 (69.4) 13	56.4 (69.8) 14	---	54.6 (68.1) 10	39.0 (52.0) 2	42.5 (55.1) 1	52.5 (66.4) 15	53.5 (68.4) 16	49.1 (65.3) 20	42.4 (58.6) 1	48.0 (64.7) 4	51.2 (66.1) 12	46.3 (61.6) 12	56.2 (69.7) 14	52.3 (65.5) 15	56.9 (67.1) 4	38.6 (56.5) 1	34.9 (51.0) 2	
11	個人住宅 (うるま市字昆布)	48.4 (61.9) 10	68.6 (73.5) 12	49.4 (60.7) 11	58.1 (70.1) 12	45.5 (57.0) 10	36.6 (49.9) 2	49.4 (61.3) 11	54.3 (67.7) 20	49.7 (62.1) 7	34.7 (47.7) 1	58.7 (70.7) 9	58.0 (71.1) 15	60.9 (74.5) 23	60.3 (73.3) 18	58.0 (71.6) 12	39.7 (53.6) 2	49.1 (59.2) 3	46.6 (59.3) 7	44.2 (57.8) 6	60.6 (77.9) 19	60.5 (77.9) 17	49.5 (61.7) 9	44.7 (56.5) 1	---	54.1 (69.9) 0	49.0 (64.7) 26	59.5 (74.0) 18	38.7 (52.7) 2	51.0 (61.7) 4	52.4 (64.6) 12	53.9 (73.3) 7	
12	個人住宅 (うるま市石川東恩納)	59.0 (74.4) 14	61.3 (69.9) 9	49.6 (63.8) 13	62.0 (79.4) 39	62.5 (78.5) 39	51.3 (64.6) 9	55.1 (68.5) 14	56.1 (70.0) 18	51.3 (64.6) 10	39.6 (52.5) 4	68.5 (82.5) 29	57.2 (73.3) 19	62.0 (74.9) 27	63.3 (76.9) 34	63.0 (76.0) 31	45.4 (58.6) 8	61.0 (74.9) 12	53.5 (63.1) 8	52.9 (66.6) 6	58.5 (72.3) 19	59.8 (75.6) 22	62.2 (76.4) 28	47.4 (60.8) 8	50.2 (62.7) 8	57.8 (72.0) 27	62.9 (78.5) 55	61.7 (77.5) 21	63.9 (82.9) 30	60.6 (75.0) 11	43.8 (56.5) 9		
13	個人住宅 (うるま市石川東山)	41.2 (58.5) 7	52.5 (61.2) 12	36.0 (50.7) 3	48.0 (64.3) 14	33.3 (50.3) 4	46.1 (61.4) 10	39.5 (51.7) 4	49.5 (65.1) 18	38.4 (50.0) 3	37.6 (53.1) 5	54.6 (65.9) 12	48.2 (62.8) 17	49.2 (63.0) 15	53.4 (69.4) 14	51.2 (63.6) 17	40.2 (57.7) 6	44.2 (61.1) 11	40.3 (56.9) 3	40.8 (57.3) 7	47.3 (62.4) 23	42.2 (54.5) 8	42.5 (55.5) 6	36.2 (53.0) 7	46.1 (57.3) 5	36.8 (52.2) 5	41.8 (57.5) 11	51.5 (67.0) 15	48.5 (74.1) 19	56.4 (71.1) 7	38.6 (53.3) 4	51.8 (73.0) 31	
14	個人住宅 (北谷町字砂辺)	72.5 (92.1) 25	26.1 (43.0) 1	36.3 (48.5) 3	65.5 (80.0) 27	67.6 (84.0) 47	58.5 (74.8) 15	60.5 (72.9) 27	62.3 (74.8) 33	40.4 (53.1) 2	49.3 (68.0) 2	66.5 (82.8) 53	63.0 (80.9) 46	59.3 (73.8) 55	62.4 (79.9) 67	53.9 (71.7) 29	41.9 (53.4) 5	51.5 (67.5) 9	52.0 (66.5) 7	56.8 (71.2) 10	55.9 (73.1) 18	56.9 (71.9) 58	67.1 (81.3) 41	47.8 (60.2) 8	55.1 (68.8) 11	69.8 (84.5) 47	66.3 (81.3) 39	61.6 (77.5) 59	67.5 (83.9) 34	54.1 (71.1) 16	46.4 (59.6) 8	44.4 (58.9) 9	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。
 ※No. 2において31日は測定器不具合のため欠測

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131(内線299)