

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年4月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (月)	2日 (火)	3日 (水)	4日 (木)	5日 (金)	6日 (土)	7日 (日)	8日 (月)	9日 (火)	10日 (水)	11日 (木)	12日 (金)	13日 (土)	14日 (日)	15日 (月)	16日 (火)	17日 (水)	18日 (木)	19日 (金)	20日 (土)	21日 (日)	22日 (月)	23日 (火)	24日 (水)	25日 (木)	26日 (金)	27日 (土)	28日 (日)	29日 (月)	30日 (火)				
1	嘉手納飛行場内西側 (北谷町砂辺)	78.5 (96.9) 74	74.6 (90.6) 64	76.9 (93.2) 76	77.4 (94.5) 103	67.5 (82.6) 37	59.7 (77.5) 22	69.7 (86.8) 33	64.3 (80.2) 26	78.9 (99.4) 109	69.1 (89.7) 91	76.3 (96.0) 123	74.3 (97.0) 55	62.0 (76.6) 14	62.0 (78.9) 10	60.9 (74.1) 17	73.2 (91.6) 107	78.0 (90.5) 81	74.0 (84.5) 83	66.7 (80.0) 13	64.2 (80.8) 13	62.5 (80.8) 13	76.2 (95.7) 54	68.5 (87.3) 41	76.7 (95.4) 95	74.0 (92.6) 118	67.8 (83.2) 16	70.0 (87.7) 36	62.5 (83.6) 10	60.5 (75.1) 11	77.7 (96.7) 81				
2	嘉手納飛行場内北側 (沖縄市大工廻)	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3	個人住宅 (北谷町字吉原)	58.2 (74.2) 39	31.1 (45.9) 1	48.9 (61.0) 10	54.6 (66.1) 21	44.4 (57.0) 5	---	---	---	---	57.4 (71.6) 0	51.2 (65.4) 31	54.7 (66.2) 24	50.9 (62.4) 0	---	44.1 (62.4) 8	---	51.6 (62.4) 19	55.3 (65.3) 24	50.9 (65.3) 12	---	38.9 (57.2) 2	43.4 (54.8) 4	40.0 (58.7) 1	47.4 (59.6) 13	40.4 (52.0) 2	43.5 (61.7) 1	47.7 (54.0) 10	43.2 (54.0) 0	60.5 (75.1) 0	77.7 (96.7) 10				
4	嘉手納中央区コミュニティーセンター (嘉手納町嘉手納)	65.6 (80.8) 84	59.8 (73.3) 36	60.4 (74.7) 37	61.8 (76.7) 60	49.4 (64.8) 6	43.3 (56.9) 3	53.1 (65.1) 8	48.0 (62.6) 9	61.7 (76.5) 68	61.8 (77.0) 61	64.0 (79.3) 87	61.4 (77.7) 43	49.9 (67.1) 3	35.2 (50.6) 3	51.4 (69.5) 7	58.1 (76.5) 22	60.2 (72.8) 25	57.5 (69.5) 22	56.0 (68.0) 7	49.9 (62.0) 3	46.4 (59.9) 47	59.9 (75.2) 7	53.4 (67.9) 7	54.0 (71.2) 28	58.8 (75.1) 32	52.9 (70.5) 7	55.2 (72.0) 24	50.7 (61.6) 4	44.6 (56.7) 1	57.1 (73.0) 44				
5	読谷中学校 (読谷村字座喜味)	51.3 (65.1) 7	34.5 (44.0) 1	43.1 (57.0) 6	44.9 (61.0) 8	---	---	---	---	---	51.8 (66.7) 0	47.2 (60.7) 6	49.7 (79.3) 9	35.1 (52.1) 0	---	49.1 (66.9) 12	49.8 (63.6) 1	47.7 (61.7) 7	46.7 (62.6) 2	---	---	---	---	47.8 (63.9) 4	63.2 (78.8) 6	42.0 (49.7) 1	---	---	---	---	46.4 (58.9) 1				
6	私有地 (沖縄市字倉敷)	70.5 (86.9) 38	71.4 (88.3) 84	67.3 (85.4) 55	65.0 (82.5) 71	57.0 (71.3) 11	65.3 (78.0) 23	59.7 (71.3) 20	56.7 (67.6) 19	68.3 (84.1) 44	64.8 (84.1) 40	69.5 (86.5) 53	67.0 (84.7) 33	67.5 (86.9) 21	46.0 (60.3) 8	59.7 (78.5) 24	64.6 (82.8) 73	64.6 (85.7) 42	66.1 (85.6) 32	67.7 (85.6) 9	57.7 (72.9) 11	48.6 (63.3) 48	58.2 (74.4) 33	55.4 (72.3) 48	58.6 (75.4) 74	67.6 (83.1) 40	62.9 (85.3) 12	62.3 (74.8) 14	54.5 (70.1) 11	47.3 (61.6) 4	63.4 (81.5) 55				
7	体験学習施設やまっち (沖縄市山内)	61.9 (77.5) 71	40.7 (55.7) 4	62.5 (77.3) 50	55.7 (69.1) 50	46.6 (60.3) 4	---	39.9 (53.8) 0	28.4 (44.9) 1	61.0 (77.2) 51	53.8 (68.4) 40	59.1 (73.6) 78	57.8 (72.1) 40	---	---	43.8 (64.0) 8	47.0 (69.6) 6	55.1 (74.3) 61	54.7 (63.3) 7	49.3 (68.0) 0	---	34.5 (49.0) 1	45.0 (59.8) 6	41.5 (59.2) 4	50.2 (64.5) 24	44.3 (57.9) 13	44.2 (53.4) 4	52.6 (67.9) 21	40.7 (50.3) 1	39.1 (58.5) 2	51.3 (65.2) 25				
8	美里中学校 (沖縄市知花)	58.5 (72.3) 44	47.0 (57.0) 3	65.3 (81.4) 35	62.7 (79.7) 41	36.2 (49.8) 1	33.2 (44.3) 1	34.7 (47.6) 1	36.4 (46.8) 1	57.2 (71.4) 48	53.3 (67.1) 20	55.5 (69.6) 35	54.9 (68.7) 25	45.2 (52.1) 1	---	36.9 (48.8) 0	48.8 (59.5) 5	59.9 (75.9) 30	52.9 (64.5) 17	50.0 (64.5) 15	---	40.0 (50.6) 0	51.0 (60.9) 2	32.6 (46.9) 3	42.7 (56.8) 1	47.9 (60.1) 7	44.4 (54.1) 2	57.1 (73.8) 27	45.9 (57.7) 2	33.0 (51.5) 1	61.7 (77.8) 16				
9	あげな小学校 (うるま市字西原)	52.5 (64.6) 21	50.4 (60.1) 12	54.7 (70.8) 30	47.1 (61.0) 18	40.7 (51.1) 3	36.2 (49.5) 8	44.5 (59.0) 2	34.1 (44.9) 1	56.0 (67.5) 21	51.3 (63.8) 13	53.5 (65.1) 16	51.4 (62.8) 16	40.8 (51.9) 2	---	51.5 (71.3) 8	45.0 (57.3) 5	52.1 (68.0) 26	49.4 (62.2) 9	46.9 (62.9) 16	---	34.5 (47.1) 0	47.6 (58.6) 5	36.0 (56.4) 5	37.5 (56.1) 17	50.0 (61.0) 17	45.2 (56.1) 7	46.5 (60.5) 4	46.0 (59.8) 4	39.1 (52.2) 5	51.2 (63.9) 33				
10	個人住宅 (うるま市石川山城)	60.5 (73.0) 32	54.1 (67.4) 24	47.2 (63.7) 20	50.9 (66.7) 34	44.9 (61.0) 15	35.8 (49.1) 2	38.5 (50.6) 1	36.2 (50.3) 2	54.8 (67.4) 13	53.4 (69.1) 22	56.6 (70.5) 29	55.2 (69.3) 23	49.2 (64.6) 7	40.8 (61.0) 7	48.1 (65.7) 6	47.1 (61.9) 10	56.9 (72.2) 35	53.7 (68.2) 17	50.4 (66.1) 15	53.2 (72.7) 4	40.7 (61.4) 8	42.2 (59.3) 10	40.3 (56.3) 7	47.0 (61.3) 8	53.8 (65.6) 20	---	35.0 (51.1) 4	45.2 (62.9) 6	44.6 (63.0) 6	47.2 (63.9) 17				
11	個人住宅 (うるま市字昆布)	61.6 (72.3) 19	56.5 (69.6) 17	51.9 (69.2) 19	51.1 (66.5) 17	44.4 (58.8) 3	51.0 (66.0) 8	46.6 (60.1) 3	38.2 (54.2) 1	61.5 (73.3) 27	60.2 (74.0) 17	57.9 (71.6) 18	57.8 (72.1) 17	48.1 (59.0) 4	---	49.9 (68.2) 5	54.5 (69.7) 13	53.4 (67.8) 16	56.2 (72.3) 17	55.0 (71.7) 11	46.1 (61.3) 5	---	42.6 (57.3) 9	37.2 (50.9) 4	41.6 (55.9) 9	41.6 (72.2) 9	48.6 (63.0) 24	46.6 (60.5) 8	42.3 (53.8) 2	31.1 (46.6) 3	48.5 (63.0) 10				
12	個人住宅 (うるま市石川東恩納)	64.3 (75.9) 34	63.5 (78.9) 55	64.6 (80.3) 40	62.5 (78.3) 52	53.5 (67.8) 13	54.5 (65.4) 18	55.2 (68.9) 15	56.7 (74.8) 20	61.7 (74.8) 29	60.8 (75.1) 26	61.8 (78.4) 37	60.4 (75.0) 23	56.6 (70.5) 22	49.3 (60.7) 8	58.0 (70.1) 16	53.6 (67.1) 47	58.2 (74.3) 28	59.4 (76.6) 19	54.6 (69.0) 13	57.1 (74.2) 11	49.6 (79.1) 54	63.0 (76.5) 42	59.8 (78.6) 74	62.2 (75.5) 23	61.8 (66.5) 14	52.5 (59.5) 5	46.2 (68.4) 5	53.1 (60.7) 9	48.0 (79.4) 9	61.3 (79.4) 47				
13	個人住宅 (うるま市石川東山)	54.4 (68.6) 20	47.2 (61.3) 22	43.8 (60.2) 11	48.4 (63.7) 17	44.6 (59.0) 2	38.0 (55.2) 5	37.6 (51.6) 3	41.6 (54.9) 2	49.8 (65.2) 24	48.9 (62.6) 19	51.8 (64.0) 15	49.6 (62.8) 12	44.2 (55.3) 4	42.9 (58.4) 4	48.0 (62.7) 10	45.5 (59.2) 7	47.8 (63.1) 10	46.1 (63.0) 11	45.0 (59.8) 4	39.9 (54.9) 9	38.4 (54.6) 8	43.4 (54.9) 6	48.2 (63.1) 11	58.8 (75.8) 7	47.8 (60.5) 16	37.6 (53.7) 4	31.4 (54.2) 1	42.4 (58.1) 4	30.7 (49.0) 2	42.8 (58.5) 11				
14	個人住宅 (北谷町字砂辺)	67.0 (82.3) 88	67.9 (82.0) 46	72.7 (88.6) 63	74.8 (82.1) 83	67.2 (82.1) 24	51.1 (65.8) 5	65.2 (79.5) 28	63.1 (75.5) 25	71.1 (89.2) 75	59.5 (76.4) 63	65.9 (81.3) 82	63.3 (80.2) 56	56.0 (72.2) 17	---	52.2 (71.6) 15	69.0 (84.7) 53	75.1 (91.9) 83	70.8 (87.9) 53	54.8 (72.0) 29	56.9 (73.3) 8	63.5 (85.3) 15	68.3 (85.3) 41	61.6 (77.2) 42	71.9 (88.0) 72	59.9 (71.6) 66	65.3 (82.0) 16	66.4 (83.6) 22	49.4 (65.0) 4	52.4 (67.8) 11	74.3 (92.2) 65				

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。
 ※No. 2において1~30日は測定器不具合のため欠測

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131(内線299)