

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)
1	嘉手納飛行場内西側 (北谷町砂辺)	76.1 (95.2) 44	67.4 (84.2) 18	62.7 (79.5) 39	70.4 (88.4) 109	75.5 (94.0) 162	78.9 (97.9) 210	77.5 (96.3) 178	61.6 (79.4) 27	52.1 (67.5) 15	57.6 (73.5) 23	61.9 (80.5) 23	74.5 (93.4) 107	77.1 (94.8) 120	76.1 (93.1) 71	63.5 (81.0) 37	58.3 (76.9) 7	61.1 (80.0) 3	80.8 (91.0) 132	74.0 (84.2) 97	66.6 (97.9) 95	77.4 (86.8) 89	68.1 (86.5) 72	48.8 (64.5) 12	56.4 (71.2) 17	73.7 (92.1) 113	76.0 (96.3) 62	71.4 (91.6) 70	50.4 (67.7) 11	55.5 (74.6) 18	73.8 (94.7) 45
2	嘉手納飛行場内北側 (沖縄市大工廻)	71.8 (90.0) 35	63.9 (81.0) 19	70.3 (90.3) 23	74.1 (90.6) 53	76.4 (94.5) 85	78.7 (97.1) 114	76.9 (94.9) 107	67.6 (82.6) 19	66.1 (78.6) 15	53.3 (70.9) 9	63.6 (80.2) 9	81.5 (98.8) 67	83.0 (97.3) 69	82.1 (96.2) 53	82.3 (96.4) 6	51.5 (67.2) 6	56.8 (73.8) 124	78.7 (94.4) 109	77.2 (94.7) 108	77.6 (94.9) 90	76.4 (94.9) 60	73.7 (91.4) 60	54.4 (68.3) 9	52.9 (68.6) 12	78.5 (95.9) 106	71.9 (88.1) 52	75.3 (93.0) 60	55.0 (75.4) 7	63.2 (78.2) 10	69.9 (86.6) 39
3	個人住宅 (北谷町字吉原)	32.2 (48.3) 2	---	32.2 (48.9) 1	43.9 (59.5) 6	50.8 (65.3) 25	58.7 (73.4) 71	59.3 (71.7) 46	---	---	---	---	51.1 (65.5) 5	49.6 (66.8) 10	45.4 (56.1) 3	---	---	48.1 (64.6) 1	60.9 (75.6) 70	58.9 (72.5) 52	57.0 (73.0) 51	53.9 (67.4) 29	51.3 (66.2) 20	35.4 (53.0) 2	---	53.9 (69.3) 28	51.6 (65.7) 7	61.2 (75.7) 53	52.6 (66.3) 2	44.0 (62.6) 4	47.1 (63.1) 17
4	嘉手納中央区コミュニティーセンター (嘉手納町嘉手納)	53.4 (67.3) 10	42.8 (55.6) 3	50.2 (66.2) 5	57.1 (71.0) 21	61.2 (76.6) 48	61.5 (76.2) 70	61.3 (76.2) 64	52.8 (69.5) 6	44.0 (55.5) 3	33.9 (48.6) 1	---	62.2 (73.1) 0	64.9 (78.1) 28	67.2 (76.4) 34	67.7 (76.0) 16	28.9 (43.1) 1	---	60.8 (75.8) 84	62.7 (77.7) 70	61.3 (76.1) 69	60.1 (75.1) 45	60.0 (74.7) 17	---	---	64.5 (78.8) 0	59.6 (76.0) 72	58.3 (73.2) 23	---	46.2 (59.2) 4	56.8 (70.3) 12
5	読谷中学校 (読谷村字座喜味)	42.0 (53.3) 1	---	24.4 (43.6) 1	---	40.9 (54.2) 3	38.3 (51.8) 4	41.7 (56.4) 6	---	---	49.0 (62.2) 6	---	---	44.3 (58.0) 3	32.6 (45.4) 1	---	---	56.3 (74.3) 9	50.0 (63.9) 7	46.8 (62.6) 6	37.9 (49.6) 2	---	---	---	---	42.6 (57.2) 4	40.6 (59.6) 2	36.0 (50.9) 1	---	---	35.7 (50.0) 2
6	私有地 (沖縄市字倉敷)	61.0 (77.8) 28	46.4 (63.8) 7	59.2 (78.8) 12	66.2 (82.9) 37	67.1 (82.2) 38	66.3 (82.9) 38	65.9 (81.9) 37	62.1 (77.1) 16	52.5 (65.8) 13	43.4 (60.6) 4	48.8 (63.9) 7	67.6 (85.6) 39	66.0 (82.2) 38	67.2 (84.3) 38	68.3 (84.2) 38	43.2 (58.7) 7	50.9 (68.8) 10	65.8 (82.5) 52	63.2 (80.1) 42	65.9 (82.2) 48	66.1 (83.8) 39	63.9 (80.9) 27	42.1 (57.6) 3	46.3 (61.2) 10	65.0 (79.1) 36	62.3 (79.6) 25	65.8 (84.7) 24	43.6 (58.7) 5	44.9 (60.2) 8	60.6 (76.6) 17
7	体験学習施設やまっち (沖縄市山内)	33.4 (49.4) 2	42.1 (56.6) 2	43.2 (54.3) 3	47.4 (59.6) 16	55.7 (71.8) 47	58.9 (74.2) 80	61.3 (76.4) 56	35.7 (54.3) 1	31.4 (49.0) 2	31.0 (46.9) 1	---	52.5 (62.5) 16	54.9 (69.8) 25	56.6 (74.6) 13	37.8 (54.2) 2	---	53.8 (72.0) 0	62.7 (78.5) 87	61.4 (76.2) 68	61.4 (76.6) 74	54.4 (69.9) 48	49.9 (63.3) 15	---	---	56.4 (71.3) 0	50.8 (64.8) 15	61.4 (76.6) 58	---	42.4 (53.8) 1	49.6 (62.4) 7
8	美里中学校 (沖縄市知花)	---	42.2 (57.9) 0	46.2 (55.7) 1	51.3 (63.5) 21	54.2 (67.9) 25	55.8 (68.8) 44	55.1 (69.7) 31	---	---	---	---	51.8 (62.4) 11	53.9 (66.1) 16	53.3 (67.5) 8	51.3 (64.1) 5	---	40.3 (55.5) 1	58.0 (73.2) 51	55.4 (68.0) 35	56.8 (70.2) 44	53.0 (67.0) 29	50.6 (61.7) 14	---	---	53.6 (67.3) 0	59.3 (75.7) 19	55.6 (69.8) 34	---	41.9 (56.6) 0	50.4 (64.0) 13
9	あげな小学校 (うるま市字西原)	49.8 (60.7) 6	26.8 (46.4) 2	53.4 (63.5) 1	50.5 (61.7) 20	49.9 (61.4) 25	53.5 (67.0) 29	49.4 (61.1) 25	44.3 (52.4) 2	33.8 (46.3) 1	26.9 (45.4) 1	39.7 (56.8) 6	51.3 (62.4) 16	52.7 (62.4) 14	53.1 (63.6) 17	53.2 (65.0) 19	30.6 (45.2) 1	48.3 (65.3) 10	59.2 (71.3) 33	53.4 (64.2) 25	55.7 (67.8) 31	50.0 (62.4) 23	50.6 (60.8) 11	31.5 (48.8) 3	25.4 (43.9) 1	51.5 (63.4) 31	52.1 (66.0) 14	59.1 (73.1) 20	32.7 (48.5) 3	39.2 (50.5) 2	48.2 (58.1) 10
10	個人住宅 (うるま市石川山城)	55.7 (70.0) 22	30.9 (47.6) 2	49.5 (65.8) 5	54.6 (67.6) 22	56.0 (69.6) 21	59.1 (71.2) 30	59.6 (71.7) 26	51.4 (60.5) 4	43.9 (58.7) 2	---	34.3 (45.0) 0	61.6 (68.7) 24	62.6 (71.8) 22	64.7 (73.7) 29	62.8 (71.4) 20	---	54.2 (72.3) 0	58.2 (70.6) 4	59.7 (71.5) 31	58.5 (69.6) 30	57.5 (70.6) 30	53.1 (66.8) 13	25.3 (43.8) 1	---	61.1 (72.3) 0	53.6 (66.9) 16	55.1 (70.8) 17	33.4 (45.5) 1	43.8 (57.0) 2	53.0 (64.0) 5
11	個人住宅 (うるま市字昆布)	50.0 (61.4) 7	---	54.1 (69.6) 7	58.0 (71.6) 22	57.6 (69.8) 23	60.1 (73.9) 30	58.4 (68.9) 23	49.8 (57.4) 2	---	32.7 (45.8) 1	---	58.2 (69.5) 25	57.8 (67.8) 21	59.8 (71.0) 22	58.6 (71.2) 16	---	40.6 (58.2) 3	60.7 (72.5) 33	60.6 (71.9) 25	57.0 (68.1) 27	58.2 (71.6) 30	56.6 (67.8) 16	---	---	57.2 (68.1) 0	54.0 (65.7) 14	57.0 (70.4) 16	---	45.2 (56.3) 0	55.1 (64.7) 7
12	個人住宅 (うるま市石川東恩納)	63.4 (79.3) 26	50.1 (61.6) 9	57.1 (72.5) 10	60.6 (72.5) 25	62.5 (75.4) 31	63.8 (75.9) 34	64.9 (77.9) 31	59.4 (72.6) 14	55.6 (66.0) 11	38.4 (50.7) 2	52.1 (65.3) 8	66.6 (77.5) 34	68.2 (78.4) 37	69.4 (79.6) 34	66.2 (75.2) 33	43.4 (57.0) 6	51.9 (67.1) 9	64.6 (77.6) 43	65.3 (78.9) 45	63.3 (75.7) 36	62.5 (76.0) 41	59.2 (71.9) 23	44.7 (57.2) 5	42.8 (56.2) 8	65.7 (77.8) 45	58.9 (72.0) 25	60.6 (74.4) 19	44.1 (57.3) 4	47.2 (62.1) 7	57.9 (69.0) 13
13	個人住宅 (うるま市石川東山)	49.5 (63.7) 13	39.4 (56.5) 7	42.1 (57.7) 5	47.3 (61.0) 12	49.4 (63.2) 17	50.2 (63.3) 25	51.1 (63.3) 20	45.2 (55.7) 6	41.4 (55.7) 5	31.7 (45.2) 1	28.9 (43.4) 1	52.0 (61.5) 17	58.8 (67.7) 18	60.6 (69.2) 23	53.2 (62.9) 10	34.6 (47.5) 2	41.1 (57.7) 6	55.0 (68.2) 30	51.4 (63.7) 21	51.5 (64.6) 21	50.8 (63.7) 26	42.0 (58.4) 5	41.4 (49.7) 5	34.7 (65.3) 3	52.5 (61.0) 26	45.8 (61.0) 10	44.3 (56.3) 10	32.4 (49.7) 3	34.9 (52.1) 4	41.5 (54.1) 3
14	個人住宅 (北谷町字砂辺)	49.6 (64.5) 12	65.6 (83.3) 18	42.8 (56.2) 9	57.0 (72.1) 27	63.1 (78.6) 69	65.7 (81.2) 109	63.2 (77.6) 71	41.7 (55.8) 3	---	46.9 (60.3) 6	54.7 (67.4) 5	61.4 (78.3) 36	64.6 (79.8) 45	60.9 (75.8) 48	52.4 (70.3) 20	47.1 (61.2) 7	---	66.0 (80.8) 108	62.5 (76.8) 88	62.3 (78.4) 101	62.0 (77.3) 69	56.3 (73.0) 44	---	42.9 (56.1) 0	62.2 (77.2) 3	69.5 (85.1) 78	62.1 (77.7) 39	38.0 (52.6) 3	53.5 (70.7) 2	59.7 (74.3) 16

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131(内線299)