

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和6年12月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)		
1	嘉手納飛行場内西側 (北谷町砂辺)	54.9 (71.9) 12	80.9 (101.8) 135	79.3 (97.9) 117	73.1 (92.1) 109	69.8 (88.5) 93	63.0 (79.8) 21	61.4 (79.0) 12	56.3 (93.4) 14	75.1 (94.1) 104	74.2 (94.1) 94	64.3 (81.3) 84	76.4 (96.2) 84	76.0 (95.0) 75	58.0 (75.1) 34	57.6 (76.2) 24	68.0 (85.0) 103	72.9 (92.6) 107	75.0 (92.3) 78	71.8 (88.1) 75	67.7 (81.5) 66	57.5 (76.4) 19	51.2 (65.9) 4	72.9 (91.5) 4	59.2 (75.1) 13	53.8 (73.2) 10	58.5 (73.7) 17	73.5 (92.1) 93	59.0 (77.1) 16	57.4 (74.8) 15	63.4 (82.0) 38	56.7 (71.7) 7		
2	嘉手納飛行場内北側 (沖縄市大工廻)	52.0 (68.7) 13	81.3 (101.6) 140	79.8 (97.3) 124	77.9 (95.7) 119	79.7 (101.2) 91	77.2 (94.6) 64	66.6 (83.0) 19	53.0 (69.1) 13	80.7 (98.6) 87	78.5 (96.7) 94	78.2 (96.7) 74	77.4 (96.9) 96	75.2 (92.4) 71	60.7 (73.6) 26	60.7 (74.7) 19	78.0 (96.0) 116	82.0 (102.2) 111	79.0 (98.2) 96	65.9 (84.3) 39	75.2 (93.8) 84	56.6 (68.8) 9	52.1 (64.5) 5	79.4 (97.2) 7	57.2 (73.1) 11	60.0 (76.5) 6	55.3 (72.4) 11	76.3 (94.6) 82	59.8 (73.6) 13	54.0 (69.6) 10	76.1 (93.3) 57	51.2 (67.4) 8		
3	個人住宅 (北谷町字吉原)	39.9 (57.4) 1	57.9 (73.1) 72	60.3 (75.2) 46	62.5 (75.1) 59	57.6 (69.8) 37	54.5 (68.0) 28	43.8 (54.1) 2	34.3 (53.3) 1	54.3 (70.0) 31	52.9 (67.0) 20	46.5 (61.6) 9	52.2 (66.4) 27	58.1 (70.8) 27	45.7 (61.7) 4	36.6 (53.9) 2	57.8 (71.3) 51	55.8 (70.9) 48	63.3 (76.8) 56	38.8 (54.4) 3	55.9 (70.2) 27	37.3 (54.1) 2	36.4 (49.5) 2	59.6 (72.6) 56	41.1 (54.1) 0	59.6 (71.7) 2	59.6 (71.7) 49	41.1 (48.6) 2	59.6 (56.1) 1	36.4 (55.7) 3	59.6 (55.7) 0	---		
4	嘉手納中央区コミュニティセンター (嘉手納町嘉手納)	---	65.0 (79.5) 0	64.2 (78.4) 73	61.9 (76.8) 78	62.3 (77.7) 73	61.4 (75.7) 42	51.5 (65.4) 4	27.5 (43.4) 4	63.2 (75.6) 59	63.4 (78.3) 59	60.9 (75.3) 39	60.0 (76.6) 39	61.6 (76.6) 46	43.0 (58.7) 2	---	62.7 (80.3) 66	64.7 (80.3) 77	63.1 (79.2) 70	48.0 (60.9) 10	60.3 (76.1) 38	---	---	64.6 (78.5) 68	---	40.1 (56.8) 2	---	62.7 (77.8) 0	47.4 (60.6) 54	41.4 (55.2) 2	65.0 (79.7) 3	---	---	
5	読谷中学校 (読谷村字座喜味)	49.5 (64.5) 3	---	36.1 (50.4) 0	33.5 (47.6) 3	---	33.3 (46.8) 0	---	---	---	41.4 (57.0) 0	37.4 (49.4) 3	48.8 (63.4) 3	42.1 (56.7) 4	33.3 (45.3) 1	36.6 (47.8) 1	45.5 (58.4) 44	---	37.6 (51.5) 0	44.5 (58.0) 6	43.1 (57.4) 6	---	---	---	32.9 (46.1) 1	---	---	34.2 (47.4) 0	49.2 (62.3) 2	48.7 (62.0) 6	---	---	---	---
6	私有地 (沖縄市字倉敷)	44.7 (59.1) 10	67.4 (84.4) 34	66.8 (82.0) 46	70.3 (85.7) 41	70.5 (87.7) 40	68.0 (82.2) 21	62.8 (79.0) 14	50.4 (66.7) 9	71.5 (89.2) 29	73.3 (91.1) 52	73.0 (90.2) 40	70.2 (87.4) 42	70.9 (87.0) 35	54.5 (68.2) 12	59.1 (73.3) 16	71.7 (89.4) 44	71.2 (88.5) 41	71.0 (87.9) 37	59.2 (75.5) 15	69.4 (86.2) 36	58.9 (71.7) 6	56.7 (68.9) 5	68.3 (85.6) 18	54.4 (68.3) 9	58.8 (74.4) 5	50.3 (65.2) 7	70.4 (85.5) 38	57.9 (71.0) 11	48.0 (61.1) 6	68.8 (85.5) 28	46.4 (61.2) 5		
7	体験学習施設やまっち (沖縄市山内)	---	61.2 (75.9) 0	62.4 (77.8) 82	63.2 (77.5) 70	57.2 (72.0) 79	56.9 (71.5) 48	44.5 (58.7) 49	---	57.5 (71.8) 0	56.8 (73.2) 42	51.8 (64.7) 36	53.2 (67.5) 22	58.3 (73.3) 34	30.4 (46.8) 47	---	63.3 (77.8) 59	59.6 (75.6) 62	64.6 (80.1) 53	37.1 (50.9) 3	57.2 (73.5) 41	---	30.0 (48.0) 0	---	---	33.1 (47.7) 73	60.6 (74.7) 1	36.3 (47.6) 2	61.0 (77.8) 48	25.6 (44.1) 1	45.0 (53.8) 1	---	---	
8	美里中学校 (沖縄市知花)	---	58.8 (73.1) 0	54.3 (67.8) 54	58.2 (71.4) 46	56.2 (69.1) 23	51.7 (65.1) 3	45.0 (56.5) 3	---	54.1 (68.6) 26	55.2 (68.2) 26	51.4 (63.4) 30	56.7 (70.6) 28	55.9 (68.6) 28	37.1 (52.2) 46	32.1 (46.1) 1	57.8 (71.2) 42	57.4 (71.1) 41	58.2 (72.3) 50	47.5 (59.1) 1	57.7 (72.7) 21	---	---	55.6 (68.2) 0	---	31.3 (43.4) 0	---	54.2 (66.4) 1	---	---	51.5 (63.1) 0	---	---	
9	あげな小学校 (うるま市字西原)	31.6 (45.1) 1	55.7 (69.9) 41	51.5 (63.4) 27	55.3 (67.3) 33	56.2 (67.8) 27	50.6 (61.1) 16	37.6 (53.4) 5	33.4 (48.6) 3	54.9 (65.3) 26	52.8 (65.1) 23	49.1 (61.2) 16	49.7 (62.4) 14	51.0 (61.5) 14	32.8 (50.8) 5	34.1 (47.8) 2	52.5 (65.1) 29	57.8 (69.6) 22	51.6 (62.7) 3	52.3 (62.5) 14	53.5 (64.7) 0	---	23.9 (43.0) 1	51.7 (62.7) 22	---	---	31.1 (49.9) 3	52.9 (64.4) 18	---	32.4 (49.2) 0	49.4 (59.3) 3	26.9 (43.0) 15	---	
10	個人住宅 (うるま市石川山城)	31.8 (43.3) 1	59.0 (70.7) 26	58.6 (70.8) 36	57.7 (70.2) 26	59.3 (72.0) 21	57.8 (68.7) 15	46.7 (60.6) 4	32.0 (46.6) 2	60.8 (74.9) 24	61.2 (73.9) 24	58.1 (71.1) 20	57.2 (69.9) 23	57.2 (69.4) 17	36.4 (52.7) 2	---	60.3 (72.5) 32	58.3 (70.4) 24	60.2 (71.8) 31	50.8 (63.2) 2	56.8 (68.4) 15	39.6 (54.6) 2	32.4 (50.8) 2	60.3 (71.6) 24	33.0 (45.3) 1	43.7 (58.7) 2	---	59.1 (71.0) 22	39.2 (54.3) 5	43.6 (56.2) 2	60.4 (70.8) 20	37.9 (53.8) 4		
11	個人住宅 (うるま市字昆布)	31.8 (45.8) 1	58.4 (70.9) 25	58.0 (69.5) 25	59.4 (71.0) 29	59.6 (71.5) 19	55.2 (66.2) 4	49.2 (58.7) 4	36.8 (50.6) 2	60.5 (73.1) 22	58.4 (71.7) 25	55.7 (65.4) 18	57.0 (72.6) 22	58.9 (70.0) 15	45.7 (57.9) 4	47.6 (61.9) 4	58.4 (71.7) 30	61.3 (75.1) 42	59.0 (72.4) 22	48.4 (60.8) 7	58.1 (68.4) 13	45.9 (61.5) 2	42.6 (54.8) 2	59.1 (70.4) 24	---	38.5 (50.5) 2	31.0 (43.0) 2	57.6 (69.0) 20	48.2 (60.8) 5	34.2 (47.0) 2	58.9 (69.3) 20	---	---	
12	個人住宅 (うるま市石川東恩納)	43.1 (56.6) 7	62.8 (75.8) 27	63.9 (76.2) 36	63.5 (80.1) 31	64.6 (80.1) 22	63.0 (74.0) 13	55.0 (68.7) 5	41.1 (54.0) 3	65.9 (79.5) 32	65.6 (79.4) 34	63.8 (76.7) 30	63.2 (75.1) 26	62.3 (75.9) 21	49.1 (61.5) 9	45.8 (61.3) 7	65.1 (79.9) 39	62.7 (77.0) 43	66.0 (80.1) 41	52.2 (65.0) 14	61.8 (73.9) 24	43.1 (55.7) 5	46.1 (58.0) 4	64.2 (75.5) 25	47.0 (60.2) 5	50.5 (63.2) 3	38.8 (51.3) 4	64.5 (78.6) 29	49.3 (61.7) 7	36.1 (48.0) 3	65.5 (78.5) 27	36.0 (50.6) 2		
13	個人住宅 (うるま市石川東山)	37.4 (47.3) 1	45.8 (58.1) 12	51.7 (63.0) 20	47.1 (61.1) 20	47.6 (58.8) 15	47.7 (59.4) 11	34.6 (50.3) 4	33.6 (51.2) 2	48.9 (59.2) 11	50.3 (61.2) 12	44.6 (56.3) 12	44.8 (57.7) 10	46.5 (59.5) 10	34.9 (53.3) 6	38.1 (56.8) 4	48.3 (61.5) 16	46.9 (60.0) 13	49.9 (63.1) 21	35.2 (52.0) 5	45.1 (55.5) 6	40.1 (56.4) 1	30.1 (47.3) 2	49.2 (60.8) 1	27.1 (45.4) 1	38.0 (50.8) 4	35.2 (52.7) 4	48.0 (59.6) 3	39.3 (52.7) 3	60.7 (74.8) 4	25.8 (43.5) 1			
14	個人住宅 (北谷町字砂辺)	41.0 (53.3) 1	63.7 (79.6) 110	66.5 (82.1) 101	63.2 (78.5) 96	66.0 (81.4) 66	59.2 (73.2) 55	54.5 (69.8) 12	26.9 (43.3) 1	66.3 (82.5) 68	60.3 (77.9) 70	55.3 (70.0) 50	62.1 (74.5) 59	42.6 (55.9) 10	44.3 (58.3) 5	62.5 (77.9) 89	62.4 (76.8) 92	62.1 (76.9) 76	55.6 (70.0) 25	59.0 (75.1) 41	43.8 (58.2) 6	40.3 (52.5) 1	65.0 (80.1) 87	37.8 (50.5) 1	36.6 (50.6) 1	37.0 (50.3) 2	65.8 (80.8) 76	44.0 (57.5) 3	43.9 (56.6) 3	58.1 (72.4) 3	33.2 (47.9) 2			

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先

沖縄防衛局 企画部 住宅防音課

098-921-8131(内線299)