

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)	31日 (月)		
1	嘉手納飛行場内西側 (北谷町字砂辺)	59.9 (75.1) 23	59.8 (75.6) 16	76.4 (94.1) 66	60.4 (75.9) 14	70.5 (86.8) 33	74.1 (93.5) 58	70.1 (88.4) 55	57.0 (73.8) 18	57.9 (76.0) 20	69.3 (86.0) 53	79.1 (96.0) 105	79.5 (98.5) 91	73.8 (91.3) 44	70.7 (88.8) 42	60.0 (74.4) 12	67.1 (82.3) 18	71.6 (88.0) 116	75.0 (91.9) 81	69.2 (88.3) 50	62.7 (79.6) 52	59.1 (70.9) 24	65.1 (84.5) 33	70.2 (90.2) 35	74.2 (92.4) 93	77.7 (95.2) 103	73.4 (91.0) 56	69.7 (86.7) 38	64.1 (81.1) 19	71.8 (89.8) 22	61.2 (79.3) 13	70.7 (88.0) 18		
2	嘉手納飛行場内北側 (沖縄市大工廻)	63.6 (78.9) 14	64.9 (80.7) 23	77.5 (95.2) 78	61.0 (79.5) 11	75.6 (90.4) 24	74.2 (91.7) 47	74.9 (95.1) 50	56.7 (74.4) 14	65.3 (78.3) 23	78.1 (93.0) 64	76.7 (93.9) 99	80.6 (98.9) 110	76.1 (94.0) 58	75.3 (95.0) 49	69.9 (91.0) 20	59.8 (74.9) 17	75.9 (94.0) 94	75.1 (92.1) 92	74.0 (92.0) 44	69.9 (86.5) 36	62.4 (81.0) 17	74.8 (94.4) 46	73.6 (91.7) 74	76.2 (93.4) 91	78.8 (94.6) 95	79.0 (98.7) 70	71.9 (92.1) 50	53.0 (69.0) 10	63.7 (79.5) 15	68.5 (80.5) 16	67.2 (85.5) 15		
3	個人住宅 (北谷町字吉原)	---	---	48.7 (58.8) 9	37.5 (48.9) 2	49.4 (57.1) 2	53.9 (65.8) 16	54.0 (66.7) 18	---	---	38.8 (56.1) 2	52.9 (63.0) 27	53.9 (67.9) 18	48.5 (59.8) 8	41.8 (50.2) 2	---	---	65.4 (81.6) 32	53.4 (66.8) 21	60.7 (74.3) 23	53.7 (67.7) 8	---	56.0 (69.7) 24	52.2 (68.4) 20	51.5 (65.9) 20	56.3 (69.1) 28	35.6 (50.5) 3	---	---	---	---	---	34.5 (47.0) 1	
4	嘉手納中央区コミュニティセンター (嘉手納町字嘉手納)	47.0 (60.6) 4	45.2 (61.2) 2	59.5 (72.9) 34	41.3 (56.5) 2	58.1 (72.0) 9	59.3 (72.4) 25	60.2 (72.2) 23	32.1 (46.2) 1	---	57.7 (74.9) 26	61.6 (79.3) 43	61.6 (75.4) 31	57.0 (71.9) 24	56.4 (69.7) 15	---	---	60.8 (75.4) 34	57.9 (74.2) 36	58.0 (73.1) 23	46.8 (61.5) 17	55.0 (72.2) 18	56.5 (72.8) 14	59.2 (72.8) 54	61.2 (75.4) 34	59.2 (76.0) 27	48.8 (62.9) 4	---	---	49.1 (59.5) 5	---	41.3 (53.5) 5		
5	読谷中学校 (読谷村字座喜味)	40.6 (56.1) 1	45.5 (63.3) 4	37.1 (51.0) 3	---	43.6 (57.9) 0	---	36.6 (49.4) 2	---	---	59.4 (76.2) 1	34.3 (48.4) 1	45.5 (60.2) 1	29.7 (44.4) 1	28.4 (46.5) 1	---	---	38.0 (51.8) 4	29.0 (43.2) 1	---	---	---	44.3 (62.2) 4	38.1 (51.3) 2	---	37.9 (51.9) 4	---	---	---	---	---	---	---	---
6	私有地 (沖縄市字倉敷)	59.1 (73.8) 16	60.9 (74.6) 12	63.3 (80.9) 37	58.4 (74.2) 12	74.0 (87.1) 23	71.4 (88.0) 33	66.5 (82.6) 23	55.9 (70.8) 11	55.9 (70.8) 18	65.7 (83.5) 37	62.7 (77.9) 54	64.6 (78.1) 53	60.8 (76.6) 36	62.2 (78.6) 39	53.8 (68.7) 16	54.5 (70.6) 17	66.4 (83.8) 36	64.3 (82.2) 50	67.1 (85.6) 25	63.4 (78.7) 24	52.3 (69.2) 13	58.8 (72.3) 11	54.9 (79.7) 18	62.6 (78.0) 43	63.8 (80.6) 60	63.0 (81.3) 37	59.2 (76.6) 36	50.3 (66.0) 9	57.2 (72.3) 14	61.1 (70.1) 15	57.6 (72.8) 11		
7	体験学習施設やまっち (沖縄市山内)	---	35.7 (49.4) 0	49.0 (61.3) 2	45.5 (61.1) 1	44.3 (58.8) 3	53.3 (65.2) 17	57.6 (72.9) 24	---	39.6 (53.3) 1	45.7 (58.9) 7	55.1 (67.8) 3	52.6 (68.1) 21	49.0 (62.4) 9	46.5 (61.6) 5	---	29.6 (43.7) 1	57.8 (72.0) 24	59.9 (75.7) 39	61.1 (75.7) 22	52.8 (66.9) 11	31.3 (44.7) 1	61.5 (77.0) 28	57.9 (73.1) 2	54.1 (70.4) 22	63.3 (75.5) 41	48.8 (62.9) 0	---	---	46.3 (56.3) 0	---	---		
8	美里中学校 (沖縄市知花)	---	---	47.5 (60.6) 10	---	48.8 (62.8) 2	54.3 (65.2) 16	53.0 (63.5) 14	---	---	59.5 (75.3) 14	58.4 (71.6) 20	49.0 (61.4) 10	47.0 (60.3) 12	46.4 (60.9) 7	29.4 (43.5) 1	---	57.7 (69.9) 25	62.9 (79.1) 38	58.9 (72.7) 24	53.1 (63.7) 5	34.5 (48.8) 2	57.2 (72.5) 26	58.4 (75.3) 18	61.5 (76.6) 21	67.0 (83.2) 47	47.4 (62.8) 7	37.8 (51.3) 3	---	32.6 (44.7) 1	40.7 (53.4) 1	37.4 (50.7) 2		
9	あげな小学校 (うるま市字西原)	34.3 (47.4) 2	26.6 (43.7) 1	38.2 (51.4) 1	36.1 (53.5) 8	46.4 (55.6) 5	53.8 (66.2) 17	51.6 (62.0) 9	---	---	46.2 (57.9) 11	43.1 (58.6) 10	47.2 (63.9) 10	43.2 (57.1) 5	40.3 (55.7) 3	27.9 (44.2) 1	28.6 (46.7) 2	54.3 (66.0) 16	49.3 (66.4) 9	53.2 (67.7) 17	49.3 (59.4) 3	42.2 (56.6) 12	44.8 (60.5) 4	46.5 (62.4) 12	45.5 (60.8) 18	51.1 (65.4) 10	43.4 (56.7) 18	42.4 (54.3) 5	31.4 (48.4) 3	25.9 (44.3) 1	31.0 (46.1) 1	31.4 (44.7) 1		
10	個人住宅 (うるま市石川山城)	---	47.4 (61.4) 0	49.6 (63.0) 20	---	53.6 (61.7) 5	57.5 (70.9) 20	55.8 (69.1) 17	35.6 (49.6) 1	43.3 (55.1) 2	57.7 (68.0) 11	49.8 (64.2) 11	51.5 (65.2) 26	45.6 (59.1) 15	40.9 (52.9) 3	41.0 (55.0) 4	43.3 (57.7) 3	59.0 (72.0) 16	50.1 (65.5) 9	55.5 (67.9) 13	53.3 (67.5) 9	33.3 (46.4) 2	46.4 (60.4) 10	45.5 (56.5) 5	47.6 (60.0) 6	53.6 (69.4) 16	47.9 (62.3) 15	46.2 (60.0) 9	35.9 (51.7) 4	41.5 (55.1) 5	46.0 (58.2) 3	46.3 (59.4) 5		
11	個人住宅 (うるま市字昆布)	47.2 (59.8) 6	32.4 (44.2) 1	50.2 (63.7) 18	---	61.7 (73.8) 9	64.5 (79.6) 22	57.8 (71.5) 11	40.6 (51.9) 4	39.7 (51.1) 3	58.1 (70.5) 8	52.6 (66.0) 11	50.9 (64.2) 11	46.8 (59.1) 11	42.2 (54.2) 6	42.0 (57.6) 2	45.8 (57.8) 9	62.3 (77.9) 26	52.5 (68.2) 14	61.8 (74.8) 13	57.8 (69.1) 14	42.1 (52.7) 5	44.8 (58.1) 6	42.9 (56.2) 8	43.0 (57.0) 4	50.1 (64.9) 14	38.6 (52.2) 4	43.8 (58.6) 3	32.4 (47.7) 1	44.8 (57.9) 1	49.1 (59.2) 6	35.7 (49.0) 2		
12	個人住宅 (うるま市石川東恩納)	52.5 (63.8) 7	56.7 (69.1) 13	67.7 (80.3) 45	50.5 (64.7) 10	53.7 (66.7) 11	64.5 (79.9) 29	62.0 (75.2) 20	45.8 (58.0) 8	53.1 (65.6) 15	61.7 (75.3) 35	62.8 (77.1) 48	66.8 (82.3) 53	62.2 (78.7) 42	60.4 (76.4) 31	57.0 (70.9) 16	48.3 (62.9) 9	62.7 (78.1) 25	61.2 (75.4) 27	61.4 (77.9) 20	57.7 (70.7) 18	46.1 (58.9) 9	49.8 (61.0) 8	48.1 (61.9) 13	66.4 (79.8) 17	66.9 (78.5) 31	64.2 (81.4) 36	62.0 (80.3) 40	39.6 (53.4) 3	50.8 (64.9) 8	55.3 (63.1) 8	48.0 (62.0) 7		
13	個人住宅 (うるま市石川東山)	37.1 (51.1) 2	41.4 (57.4) 2	42.7 (53.2) 5	30.0 (43.5) 1	46.8 (63.3) 3	50.2 (64.2) 12	52.3 (67.0) 13	31.6 (49.3) 1	33.3 (47.7) 2	46.0 (59.0) 5	45.4 (59.3) 7	42.9 (56.3) 5	41.3 (54.2) 6	33.3 (47.8) 2	50.7 (64.2) 7	43.1 (59.5) 5	50.8 (63.4) 13	41.9 (58.3) 6	51.8 (63.7) 15	46.7 (59.6) 8	35.6 (52.1) 2	36.6 (53.9) 1	---	43.8 (56.7) 5	44.7 (59.8) 8	39.9 (54.8) 5	38.9 (52.9) 3	41.2 (57.7) 4	42.7 (56.7) 4	43.2 (59.2) 8	37.0 (51.3) 3		
14	個人住宅 (北谷町字砂辺)	40.8 (54.7) 5	49.7 (66.1) 9	71.7 (86.8) 41	51.6 (64.7) 19	57.5 (72.7) 19	57.2 (72.6) 42	60.9 (76.6) 29	---	40.5 (57.9) 2	57.8 (74.1) 12	74.5 (88.9) 72	74.4 (90.6) 54	68.2 (83.7) 40	66.0 (80.8) 31	55.0 (66.4) 11	55.2 (69.5) 5	67.6 (84.2) 63	72.5 (88.6) 55	62.8 (78.6) 51	57.8 (72.5) 38	55.1 (66.3) 19	59.3 (75.2) 34	66.7 (83.1) 27	69.4 (84.1) 55	73.8 (88.7) 67	69.6 (83.8) 53	64.1 (77.1) 24	45.9 (59.7) 7	52.1 (66.1) 4	44.0 (58.7) 4	49.6 (62.7) 7		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131(内線291)