

# 嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年5月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)
1	嘉手納飛行場内西側 (北谷町字砂辺)	68.7 (86.1) 71	75.4 (86.8) 33	61.4 (78.7) 26	51.6 (68.1) 9	61.0 (78.6) 30	75.9 (93.9) 63	75.7 (93.8) 66	71.7 (90.7) 91	68.3 (87.5) 19	59.5 (76.8) 18	52.1 (69.7) 10	68.6 (85.3) 77	72.4 (93.0) 95	74.9 (92.3) 90	68.1 (87.5) 55	62.5 (79.7) 36	67.5 (87.6) 27	52.2 (68.6) 11	77.1 (93.2) 83	77.2 (95.8) 99	78.6 (94.5) 100	62.1 (76.8) 70	66.9 (81.6) 22	59.7 (74.1) 8	54.6 (73.5) 12	61.6 (76.0) 13	75.3 (94.8) 62	75.7 (95.3) 81	72.0 (89.6) 60	72.3 (92.8) 72	57.4 (73.7) 20
2	嘉手納飛行場内北側 (沖縄市大工廻)	77.4 (94.7) 72	68.7 (86.8) 24	63.9 (80.9) 25	64.8 (78.6) 10	61.5 (78.9) 34	73.2 (91.9) 63	83.7 (97.8) 75	77.7 (95.6) 77	73.2 (93.0) 28	56.1 (75.4) 8	56.2 (68.8) 6	75.1 (93.3) 61	76.5 (94.8) 77	77.4 (94.8) 67	75.4 (92.2) 50	73.4 (91.3) 45	66.0 (82.6) 27	58.3 (71.5) 6	77.0 (95.1) 82	75.2 (92.4) 119	78.2 (95.5) 124	73.1 (86.1) 47	67.2 (84.5) 25	65.7 (84.2) 9	68.0 (86.9) 17	60.0 (75.4) 12	77.8 (95.1) 93	77.4 (96.0) 71	68.1 (85.9) 42	75.9 (96.2) 59	56.7 (73.6) 9
3	個人住宅 (北谷町字吉原)	48.0 (61.0) 9	54.4 (71.0) 10	---	31.6 (44.9) 1	35.1 (46.3) 1	51.5 (66.1) 16	61.6 (73.1) 26	54.2 (69.2) 21	46.9 (57.4) 2	---	---	62.1 (74.6) 34	32.3 (50.4) 2	51.0 (67.3) 17	35.9 (53.0) 1	49.0 (63.9) 9	39.5 (50.4) 3	32.0 (44.2) 1	50.8 (63.4) 14	51.6 (65.7) 17	49.9 (63.1) 13	37.9 (55.4) 4	41.6 (54.4) 3	38.3 (54.3) 2	45.8 (58.5) 4	---	59.8 (73.9) 34	54.5 (68.1) 6	---	60.2 (76.1) 25	41.1 (58.7) 3
4	嘉手納中央区コミュニティーセンター (嘉手納町字嘉手納)	64.3 (80.6) 39	50.7 (68.2) 5	46.1 (56.9) 2	---	34.7 (47.2) 0	57.4 (73.0) 21	69.7 (84.6) 59	64.8 (81.4) 54	50.5 (65.4) 5	35.9 (52.5) 2	---	64.4 (79.3) 55	64.7 (81.1) 41	65.9 (81.6) 26	62.1 (77.1) 15	59.0 (74.0) 13	52.0 (64.9) 13	30.4 (44.9) 19	62.7 (75.5) 19	63.6 (76.9) 40	51.3 (64.6) 26	47.3 (60.2) 3	38.6 (53.7) 3	54.2 (68.6) 9	45.4 (59.5) 2	63.6 (78.4) 46	64.8 (80.2) 42	31.4 (45.0) 70	57.6 (70.0) 25	42.5 (54.1) 2	
5	読谷中学校 (読谷村字座喜味)	46.4 (63.0) 6	38.7 (52.1) 1	---	---	---	55.5 (72.5) 9	51.6 (67.3) 1	---	---	45.1 (60.2) 2	---	36.8 (50.8) 1	37.0 (50.9) 2	40.3 (52.6) 4	38.8 (48.4) 1	32.2 (46.6) 2	41.6 (54.6) 3	---	---	38.8 (53.7) 1	43.0 (57.2) 7	41.3 (59.7) 6	---	32.3 (44.1) 0	---	---	37.2 (52.6) 1	37.4 (49.8) 3	---	36.5 (51.9) 2	---
6	私有地 (沖縄市字倉敷)	74.7 (88.8) 44	67.7 (84.4) 17	56.9 (72.0) 17	57.6 (72.5) 10	51.2 (65.2) 18	60.9 (77.4) 52	75.3 (89.6) 39	70.9 (84.0) 34	60.2 (78.0) 17	50.6 (64.9) 7	54.6 (66.2) 11	70.6 (84.4) 39	74.1 (91.0) 51	67.9 (83.8) 31	66.4 (80.6) 30	68.3 (84.8) 13	48.4 (64.1) 4	67.0 (85.1) 53	67.4 (86.3) 4	64.0 (79.6) 57	60.3 (74.0) 41	61.0 (77.3) 23	55.9 (71.5) 11	65.2 (81.6) 16	56.6 (69.4) 13	70.9 (85.7) 21	68.5 (86.0) 27	58.1 (73.1) 20	69.1 (86.4) 24	60.7 (72.3) 20	
7	体験学習施設やまっち (沖縄市山内)	50.7 (65.0) 19	58.5 (73.3) 8	---	---	31.1 (44.1) 1	56.4 (72.8) 29	59.8 (74.5) 45	55.9 (71.0) 29	42.5 (55.4) 3	---	---	59.4 (74.0) 41	49.6 (63.2) 20	52.9 (67.6) 23	42.7 (55.4) 7	52.4 (69.2) 11	36.6 (50.9) 1	---	50.6 (64.1) 16	55.3 (69.9) 33	57.5 (74.8) 47	39.7 (55.7) 6	39.1 (49.3) 2	38.1 (55.5) 2	45.2 (57.0) 5	39.6 (53.7) 3	59.7 (74.9) 43	51.2 (65.2) 26	30.7 (48.6) 1	56.7 (72.4) 37	---
8	美里中学校 (沖縄市知花)	55.5 (67.8) 27	48.9 (62.9) 4	---	---	---	58.1 (70.5) 17	60.1 (70.9) 31	54.0 (67.5) 27	40.9 (55.8) 1	---	---	57.2 (70.4) 24	55.5 (67.0) 20	54.0 (64.5) 14	51.9 (65.2) 12	51.7 (65.2) 12	---	---	46.8 (60.1) 8	63.4 (79.1) 34	62.5 (78.7) 40	36.0 (51.1) 3	36.0 (47.2) 2	51.9 (64.7) 3	49.1 (63.1) 7	40.4 (52.2) 1	55.7 (67.6) 24	55.0 (66.7) 25	---	59.5 (73.1) 20	42.4 (55.6) 1
9	あげな小学校 (うるま市西原)	52.8 (61.9) 16	39.3 (49.6) 2	25.9 (43.5) 1	34.1 (50.2) 1	27.6 (43.0) 1	45.8 (63.5) 4	55.2 (65.6) 29	56.7 (68.0) 21	38.2 (51.8) 5	---	---	53.0 (62.8) 13	50.6 (62.1) 24	51.8 (63.8) 24	50.1 (62.6) 18	50.0 (60.9) 10	26.1 (45.1) 1	37.1 (51.3) 2	44.9 (59.8) 5	50.1 (65.9) 39	50.1 (66.7) 24	43.6 (61.4) 8	42.4 (57.1) 8	40.6 (52.3) 3	44.8 (58.1) 12	38.4 (50.2) 3	51.9 (63.1) 24	58.3 (66.2) 21	38.4 (51.7) 3	49.7 (61.9) 17	49.3 (60.1) 2
10	個人住宅 (うるま市石川山城)	59.2 (71.5) 20	44.8 (56.4) 3	35.6 (50.9) 2	31.6 (45.9) 1	42.0 (55.0) 7	52.2 (69.3) 11	63.8 (74.3) 23	60.4 (73.7) 17	47.7 (62.9) 11	29.3 (43.6) 1	39.0 (52.1) 3	58.9 (68.9) 17	60.8 (73.6) 31	60.0 (71.3) 26	56.9 (67.3) 18	55.4 (68.9) 14	31.3 (46.8) 2	---	45.8 (61.4) 15	44.0 (59.1) 12	50.4 (66.9) 21	50.0 (66.9) 11	30.5 (43.7) 1	---	61.3 (70.6) 9	45.5 (56.8) 5	60.8 (72.5) 22	60.8 (71.4) 25	39.8 (51.9) 2	53.2 (66.3) 14	---
11	個人住宅 (うるま市宇昆布)	60.7 (71.8) 21	52.4 (67.3) 7	33.9 (47.0) 1	51.0 (61.1) 3	37.0 (48.5) 1	54.5 (69.7) 14	67.1 (76.5) 28	61.7 (72.3) 20	42.1 (55.8) 6	---	31.9 (45.6) 1	60.9 (71.5) 18	62.2 (71.5) 23	62.4 (72.8) 22	58.9 (68.3) 14	60.0 (71.8) 9	---	---	60.0 (73.6) 28	49.7 (64.9) 10	53.7 (68.7) 32	39.6 (56.2) 3	44.1 (59.5) 3	42.4 (56.9) 7	48.6 (59.2) 5	44.9 (55.8) 3	61.9 (73.6) 21	61.4 (71.0) 20	45.3 (59.4) 6	56.9 (73.3) 19	43.8 (57.5) 3
12	個人住宅 (うるま市石川東恩納)	66.3 (78.1) 29	55.0 (68.5) 8	53.6 (67.1) 11	50.6 (63.1) 6	49.2 (62.9) 15	64.2 (79.5) 40	70.3 (80.8) 39	65.2 (78.7) 36	65.3 (81.8) 20	45.5 (59.0) 7	46.0 (59.5) 5	63.6 (74.6) 24	66.9 (77.9) 35	65.2 (77.6) 25	62.5 (73.1) 26	47.5 (61.5) 11	47.8 (58.4) 2	65.0 (80.2) 51	54.8 (70.7) 31	65.7 (80.3) 46	53.7 (72.1) 22	59.7 (74.2) 12	55.2 (69.5) 10	50.6 (62.8) 9	64.2 (75.2) 7	65.7 (79.6) 25	53.7 (69.6) 32	58.0 (72.8) 10	43.7 (56.6) 30		
13	個人住宅 (うるま市石川東山)	52.0 (62.0) 17	35.0 (44.8) 1	---	41.5 (56.1) 1	44.8 (59.2) 4	59.8 (72.2) 10	54.1 (65.2) 23	50.5 (61.6) 20	38.5 (53.0) 6	---	---	50.6 (61.7) 12	52.5 (62.7) 23	50.7 (61.9) 17	50.7 (61.7) 11	43.4 (54.1) 6	---	42.9 (57.4) 2	43.5 (55.5) 7	41.8 (55.8) 5	42.8 (58.5) 6	41.8 (57.8) 4	28.3 (46.3) 1	41.4 (56.3) 4	47.2 (56.4) 4	33.5 (47.5) 1	51.7 (62.6) 15	52.9 (63.4) 17	27.5 (43.1) 1	46.4 (61.0) 10	39.2 (55.2) 1
14	個人住宅 (北谷町字砂辺)	57.6 (72.9) 44	72.3 (82.4) 16	53.6 (66.1) 6	---	51.0 (64.9) 14	72.4 (87.8) 62	64.9 (76.5) 67	61.2 (76.2) 56	63.4 (78.7) 15	45.7 (58.0) 7	35.8 (48.5) 1	61.8 (77.5) 51	57.7 (73.7) 57	62.1 (77.8) 68	55.8 (71.7) 40	55.8 (71.8) 29	65.3 (80.3) 21	47.9 (61.0) 10	71.1 (86.7) 63	72.4 (89.1) 80	73.6 (89.8) 68	57.2 (70.6) 26	61.9 (76.3) 16	53.3 (68.7) 9	58.6 (75.6) 12	38.1 (51.7) 1	63.8 (77.1) 73	62.6 (77.1) 40	53.7 (68.0) 12	45.7 (60.5) 37	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。  
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先  
 沖縄防衛局 企画部 住宅防音課  
 098-921-8131(内線291)