

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年7月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	31日 (木)
1	嘉手納飛行場内西側 (北谷町字砂辺)	67.7 (83.7) 83	68.8 (87.5) 78	70.4 (87.5) 90	51.8 (72.5) 6	58.1 (69.7) 7	52.7 (72.6) 7	65.7 (84.3) 14	60.1 (74.0) 16	70.7 (90.9) 62	65.3 (80.6) 60	64.2 (80.0) 19	70.6 (87.4) 16	63.1 (77.3) 17	70.3 (88.4) 39	72.7 (89.8) 49	62.0 (77.7) 54	72.4 (93.2) 44	63.4 (77.1) 39	64.1 (80.7) 22	59.6 (76.0) 13	63.5 (79.8) 38	70.6 (91.5) 64	64.8 (84.0) 29	62.7 (75.6) 12	69.9 (88.3) 30	59.2 (76.5) 22	57.8 (72.9) 10	67.1 (85.6) 54	69.9 (88.2) 50	74.4 (91.3) 62	69.9 (86.9) 50
2	嘉手納飛行場内北側 (沖縄市大工廻)	76.9 (94.3) 73	78.4 (98.5) 59	75.1 (93.4) 70	46.9 (62.0) 4	65.4 (79.6) 12	45.9 (60.2) 4	65.3 (85.1) 20	66.7 (84.9) 29	73.2 (92.6) 31	73.8 (95.7) 43	73.5 (94.9) 24	74.9 (87.8) 23	59.7 (76.1) 7	65.7 (83.4) 45	72.4 (92.7) 70	71.1 (89.0) 51	70.7 (90.1) 41	75.5 (98.2) 36	60.7 (83.1) 15	65.1 (76.9) 16	59.0 (68.4) 19	68.5 (86.4) 28	65.7 (85.6) 16	56.2 (69.1) 5	67.6 (86.2) 32	57.0 (73.5) 8	54.7 (72.5) 5	61.8 (78.3) 34	70.0 (88.1) 54	74.6 (92.0) 75	77.7 (91.2) 52
3	個人住宅 (北谷町字吉原)	57.1 (72.0) 32	58.2 (73.3) 18	58.7 (73.3) 24	---	25.9 (44.9) 0	33.8 (47.7) 1	42.9 (54.6) 1	41.5 (57.4) 1	61.3 (72.4) 8	34.7 (51.6) 5	52.5 (66.8) 2	45.4 (52.6) 1	34.2 (47.7) 1	34.0 (50.9) 3	42.0 (55.4) 1	37.7 (58.3) 2	45.2 (55.4) 1	37.0 (54.1) 0	---	---	37.0 (54.1) 0	46.0 (63.1) 2	41.6 (59.6) 2	---	37.0 (52.9) 0	---	---	---	39.9 (53.6) 0	44.7 (58.7) 3	57.6 (74.2) 14
4	嘉手納中央区コミュニティーセンター (嘉手納町字嘉手納)	61.8 (76.8) 58	61.9 (78.1) 44	60.1 (73.6) 27	---	46.7 (61.8) 0	---	45.3 (59.7) 4	50.2 (66.0) 13	57.3 (73.3) 21	58.7 (70.3) 37	54.3 (67.1) 7	53.2 (67.1) 5	32.9 (46.2) 1	51.9 (70.5) 13	55.4 (72.0) 20	54.7 (69.4) 10	57.2 (74.0) 13	57.1 (61.2) 4	50.0 (72.4) 7	52.3 (56.6) 10	43.0 (73.8) 19	58.0 (72.1) 15	56.4 (72.1) 15	43.7 (62.9) 5	53.9 (71.2) 9	41.2 (56.1) 5	---	46.5 (59.5) 0	55.5 (77.1) 8	54.1 (70.4) 13	58.7 (75.0) 25
5	読谷中学校 (読谷村字座喜味)	33.8 (47.1) 1	49.6 (68.5) 4	61.1 (75.6) 9	---	40.8 (58.9) 0	---	38.9 (55.9) 2	49.1 (65.8) 1	37.4 (56.5) 2	31.5 (45.2) 1	---	34.7 (54.2) 0	34.3 (50.5) 1	35.1 (48.5) 1	34.2 (48.9) 1	34.6 (48.9) 2	25.7 (43.4) 1	43.9 (54.5) 3	---	35.8 (48.9) 0	28.0 (43.2) 1	---	44.2 (61.8) 0	30.1 (47.7) 2	---	41.9 (58.6) 0	---	---	40.9 (54.9) 0	---	37.1 (50.8) 2
6	私有地 (沖縄市字倉敷)	68.8 (84.8) 28	71.7 (90.6) 22	65.9 (81.0) 50	43.9 (58.3) 5	57.6 (69.2) 11	43.7 (57.8) 3	62.3 (79.0) 18	---	---	---	---	---	---	---	58.2 (74.2) 32	68.3 (86.1) 27	65.9 (84.6) 26	66.1 (83.3) 28	59.9 (79.7) 20	68.7 (87.6) 16	54.3 (67.2) 12	63.6 (82.6) 17	48.3 (62.8) 7	62.6 (82.1) 4	48.1 (62.8) 27	42.0 (56.4) 5	54.3 (71.0) 3	54.4 (69.1) 27	61.6 (81.7) 25	72.0 (86.4) 31	
7	体験学習施設やまっち (沖縄市山内)	56.0 (71.2) 41	55.7 (71.5) 25	56.5 (71.8) 34	---	---	---	44.7 (61.3) 0	59.8 (76.5) 4	45.7 (61.3) 10	53.2 (67.8) 2	49.7 (67.9) 5	---	47.9 (60.4) 7	46.0 (61.6) 10	46.1 (61.5) 6	38.2 (47.6) 2	40.4 (58.7) 2	---	38.7 (51.9) 0	---	44.8 (60.0) 8	45.8 (63.0) 6	30.9 (48.7) 1	43.6 (59.6) 3	40.6 (59.2) 1	40.8 (57.6) 2	35.4 (49.1) 2	42.9 (56.8) 1	51.8 (66.5) 6	52.5 (68.6) 26	
8	美里中学校 (沖縄市知花)	55.7 (70.4) 26	56.7 (70.5) 17	57.2 (69.7) 21	---	27.1 (43.2) 1	---	---	---	45.1 (59.5) 0	46.4 (58.3) 7	60.8 (76.2) 4	52.1 (71.2) 9	---	49.7 (65.2) 0	50.6 (66.2) 7	43.1 (56.0) 9	37.5 (69.5) 1	55.3 (69.5) 6	---	39.0 (51.8) 2	---	48.7 (53.8) 0	42.8 (53.8) 3	---	44.1 (60.3) 4	---	---	---	39.8 (53.0) 0	52.3 (69.1) 4	57.7 (71.2) 23
9	あげな小学校 (うるま市字西原)	54.1 (66.1) 14	47.7 (58.9) 9	49.6 (61.3) 13	36.1 (49.1) 2	---	25.3 (43.0) 1	---	41.8 (58.7) 0	46.1 (56.2) 8	44.2 (55.3) 5	40.4 (56.0) 5	38.4 (52.1) 3	37.5 (51.2) 4	48.5 (61.2) 6	42.6 (57.4) 9	43.3 (54.2) 3	43.0 (51.8) 1	44.9 (56.6) 4	47.0 (63.7) 9	45.0 (53.7) 2	27.7 (44.9) 1	45.1 (55.7) 6	47.2 (61.2) 3	27.1 (43.8) 1	26.2 (43.6) 1	39.9 (58.6) 2	28.8 (46.3) 2	42.4 (57.6) 2	---	43.1 (56.3) 7	49.8 (62.8) 10
10	個人住宅 (うるま市石川山城)	58.0 (69.7) 19	59.2 (70.5) 10	53.9 (66.4) 12	---	47.8 (59.6) 2	---	41.8 (57.6) 5	45.1 (64.7) 3	54.0 (65.1) 9	38.4 (53.9) 9	32.7 (44.0) 1	---	---	35.1 (48.7) 2	32.2 (46.4) 1	53.5 (66.3) 9	50.6 (65.4) 5	52.6 (64.8) 9	---	42.0 (55.8) 0	38.4 (51.8) 4	53.6 (63.4) 6	50.7 (63.8) 3	41.3 (45.8) 1	47.6 (57.7) 5	---	---	41.3 (63.8) 0	51.0 (59.8) 8	47.1 (69.1) 6	56.8 (69.1) 11
11	個人住宅 (うるま市字昆布)	58.5 (67.9) 15	57.2 (67.8) 13	57.0 (65.7) 6	48.5 (61.9) 7	46.0 (53.3) 1	32.8 (46.9) 1	35.6 (47.6) 1	45.4 (55.3) 2	57.3 (67.8) 9	53.4 (63.3) 7	40.6 (53.5) 2	40.6 (56.1) 1	---	41.6 (58.5) 3	45.6 (59.6) 8	54.4 (64.8) 9	49.6 (63.7) 3	51.4 (65.9) 8	37.5 (49.1) 2	54.2 (68.6) 3	32.9 (46.3) 2	55.6 (65.0) 5	51.6 (61.0) 4	---	42.8 (57.6) 2	33.0 (44.6) 1	---	35.0 (47.4) 0	45.2 (60.7) 1	48.2 (63.7) 4	62.7 (72.4) 13
12	個人住宅 (うるま市石川東恩納)	63.2 (75.9) 22	64.2 (76.0) 17	59.0 (70.5) 14	39.8 (53.8) 3	55.2 (65.9) 10	33.7 (46.4) 18	60.6 (78.2) 1	56.7 (70.8) 22	62.9 (79.1) 15	63.4 (77.6) 20	56.8 (75.4) 11	54.4 (65.8) 4	48.3 (61.4) 19	53.3 (67.8) 4	59.7 (75.9) 42	59.8 (76.5) 22	60.9 (77.5) 28	59.0 (73.5) 28	53.6 (66.7) 12	51.8 (67.2) 9	49.1 (62.7) 12	57.4 (67.7) 9	58.3 (74.5) 7	45.8 (58.6) 7	55.4 (71.5) 3	48.8 (64.5) 27	41.9 (56.3) 5	53.8 (66.4) 2	58.2 (74.3) 4	61.8 (77.3) 33	61.6 (73.3) 19
13	個人住宅 (うるま市石川東山)	47.8 (62.6) 17	46.7 (59.0) 7	41.6 (53.3) 5	26.0 (43.7) 0	---	---	32.7 (45.5) 1	---	45.5 (59.8) 8	48.1 (59.8) 0	---	33.4 (47.1) 1	34.6 (50.9) 1	36.4 (53.8) 3	31.8 (46.4) 1	45.7 (56.4) 6	42.0 (53.0) 2	46.6 (61.4) 2	34.7 (48.7) 2	31.6 (46.7) 1	34.1 (46.7) 1	50.6 (64.4) 5	43.3 (54.0) 4	41.7 (61.3) 4	45.6 (59.9) 5	45.4 (63.6) 1	34.8 (50.0) 4	51.6 (67.8) 1	43.2 (57.4) 9	41.5 (54.7) 6	49.9 (62.2) 9
14	個人住宅 (北谷町字砂辺)	61.5 (77.4) 53	61.2 (77.1) 41	57.3 (73.7) 37	---	35.5 (50.7) 2	30.5 (44.1) 1	61.9 (73.5) 9	51.0 (62.5) 6	58.8 (76.2) 27	53.2 (66.7) 10	59.5 (73.9) 14	62.3 (85.2) 13	56.2 (67.0) 13	67.3 (84.2) 28	63.3 (85.9) 36	56.2 (70.1) 24	65.6 (83.0) 26	54.8 (67.1) 20	41.9 (56.2) 4	42.6 (56.6) 5	47.0 (62.2) 7	54.3 (70.8) 22	47.0 (60.6) 10	---	65.3 (80.8) 22	46.6 (61.3) 9	51.2 (66.8) 10	61.7 (78.6) 37	65.0 (81.7) 49	70.1 (85.2) 44	70.9 (81.9) 41

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。
 ※No. 6において、8～14日は測定器不具合のため欠測。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8150 (内線291)