

# 嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年10月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)
1	嘉手納飛行場内西側 (北谷町字砂辺)	78.3 (96.8) 92	76.0 (97.1) 80	61.4 (79.1) 46	58.3 (77.8) 24	56.4 (74.3) 17	68.9 (89.5) 75	70.3 (90.4) 100	72.7 (93.1) 96	69.6 (88.7) 71	57.9 (76.4) 13	60.1 (71.8) 4	62.3 (76.5) 10	61.4 (80.6) 14	71.4 (90.2) 89	76.2 (96.4) 103	75.9 (96.2) 72	78.0 (97.2) 72	55.4 (74.7) 18	63.0 (82.3) 18	65.5 (85.6) 21	76.0 (96.7) 71	70.6 (90.4) 71	78.2 (95.8) 57	73.5 (93.9) 64	63.2 (85.0) 11	63.3 (81.2) 20	64.7 (81.7) 63	74.3 (93.9) 92	75.9 (94.9) 122	70.8 (90.8) 86	70.5 (89.5) 74
2	嘉手納飛行場内北側 (沖縄市大工廻)	73.4 (90.4) 108	76.8 (93.9) 80	75.5 (94.2) 46	60.9 (75.0) 14	64.4 (83.7) 20	75.4 (96.0) 54	76.3 (96.0) 96	76.5 (93.5) 71	78.2 (96.4) 80	63.5 (79.8) 16	74.8 (89.9) 11	59.0 (75.3) 6	59.5 (75.4) 11	78.6 (96.8) 93	78.5 (96.3) 77	77.5 (98.1) 70	78.3 (90.6) 16	69.6 (81.6) 11	64.8 (83.9) 22	67.8 (90.0) 65	71.9 (86.9) 47	70.2 (86.9) 53	73.5 (89.7) 53	75.7 (93.2) 58	66.6 (82.2) 12	65.9 (83.6) 19	71.9 (88.2) 54	71.5 (90.0) 60	77.4 (95.9) 80	72.2 (90.6) 90	79.9 (97.1) 72
3	個人住宅 (北谷町字吉原)	54.2 (67.5) 18	55.1 (69.0) 33	54.7 (69.0) 16	---	---	55.2 (70.6) 21	55.4 (70.1) 37	55.5 (68.9) 25	45.8 (69.8) 38	35.6 (51.1) 1	39.3 (55.1) 2	---	---	55.5 (70.8) 36	52.6 (67.6) 27	53.4 (67.5) 31	49.9 (64.8) 14	---	50.2 (70.7) 6	---	48.1 (62.8) 8	50.5 (64.5) 14	56.2 (69.8) 27	50.5 (65.4) 15	37.4 (47.8) 1	42.1 (56.2) 3	55.1 (69.5) 28	54.9 (70.0) 18	56.5 (71.6) 51	48.8 (63.1) 15	43.8 (56.6) 7
4	嘉手納中央区コミュニティセンター (嘉手納町字嘉手納)	58.5 (73.8) 41	60.1 (75.7) 57	58.5 (73.1) 19	33.0 (48.8) 1	45.8 (64.4) 3	60.6 (76.8) 30	61.6 (76.3) 48	62.6 (77.1) 35	55.8 (71.3) 4	---	---	---	---	65.1 (82.8) 80	63.9 (79.5) 74	62.7 (78.1) 56	60.3 (76.3) 34	47.8 (63.6) 6	47.5 (61.8) 7	55.8 (69.7) 8	60.9 (76.5) 25	58.0 (73.4) 44	61.1 (78.2) 24	59.8 (75.2) 3	48.9 (61.3) 3	48.5 (60.8) 2	57.3 (74.0) 39	57.5 (73.0) 32	61.6 (77.4) 79	59.0 (76.8) 26	52.2 (67.7) 14
5	読谷中学校 (読谷村字座喜味)	---	45.6 (61.7) 3	---	---	---	46.4 (60.2) 4	43.9 (60.5) 2	38.4 (51.4) 1	---	45.7 (56.0) 1	60.0 (77.4) 2	---	---	44.6 (60.0) 5	50.3 (64.8) 9	52.4 (67.5) 3	49.0 (63.0) 9	---	---	---	47.3 (66.5) 1	41.6 (54.7) 1	28.9 (43.6) 1	53.1 (63.8) 9	27.7 (43.3) 1	54.9 (66.9) 8	38.9 (54.1) 1	37.5 (53.4) 2	42.0 (55.2) 5	29.8 (43.6) 1	35.2 (48.4) 2
6	私有地 (沖縄市字倉敷)	62.4 (78.0) 68	76.1 (96.0) 38	65.8 (82.2) 17	55.3 (68.5) 12	65.0 (83.6) 22	64.4 (79.5) 22	65.0 (83.7) 24	72.6 (90.0) 36	71.8 (87.3) 11	65.4 (83.2) 8	61.4 (72.5) 7	60.2 (72.8) 7	53.2 (67.1) 7	69.2 (86.9) 36	69.4 (85.9) 41	68.2 (84.7) 43	56.7 (73.2) 25	58.3 (77.6) 11	61.0 (72.7) 13	59.2 (72.4) 20	68.1 (81.6) 33	67.8 (84.8) 33	63.5 (80.1) 25	52.2 (65.3) 11	61.1 (72.6) 11	65.2 (80.4) 21	66.5 (84.2) 38	65.4 (81.9) 28	64.3 (78.1) 28	62.6 (77.8) 40	
7	体験学習施設やまっち (沖縄市山内)	57.1 (72.4) 36	59.2 (74.8) 58	59.3 (74.1) 25	---	32.9 (48.1) 1	55.6 (72.7) 26	60.5 (73.4) 45	57.0 (71.7) 31	61.2 (76.6) 63	45.5 (59.0) 2	---	---	---	56.3 (71.4) 46	54.6 (69.0) 45	55.3 (69.6) 38	53.3 (67.7) 24	36.0 (49.1) 2	40.2 (56.9) 3	34.7 (51.3) 3	52.1 (66.2) 16	50.6 (64.7) 21	60.5 (72.7) 38	54.0 (68.2) 20	42.5 (57.8) 3	41.3 (55.1) 2	56.8 (71.4) 32	58.0 (74.4) 27	59.1 (74.0) 51	53.4 (67.9) 19	44.4 (55.4) 6
8	美里中学校 (沖縄市知花)	63.5 (79.7) 41	58.9 (72.7) 28	58.1 (69.4) 16	28.9 (45.1) 1	33.2 (46.5) 15	53.6 (65.9) 25	55.1 (69.4) 24	55.7 (68.5) 30	57.8 (70.9) 3	40.7 (51.2) 2	48.6 (59.6) 0	---	---	56.3 (70.7) 27	56.9 (69.0) 29	55.5 (68.0) 27	55.0 (68.0) 16	45.9 (60.6) 3	---	40.2 (51.4) 0	52.7 (61.8) 8	52.2 (65.6) 10	55.6 (67.0) 27	43.7 (57.2) 3	43.7 (54.1) 3	50.8 (64.5) 14	51.1 (63.2) 16	56.3 (72.3) 28	46.8 (57.6) 5	48.4 (64.3) 11	
9	あげな小学校 (うるま市字西原)	46.7 (63.1) 15	49.2 (61.8) 16	46.5 (56.3) 6	---	29.5 (45.8) 1	45.5 (56.5) 9	46.9 (59.2) 14	50.0 (61.4) 15	47.6 (59.8) 20	33.2 (46.5) 2	---	---	---	49.2 (59.0) 13	47.4 (59.1) 17	50.0 (60.8) 14	44.1 (55.9) 6	44.1 (57.2) 4	32.0 (49.4) 3	34.1 (48.0) 2	48.1 (58.4) 11	44.0 (56.4) 14	46.8 (60.1) 25	38.7 (52.0) 6	40.5 (52.1) 4	39.7 (53.8) 7	46.3 (58.6) 8	42.7 (53.2) 5	46.8 (62.8) 10	41.0 (53.2) 6	24.7 (44.4) 1
10	個人住宅 (うるま市石川山城)	42.1 (57.9) 5	56.2 (68.6) 23	52.5 (64.4) 6	37.5 (48.6) 1	39.6 (50.1) 10	54.3 (66.5) 12	55.2 (67.3) 24	56.7 (69.9) 22	57.5 (69.5) 22	48.6 (63.4) 2	52.3 (62.6) 3	31.8 (43.5) 1	---	59.8 (72.0) 0	58.2 (70.2) 28	55.2 (67.2) 14	49.3 (62.2) 11	47.9 (64.2) 6	41.3 (54.6) 2	52.4 (66.2) 8	57.2 (67.7) 14	56.7 (68.9) 15	53.8 (65.0) 12	55.5 (66.5) 18	44.8 (55.6) 3	45.6 (58.5) 3	52.7 (63.8) 9	54.4 (65.9) 15	59.4 (70.2) 11	53.7 (65.4) 16	47.8 (61.2) 20
11	個人住宅 (うるま市字昆布)	49.9 (65.0) 12	61.2 (73.5) 20	54.6 (66.6) 12	37.0 (47.8) 1	49.0 (62.0) 6	59.4 (70.3) 10	58.4 (72.7) 14	62.9 (76.0) 23	59.9 (73.6) 22	51.6 (58.2) 5	33.1 (45.7) 1	45.6 (55.7) 2	---	62.3 (75.4) 28	60.3 (72.5) 22	61.5 (73.9) 27	51.3 (63.0) 12	51.9 (63.9) 5	48.8 (60.3) 6	49.0 (58.4) 5	58.9 (68.8) 15	58.8 (70.0) 14	58.9 (69.9) 12	54.8 (65.9) 14	52.8 (64.9) 5	55.4 (70.7) 6	58.1 (69.6) 11	57.3 (70.1) 13	55.2 (69.8) 16	54.9 (66.0) 14	51.1 (64.7) 14
12	個人住宅 (うるま市石川東恩納)	55.0 (67.9) 32	62.9 (75.9) 29	57.5 (68.7) 17	50.5 (63.4) 12	55.4 (71.8) 12	60.8 (73.9) 18	60.2 (76.0) 19	62.1 (75.0) 29	62.8 (75.0) 28	57.5 (68.4) 10	58.9 (71.9) 5	50.3 (61.2) 4	---	64.6 (78.2) 37	63.4 (76.7) 33	61.4 (74.7) 30	53.2 (67.2) 20	53.9 (68.5) 11	55.3 (70.2) 10	57.6 (69.0) 29	63.0 (75.2) 27	61.9 (74.4) 27	59.7 (72.4) 20	60.7 (72.4) 25	47.1 (58.7) 7	48.8 (61.4) 8	58.1 (70.5) 20	61.2 (75.0) 27	59.7 (71.6) 17	62.8 (73.6) 31	62.8 (77.1) 32
13	個人住宅 (うるま市石川東山)	35.4 (48.9) 1	47.6 (59.3) 13	45.5 (59.2) 5	---	34.9 (48.4) 1	46.5 (58.6) 10	50.7 (63.8) 17	45.5 (58.5) 13	50.3 (65.9) 19	42.0 (53.9) 2	28.5 (44.1) 1	44.4 (59.1) 5	37.8 (54.1) 1	50.9 (64.0) 23	50.7 (62.0) 21	47.6 (58.0) 9	39.9 (55.1) 6	45.5 (61.0) 5	40.4 (54.8) 5	46.6 (59.2) 9	49.1 (61.0) 10	49.8 (61.1) 13	45.5 (56.8) 11	47.5 (59.6) 9	45.5 (61.5) 6	41.0 (52.8) 3	45.7 (59.0) 7	49.0 (64.0) 17	51.4 (66.1) 17	48.7 (61.8) 14	44.3 (59.8) 6
14	個人住宅 (北谷町字砂辺)	73.9 (89.5) 57	65.4 (81.5) 71	56.2 (71.5) 25	30.7 (43.0) 1	40.6 (55.0) 7	61.9 (78.6) 51	62.4 (78.3) 83	62.0 (79.0) 53	60.4 (75.9) 78	56.9 (73.9) 11	50.0 (63.4) 4	51.9 (66.2) 6	---	61.5 (77.0) 72	65.0 (81.9) 87	63.2 (79.8) 52	78.0 (96.4) 72	55.4 (74.7) 18	63.0 (82.3) 18	65.5 (85.6) 21	76.0 (96.7) 71	70.6 (90.4) 71	78.2 (95.8) 57	73.5 (93.9) 64	63.2 (85.0) 11	63.3 (81.2) 20	64.7 (81.7) 63	74.3 (93.9) 92	75.9 (94.9) 122	70.8 (90.8) 86	70.5 (89.5) 74

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先  
 沖縄防衛局 企画部 住宅防音課  
 098-921-8150(内線291)