

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和7年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (土)	2日 (日)	3日 (月)	4日 (火)	5日 (水)	6日 (木)	7日 (金)	8日 (土)	9日 (日)	10日 (月)	11日 (火)	12日 (水)	13日 (木)	14日 (金)	15日 (土)	16日 (日)	17日 (月)	18日 (火)	19日 (水)	20日 (木)	21日 (金)	22日 (土)	23日 (日)	24日 (月)	25日 (火)	26日 (水)	27日 (木)	28日 (金)	29日 (土)	30日 (日)	
1	嘉手納飛行場内西側 (北谷町字砂辺)	55.4 (72.2) 13	57.0 (75.6) 19	65.5 (82.0) 45	64.7 (85.2) 35	77.8 (92.1) 72	76.1 (90.5) 74	64.4 (86.0) 52	58.9 (75.3) 38	60.6 (76.4) 15	63.0 (80.8) 60	58.1 (79.2) 19	63.1 (77.9) 30	74.8 (91.9) 59	74.2 (91.8) 48	58.1 (76.7) 30	56.8 (77.6) 25	70.8 (90.8) 75	79.3 (99.1) 85	72.9 (91.0) 103	66.9 (84.5) 105	92.9 (99.9) 24	56.5 (70.5) 18	53.9 (71.4) 18	72.4 (90.4) 94	71.8 (90.5) 108	75.0 (94.9) 84	75.8 (96.3) 84	54.8 (63.9) 9	59.0 (72.3) 12	55.1 (68.0) 9	52.9 (70.2) 12
2	嘉手納飛行場内北側 (沖繩市大工廻)	62.8 (82.5) 18	64.4 (77.8) 14	62.2 (78.8) 28	73.1 (90.3) 53	76.0 (92.6) 57	76.5 (92.6) 70	75.9 (95.8) 46	61.4 (77.2) 38	63.4 (80.6) 9	60.6 (75.9) 47	65.8 (84.2) 13	74.9 (91.7) 59	75.7 (92.2) 64	77.6 (95.1) 50	67.3 (85.4) 21	69.0 (86.2) 25	72.0 (89.7) 67	73.7 (90.6) 81	73.7 (90.7) 102	76.9 (93.8) 97	78.5 (97.2) 100	56.1 (72.1) 20	53.0 (69.7) 13	78.4 (96.3) 125	75.1 (91.6) 86	75.8 (93.4) 68	54.8 (66.3) 3	59.0 (72.3) 14	55.1 (68.0) 7	52.9 (70.2) 9	
3	個人住宅 (北谷町字吉原)	---	29.9 (43.7) 0	33.8 (47.3) 1	44.6 (58.5) 6	54.3 (64.6) 13	57.4 (68.4) 26	57.1 (67.7) 21	39.2 (54.5) 3	---	59.4 (70.5) 0	41.3 (51.8) 1	---	48.6 (60.3) 15	55.8 (70.0) 4	38.3 (51.3) 2	35.6 (50.3) 2	53.0 (67.6) 20	59.4 (73.8) 49	60.2 (73.9) 86	57.9 (71.6) 72	42.7 (55.8) 6	41.0 (55.8) 6	57.4 (71.3) 78	57.2 (70.7) 43	56.5 (69.7) 38	---	37.4 (51.3) 2	---	---	---	
4	嘉手納中央区コミュニティーセンター (嘉手納町字嘉手納)	---	---	44.4 (61.4) 4	57.9 (71.9) 16	62.7 (75.4) 27	62.2 (78.2) 38	61.5 (76.2) 25	33.6 (48.2) 1	---	40.0 (55.9) 5	50.4 (60.4) 2	61.4 (76.1) 36	59.7 (74.1) 31	60.5 (74.1) 37	48.5 (59.9) 6	49.7 (60.1) 6	59.5 (74.5) 38	59.0 (75.1) 67	61.2 (77.6) 89	62.9 (77.1) 69	64.0 (78.8) 57	---	---	63.2 (79.1) 77	57.2 (73.5) 39	60.1 (75.3) 39	---	---	---	---	
5	読谷中学校 (読谷村字座喜味)	26.0 (43.8) 1	---	33.1 (47.0) 2	37.0 (52.9) 3	33.9 (50.1) 3	37.6 (53.3) 4	44.5 (55.4) 3	31.9 (47.5) 1	36.7 (56.2) 1	---	39.9 (55.7) 0	41.6 (56.2) 3	36.9 (44.7) 1	46.5 (58.4) 5	---	43.1 (61.4) 2	47.5 (61.6) 3	51.0 (63.5) 5	---	28.4 (43.3) 0	49.2 (63.7) 18	---	---	42.8 (56.0) 5	37.4 (52.0) 5	42.1 (57.1) 5	---	---	35.0 (52.2) 4	---	
6	私有地 (沖繩市字倉敷)	57.8 (72.9) 13	60.8 (71.3) 13	50.8 (64.3) 15	69.2 (85.5) 37	70.6 (85.6) 34	68.9 (82.7) 30	57.6 (71.9) 23	54.7 (68.4) 19	54.3 (70.0) 7	54.0 (67.2) 9	62.6 (75.4) 11	68.1 (84.6) 41	67.2 (85.3) 47	67.0 (82.3) 37	64.3 (78.8) 43	69.2 (84.6) 28	70.2 (83.8) 53	67.2 (82.9) 51	72.0 (86.7) 56	72.5 (88.6) 61	66.1 (83.3) 48	51.9 (67.0) 12	48.7 (63.0) 8	71.4 (87.5) 77	70.2 (86.2) 39	65.0 (81.0) 34	45.0 (59.4) 6	55.2 (67.6) 23	52.7 (63.8) 6	48.2 (62.0) 6	
7	体験学習施設やまっち (沖繩市山内)	39.0 (57.8) 3	35.4 (50.7) 2	---	53.2 (67.3) 0	52.8 (69.6) 15	59.9 (74.2) 18	57.3 (70.9) 33	25.0 (44.0) 28	---	61.9 (81.4) 2	42.6 (58.0) 5	38.3 (51.0) 3	54.2 (70.9) 28	58.5 (74.3) 5	37.5 (52.6) 5	39.3 (54.0) 5	53.5 (69.1) 29	60.8 (75.1) 46	62.3 (78.8) 93	61.2 (75.4) 63	61.4 (75.9) 70	---	---	59.8 (74.2) 89	58.6 (73.0) 51	58.3 (73.4) 33	36.4 (50.6) 1	29.8 (45.0) 1	---	---	
8	美里中学校 (沖繩市知花)	46.5 (59.1) 4	---	43.1 (57.8) 2	50.0 (61.5) 11	54.0 (62.7) 12	54.6 (65.7) 21	58.2 (69.9) 11	34.4 (49.4) 2	---	---	42.8 (56.7) 1	50.6 (63.8) 11	66.7 (83.0) 26	56.7 (72.6) 30	37.7 (49.2) 3	45.6 (56.5) 6	52.5 (66.2) 16	60.3 (75.6) 35	58.6 (72.1) 57	57.6 (69.9) 47	61.1 (73.9) 42	40.5 (54.8) 5	41.1 (54.9) 1	57.9 (70.7) 53	56.9 (71.1) 40	55.1 (69.1) 24	---	---	---	---	
9	あげな小学校 (うるま市字西原)	32.6 (46.2) 2	28.5 (44.5) 1	30.2 (50.1) 1	45.9 (56.5) 10	49.0 (59.6) 6	47.9 (57.4) 9	45.4 (57.0) 11	32.3 (44.3) 1	38.9 (55.2) 1	---	---	38.3 (51.9) 0	44.6 (59.9) 13	49.0 (62.6) 27	40.8 (52.6) 8	42.5 (53.9) 5	47.8 (58.7) 14	49.3 (62.5) 15	54.4 (65.5) 23	52.0 (62.5) 17	48.2 (60.6) 16	28.5 (47.0) 0	---	54.1 (64.8) 23	47.9 (60.8) 16	48.5 (62.6) 14	---	24.1 (43.6) 0	---	---	
10	個人住宅 (うるま市石川山城)	41.5 (53.1) 4	---	42.0 (56.2) 1	55.9 (67.0) 17	59.3 (70.3) 15	59.4 (67.0) 18	51.2 (61.9) 9	37.7 (50.7) 3	46.6 (58.5) 3	31.3 (44.5) 1	49.7 (61.5) 3	53.0 (66.1) 17	49.9 (62.9) 4	56.7 (69.5) 14	54.3 (68.3) 5	51.6 (63.7) 8	56.2 (68.6) 17	56.3 (68.5) 14	57.9 (69.8) 23	60.0 (72.1) 32	54.1 (65.7) 33	28.5 (43.2) 1	32.7 (45.2) 1	58.1 (69.9) 20	55.2 (67.4) 19	27.7 (43.6) 1	---	---	---		
11	個人住宅 (うるま市字昆布)	47.5 (61.0) 6	50.1 (62.8) 6	48.1 (62.0) 6	59.1 (71.1) 17	64.7 (73.4) 16	63.5 (76.5) 25	50.4 (60.4) 13	42.8 (55.5) 6	---	41.2 (51.0) 2	46.8 (54.1) 1	56.0 (69.7) 18	52.4 (66.6) 10	56.7 (72.5) 19	47.5 (61.1) 13	55.1 (68.4) 9	59.7 (69.4) 20	62.9 (76.9) 24	64.0 (76.0) 29	65.4 (78.2) 42	55.8 (69.5) 22	42.5 (54.9) 5	---	64.2 (76.8) 31	61.2 (73.8) 20	58.3 (70.6) 15	42.1 (53.6) 1	46.8 (60.3) 4	33.7 (44.4) 1	38.6 (52.1) 2	
12	個人住宅 (うるま市石川東恩納)	51.1 (65.8) 7	53.5 (64.5) 9	50.3 (64.7) 14	62.1 (72.9) 29	63.8 (75.6) 26	64.2 (74.1) 31	52.7 (65.9) 19	48.3 (63.5) 9	50.8 (62.7) 7	46.6 (58.8) 5	56.4 (73.6) 9	54.9 (71.8) 33	58.7 (76.5) 20	52.1 (65.4) 21	60.4 (73.7) 11	62.2 (72.5) 11	61.1 (74.6) 29	64.0 (76.2) 23	64.4 (77.6) 27	56.9 (70.6) 38	44.3 (57.4) 22	42.1 (56.0) 7	63.9 (77.7) 6	62.1 (76.0) 34	56.7 (69.2) 26	43.5 (55.7) 1	48.5 (63.4) 7	46.2 (58.6) 6	40.6 (54.0) 4		
13	個人住宅 (うるま市石川東山)	42.0 (57.0) 4	37.3 (52.0) 2	40.4 (55.3) 11	49.3 (60.9) 14	49.9 (61.6) 24	52.3 (60.2) 7	36.2 (49.7) 4	36.4 (51.6) 5	37.4 (51.6) 5	45.3 (59.7) 6	47.7 (62.9) 4	51.3 (67.0) 12	46.4 (59.2) 7	53.0 (68.0) 19	53.8 (69.5) 7	47.3 (61.6) 7	50.3 (63.2) 17	52.8 (68.3) 13	52.4 (65.4) 29	54.2 (65.0) 19	46.9 (58.9) 9	47.5 (62.1) 10	44.6 (60.0) 11	51.5 (64.7) 23	52.5 (66.4) 22	48.3 (61.7) 14	48.9 (61.7) 7	---	42.5 (56.8) 0	43.3 (60.0) 5	
14	個人住宅 (北谷町字砂辺)	33.7 (46.5) 2	37.1 (50.5) 2	48.2 (62.2) 8	55.8 (72.3) 28	62.2 (79.0) 47	66.0 (81.5) 52	60.5 (76.6) 47	52.1 (63.6) 20	---	53.5 (70.2) 0	42.3 (55.5) 1	61.0 (76.2) 38	69.4 (85.2) 40	68.5 (84.7) 60	60.7 (79.9) 24	52.9 (71.7) 17	66.4 (84.0) 68	74.0 (90.9) 87	68.9 (85.1) 132	67.5 (83.2) 111	71.3 (86.0) 97	52.9 (64.3) 17	42.6 (55.9) 10	70.6 (87.5) 109	67.1 (83.7) 99	66.0 (80.9) 71	31.9 (43.8) 1	44.8 (58.8) 9	44.6 (60.1) 4	38.2 (50.1) 4	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131 (内線291)