

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和8年2月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)			
1	嘉手納飛行場内西側 (北谷町字砂辺)	61.9 (77.1) 10	69.4 (87.0) 57	63.2 (81.5) 68	68.3 (87.0) 89	79.8 (98.3) 126	70.5 (88.2) 43	55.9 (74.2) 16	52.4 (72.6) 10	60.9 (77.9) 61	64.6 (82.3) 81	76.0 (96.5) 62	77.1 (97.0) 158	67.2 (84.5) 55	69.6 (88.3) 18	55.2 (72.5) 13	51.2 (68.8) 9	65.9 (84.3) 49	77.7 (97.3) 94	77.6 (98.2) 81	62.3 (79.7) 69	72.1 (92.4) 28	59.8 (76.8) 24	74.8 (93.9) 107	69.0 (87.9) 61	70.3 (88.5) 49	69.6 (85.7) 94	58.3 (75.9) 31	69.0 (86.9) 17			
2	嘉手納飛行場内北側 (沖縄市大工廻)	67.6 (86.3) 11	75.9 (94.1) 67	---	---	81.6 (102.5) 108	75.4 (92.9) 61	61.4 (79.3) 12	52.0 (69.7) 10	57.7 (72.8) 28	79.1 (97.8) 112	73.4 (94.1) 57	78.4 (96.4) 130	72.9 (89.8) 53	73.5 (89.8) 29	66.9 (81.2) 18	65.5 (80.7) 15	68.8 (87.1) 49	76.3 (93.6) 91	78.7 (96.1) 83	75.4 (93.1) 108	71.9 (90.6) 18	82.6 (104.9) 24	78.6 (96.7) 118	80.9 (100.2) 71	75.3 (93.1) 49	78.9 (95.5) 90	66.8 (85.4) 28	71.3 (90.7) 17			
3	個人住宅 (北谷町字吉原)	35.4 (45.0) 1	---	58.1 (73.3) 48	54.6 (68.5) 35	59.5 (72.8) 44	46.3 (60.5) 7	44.0 (59.9) 5	30.0 (48.6) 1	44.0 (60.3) 4	55.7 (69.8) 46	50.3 (66.1) 17	58.3 (71.8) 73	52.4 (67.1) 31	45.9 (55.6) 4	---	---	45.5 (61.1) 7	58.5 (72.9) 60	58.4 (72.4) 59	50.9 (66.2) 20	43.1 (55.5) 4	48.9 (63.7) 15	55.4 (69.4) 43	54.4 (68.4) 33	45.8 (56.5) 4	57.0 (71.2) 49	41.3 (50.7) 2	38.6 (52.5) 3			
4	嘉手納中央区コミュニティセンター (嘉手納町字嘉手納)	47.5 (57.1) 1	---	65.7 (81.8) 56	65.9 (81.2) 51	66.3 (82.1) 80	59.0 (74.4) 22	46.3 (60.4) 1	---	40.4 (54.0) 4	65.2 (79.1) 72	56.8 (70.9) 21	65.4 (81.5) 74	59.5 (75.5) 27	56.4 (77.5) 10	30.6 (43.8) 1	38.6 (53.6) 1	54.9 (70.6) 7	60.2 (76.0) 50	66.3 (82.1) 61	62.8 (77.7) 36	56.1 (70.7) 7	62.5 (78.5) 18	64.8 (80.5) 77	63.7 (78.2) 51	56.9 (68.8) 9	64.9 (80.1) 60	40.3 (52.8) 1	52.0 (62.6) 5			
5	読谷中学校 (読谷村字座喜味)	---	46.8 (62.2) 4	39.3 (52.6) 4	40.7 (57.6) 3	44.1 (56.9) 6	45.0 (60.5) 2	---	44.7 (60.1) 3	35.1 (49.8) 1	38.1 (52.1) 4	---	44.6 (61.7) 5	41.8 (55.7) 2	33.6 (45.9) 1	---	---	---	42.1 (57.4) 0	50.0 (64.2) 6	41.4 (53.8) 3	---	50.8 (67.2) 10	40.7 (56.1) 8	47.9 (59.9) 12	33.5 (46.8) 2	28.3 (47.0) 1	---	---			
6	私有地 (沖縄市字倉敷)	65.8 (81.8) 9	69.2 (84.3) 26	68.4 (83.4) 26	65.8 (82.7) 27	66.9 (83.6) 61	59.5 (76.8) 26	60.6 (70.7) 13	48.3 (63.8) 6	50.1 (69.1) 10	71.1 (87.8) 33	68.1 (83.0) 32	63.9 (79.7) 34	64.9 (84.0) 14	60.5 (74.2) 14	56.5 (68.0) 12	53.6 (66.9) 9	67.0 (83.8) 27	66.8 (81.3) 27	67.8 (83.5) 33	68.4 (85.3) 57	62.8 (78.2) 7	57.2 (72.7) 11	64.9 (83.4) 39	62.4 (78.3) 15	71.2 (88.1) 34	60.0 (75.1) 28	61.8 (79.9) 23				
7	体験学習施設やまっち (沖縄市山内)	---	53.3 (67.2) 25	60.3 (75.2) 48	56.6 (71.0) 52	61.6 (74.8) 64	53.7 (68.5) 21	43.0 (57.5) 5	40.0 (57.0) 2	39.1 (53.8) 3	59.3 (72.9) 50	53.8 (65.1) 18	59.9 (74.8) 66	55.0 (69.4) 30	45.6 (57.0) 2	---	---	48.6 (61.2) 7	61.8 (77.4) 71	62.8 (78.4) 79	55.4 (69.9) 29	44.5 (60.8) 3	42.4 (57.2) 7	56.7 (71.6) 56	57.6 (72.1) 35	46.8 (60.9) 7	60.8 (74.8) 59	39.8 (55.4) 1	44.2 (53.9) 2			
8	美里中学校 (沖縄市知花)	45.1 (55.0) 1	53.8 (64.7) 18	56.7 (69.4) 28	56.0 (67.8) 30	64.9 (80.7) 56	56.5 (72.7) 21	38.3 (54.0) 1	28.6 (43.6) 1	---	56.7 (69.5) 39	54.3 (67.7) 21	56.7 (70.1) 50	45.6 (59.5) 25	45.5 (67.7) 2	---	33.2 (46.8) 1	50.1 (62.1) 8	58.6 (73.0) 45	59.9 (73.0) 45	60.1 (74.0) 36	44.7 (56.0) 3	55.5 (68.6) 14	58.7 (72.0) 36	61.8 (74.7) 39	44.5 (58.0) 7	57.0 (70.7) 39	41.6 (55.2) 3	51.6 (61.5) 4			
9	あげな小学校 (うるま市字西原)	43.7 (56.8) 14	56.3 (66.4) 20	55.4 (66.6) 24	54.4 (64.8) 21	52.6 (66.8) 32	42.3 (57.8) 14	35.0 (50.6) 3	32.1 (46.0) 1	32.2 (48.8) 3	52.3 (63.3) 22	48.3 (60.9) 11	50.6 (61.8) 19	43.7 (56.7) 9	37.0 (50.5) 1	---	35.5 (48.0) 2	46.3 (56.7) 6	49.9 (61.8) 18	56.7 (67.9) 16	49.0 (59.4) 16	38.2 (51.7) 3	50.3 (61.0) 8	55.6 (66.3) 27	53.2 (64.6) 27	26.0 (43.1) 1	52.1 (63.8) 20	44.1 (57.7) 2	44.7 (56.9) 8			
10	個人住宅 (うるま市石川山城)	49.6 (64.6) 5	59.5 (70.9) 23	60.8 (72.4) 23	60.7 (71.6) 23	56.3 (69.5) 25	45.0 (60.8) 8	40.1 (52.5) 2	29.0 (43.0) 1	---	60.0 (72.0) 22	54.8 (68.8) 20	61.2 (74.3) 22	54.8 (67.1) 10	39.2 (55.1) 3	43.8 (54.8) 1	---	52.9 (67.6) 13	60.2 (71.0) 18	58.8 (71.6) 23	56.6 (68.4) 21	48.5 (60.5) 4	51.7 (62.4) 4	59.8 (71.6) 26	58.3 (72.9) 28	43.2 (57.5) 7	59.4 (71.0) 18	30.4 (46.1) 1	48.7 (62.4) 5			
11	個人住宅 (うるま市字昆布)	53.9 (69.5) 6	63.7 (75.1) 21	63.8 (74.6) 21	63.4 (75.7) 20	58.7 (71.0) 11	53.5 (67.4) 11	46.9 (60.3) 5	42.2 (55.5) 4	40.4 (52.8) 2	62.6 (76.0) 21	60.1 (73.5) 24	60.0 (72.7) 24	57.8 (72.2) 10	49.4 (63.1) 6	44.0 (55.7) 1	36.9 (48.3) 1	57.9 (70.6) 12	63.1 (75.1) 25	62.5 (75.0) 23	61.2 (71.7) 25	50.2 (63.3) 2	51.1 (61.8) 5	62.7 (73.7) 25	59.3 (71.7) 29	49.6 (61.0) 8	66.1 (78.4) 22	47.3 (61.8) 6	58.6 (71.5) 8			
12	個人住宅 (うるま市石川東恩納)	57.4 (71.7) 7	64.2 (76.3) 29	65.0 (76.5) 27	65.2 (77.6) 30	61.3 (75.5) 49	58.0 (72.6) 32	47.6 (60.2) 8	40.0 (54.2) 4	48.8 (63.3) 12	65.4 (79.5) 29	61.8 (75.0) 26	64.2 (77.9) 34	59.7 (72.3) 12	58.6 (74.3) 18	56.1 (65.6) 9	53.2 (63.2) 10	59.8 (74.1) 19	64.1 (75.9) 23	63.2 (76.9) 29	62.3 (76.1) 49	54.8 (67.0) 8	52.6 (66.2) 9	65.1 (77.5) 31	61.5 (75.7) 23	62.1 (75.5) 26	64.9 (75.9) 25	56.6 (71.2) 18	53.0 (68.6) 15			
13	個人住宅 (うるま市石川東山)	37.1 (43.8) 1	51.7 (64.3) 19	54.4 (66.1) 17	56.5 (68.1) 16	47.9 (61.2) 3	38.1 (54.0) 6	41.2 (57.9) 6	35.8 (49.3) 2	40.0 (54.6) 1	53.1 (67.6) 20	45.3 (56.8) 7	56.7 (69.2) 16	44.9 (59.2) 6	33.1 (44.3) 1	38.7 (53.7) 1	---	45.7 (56.5) 4	50.6 (63.0) 18	49.2 (60.3) 14	48.4 (60.0) 10	41.1 (57.3) 2	40.2 (50.4) 4	50.8 (61.1) 14	46.7 (59.3) 7	39.5 (49.0) 3	49.1 (59.3) 3	39.5 (54.7) 2	35.9 (51.6) 3			
14	個人住宅 (北谷町字砂辺)	40.9 (53.8) 3	66.6 (82.3) 45	64.3 (79.3) 71	64.7 (82.3) 60	74.6 (91.5) 93	65.7 (80.7) 38	45.6 (60.2) 6	38.6 (52.4) 2	50.1 (63.7) 8	61.1 (77.2) 93	68.4 (82.9) 60	64.4 (80.4) 103	57.3 (72.3) 36	64.8 (78.8) 11	50.5 (64.4) 10	44.6 (58.6) 2	59.4 (76.8) 24	65.3 (81.1) 84	68.3 (84.0) 86	60.9 (77.8) 35	65.7 (81.2) 18	54.2 (70.4) 23	62.1 (77.7) 81	63.2 (79.3) 55	65.4 (82.9) 30	66.8 (82.5) 93	51.8 (65.6) 23	53.5 (69.3) 9			

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。
 ※No.2において、3～4日は測定器不具合のため欠測。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8150(内線291)