

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和8年3月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)
1	嘉手納飛行場内西側 (北谷町字砂辺)	53.2 (70.7) 18	74.8 (92.7) 130	68.2 (86.3) 73	57.0 (75.4) 15	67.0 (86.0) 49	63.4 (80.2) 102	66.1 (86.3) 24	55.6 (75.3) 20	62.7 (88.8) 26	71.4 (87.5) 62	70.1 (86.1) 70	72.8 (91.2) 42	65.5 (81.5) 21	52.0 (69.1) 16	57.5 (72.6) 16	72.8 (89.9) 96	65.9 (82.8) 111	76.3 (97.6) 96	72.6 (97.6) 69	62.4 (77.7) 47	63.5 (77.0) 19	61.9 (77.0) 13	65.3 (84.2) 41	68.9 (87.2) 46	73.7 (92.1) 47	69.8 (88.8) 61	57.5 (76.1) 19	56.2 (71.7) 21	51.7 (68.4) 12	73.3 (92.2) 51	72.1 (90.8) 45
2	嘉手納飛行場内北側 (沖縄市大工廻)	70.0 (87.8) 17	80.2 (98.2) 157	75.0 (92.5) 55	56.2 (73.0) 8	70.0 (92.4) 8	82.2 (103.1) 91	73.1 (90.8) 33	71.3 (90.5) 28	67.4 (84.4) 27	82.5 (97.2) 57	80.8 (97.6) 68	76.7 (92.2) 32	57.0 (69.5) 12	55.6 (68.8) 12	57.3 (70.0) 13	75.3 (93.1) 92	78.3 (97.2) 115	77.0 (96.6) 117	79.2 (100.0) 96	73.2 (91.8) 14	61.9 (77.3) 16	58.7 (77.3) 14	75.3 (94.6) 53	79.0 (97.8) 88	73.4 (94.1) 82	79.8 (100.1) 71	63.1 (81.1) 20	62.5 (74.8) 17	60.8 (77.2) 19	78.3 (97.0) 81	76.3 (96.5) 80
3	個人住宅 (北谷町字吉原)	41.0 (55.5) 4	51.6 (63.8) 19	53.5 (70.1) 23	40.6 (59.0) 1	50.7 (68.2) 10	58.9 (77.2) 32	51.6 (63.1) 10	58.2 (72.2) 5	44.8 (62.3) 6	58.7 (71.2) 32	51.2 (66.8) 21	55.4 (66.8) 7	55.4 (72.2) 9	32.0 (48.7) 2	---	53.6 (68.6) 39	56.1 (70.2) 33	55.3 (68.5) 24	48.8 (59.8) 12	45.7 (50.7) 10	32.8 (50.7) 2	47.1 (61.3) 2	46.4 (62.9) 6	46.9 (60.9) 11	49.6 (60.0) 8	55.2 (70.2) 37	40.9 (58.6) 2	43.2 (58.5) 6	52.5 (64.2) 2	47.1 (58.5) 9	44.8 (54.7) 6
4	嘉手納中央区コミュニティーセンター (嘉手納町字嘉手納)	48.5 (62.4) 2	62.9 (77.5) 67	57.6 (71.8) 31	---	56.0 (74.3) 12	59.9 (70.2) 19	55.6 (65.5) 15	51.8 (65.5) 5	53.7 (69.0) 8	66.9 (81.9) 39	70.7 (84.0) 40	65.6 (80.1) 13	34.3 (46.3) 1	---	---	61.1 (78.8) 34	60.9 (76.4) 33	63.6 (81.1) 38	60.1 (77.2) 27	59.5 (74.5) 18	---	---	63.1 (77.6) 16	63.8 (79.2) 31	54.5 (67.5) 13	59.2 (73.7) 36	---	---	42.7 (55.6) 5	62.3 (79.3) 25	59.2 (74.5) 18
5	読谷中学校 (読谷村字座喜味)	36.9 (53.1) 1	28.6 (46.9) 1	43.2 (58.4) 2	---	---	43.6 (57.3) 5	---	---	41.2 (54.9) 5	42.7 (57.2) 1	39.3 (54.2) 5	32.4 (47.2) 1	47.5 (62.2) 4	30.7 (47.1) 1	---	35.1 (49.7) 1	41.2 (54.0) 3	47.5 (62.6) 9	35.3 (46.4) 1	---	---	45.9 (60.9) 1	---	38.6 (53.0) 4	33.7 (49.0) 1	44.1 (58.4) 1	---	34.1 (49.8) 1	---	36.2 (48.1) 0	51.9 (65.5) 3
6	私有地 (沖縄市字倉敷)	51.4 (63.5) 7	65.6 (83.6) 67	69.3 (86.4) 26	54.1 (66.5) 9	65.1 (85.9) 17	64.6 (79.3) 22	69.7 (83.2) 21	63.2 (78.0) 14	63.5 (79.0) 16	68.6 (81.3) 22	74.7 (86.7) 30	63.5 (76.4) 22	54.6 (69.1) 17	49.8 (64.3) 16	52.5 (66.9) 9	64.8 (80.5) 33	66.7 (83.7) 36	66.9 (84.0) 40	64.4 (81.9) 58	61.8 (80.4) 15	53.6 (66.6) 18	51.2 (67.7) 9	67.7 (84.5) 31	66.2 (82.4) 55	64.3 (81.7) 38	63.7 (81.7) 21	58.1 (71.4) 18	59.5 (71.2) 26	52.6 (63.2) 10	62.9 (82.1) 46	61.1 (80.2) 32
7	体験学習施設やまっち (沖縄市山内)	31.4 (43.7) 1	56.0 (73.8) 33	59.2 (76.8) 31	38.0 (55.6) 2	46.8 (64.1) 10	53.4 (69.1) 30	54.4 (68.2) 11	45.1 (55.1) 3	46.9 (61.0) 4	58.2 (73.2) 31	55.0 (67.3) 11	55.2 (67.3) 11	54.7 (70.2) 9	32.0 (50.2) 3	29.8 (44.8) 1	56.8 (71.6) 43	57.0 (69.9) 35	57.0 (71.9) 25	50.9 (65.3) 20	49.0 (63.6) 16	---	---	49.3 (64.3) 14	49.9 (65.6) 16	50.9 (62.6) 11	57.9 (72.3) 40	---	---	---	50.8 (64.0) 13	49.4 (60.9) 11
8	美里中学校 (沖縄市知花)	46.6 (59.5) 5	59.3 (75.9) 27	56.1 (66.4) 20	---	54.7 (67.7) 6	57.9 (71.0) 21	52.6 (66.3) 13	50.6 (60.5) 3	50.8 (58.9) 3	56.3 (69.2) 18	58.3 (71.6) 26	54.9 (67.9) 8	---	---	31.3 (45.9) 1	59.5 (73.1) 68	55.7 (68.5) 26	61.3 (78.3) 27	53.7 (68.8) 11	50.3 (63.2) 11	---	---	53.2 (66.4) 12	58.6 (74.6) 34	45.2 (59.6) 5	60.2 (73.1) 23	---	---	---	51.5 (65.5) 0	54.9 (71.5) 12
9	あげな小学校 (うるま市字西原)	36.1 (52.1) 1	41.2 (56.5) 7	52.2 (65.3) 20	---	41.9 (56.4) 4	48.1 (61.9) 8	45.3 (57.6) 11	43.0 (52.8) 3	44.4 (57.2) 4	51.6 (63.1) 14	53.6 (66.0) 15	48.4 (56.8) 2	47.8 (67.3) 1	32.2 (49.3) 3	34.3 (48.5) 2	52.4 (64.0) 14	49.2 (59.6) 9	44.0 (58.7) 9	---	40.6 (51.9) 6	---	---	42.8 (52.7) 4	40.5 (54.4) 8	---	42.7 (55.8) 12	42.3 (55.3) 1	---	---	31.1 (49.3) 0	43.0 (55.3) 8
10	個人住宅 (うるま市石川山城)	51.3 (62.1) 2	51.8 (66.3) 29	58.2 (68.9) 22	37.2 (50.4) 2	53.8 (68.1) 8	51.9 (65.8) 17	57.6 (72.3) 14	51.6 (62.8) 7	55.9 (69.1) 7	62.3 (75.9) 20	62.0 (74.6) 23	58.6 (68.3) 10	34.6 (49.0) 3	39.8 (55.6) 1	55.6 (68.7) 16	57.1 (67.3) 19	57.1 (68.7) 19	48.4 (60.5) 15	54.3 (65.1) 11	40.3 (54.4) 3	36.5 (50.0) 3	57.2 (66.1) 13	54.2 (64.9) 19	51.1 (61.1) 9	51.6 (66.5) 22	44.0 (56.3) 3	41.6 (54.1) 2	38.6 (51.5) 2	49.8 (64.2) 33	57.1 (70.0) 20	
11	個人住宅 (うるま市字昆布)	49.1 (60.9) 3	51.2 (65.1) 23	64.8 (75.6) 18	42.2 (53.5) 3	52.1 (66.0) 7	57.3 (69.2) 10	60.9 (75.6) 12	55.7 (69.1) 12	58.5 (67.4) 7	66.4 (78.6) 23	66.9 (78.0) 15	61.7 (74.2) 16	59.9 (74.2) 12	41.1 (54.6) 4	36.9 (49.9) 3	60.8 (72.4) 20	59.9 (73.9) 13	55.4 (68.7) 11	52.3 (65.0) 11	56.6 (66.6) 11	39.9 (52.9) 4	29.6 (44.3) 3	60.5 (70.8) 17	57.9 (67.9) 25	57.1 (67.0) 18	53.9 (67.0) 5	45.3 (56.6) 5	46.9 (57.9) 5	47.3 (57.5) 2	52.9 (66.5) 30	55.2 (66.1) 14
12	個人住宅 (うるま市石川東恩納)	56.1 (70.2) 7	66.7 (81.5) 66	63.7 (76.8) 23	48.0 (59.5) 7	57.9 (74.4) 14	56.7 (70.2) 13	63.4 (77.0) 13	58.2 (71.9) 18	61.2 (73.9) 17	68.4 (79.0) 34	67.3 (78.4) 25	61.9 (72.1) 16	47.5 (60.7) 9	45.0 (57.9) 7	47.3 (60.0) 7	59.9 (72.6) 28	62.8 (75.3) 30	61.5 (75.8) 30	65.3 (80.4) 65	59.8 (74.0) 14	46.3 (59.9) 11	46.4 (62.5) 7	64.2 (76.6) 26	61.4 (73.2) 39	60.1 (77.6) 47	56.7 (70.7) 24	53.7 (66.0) 13	53.0 (63.9) 8	48.8 (63.8) 9	66.8 (84.0) 47	63.3 (81.1) 34
13	個人住宅 (うるま市石川東山)	41.3 (52.6) 2	44.5 (57.3) 13	47.8 (58.9) 12	---	38.2 (49.6) 2	44.0 (59.4) 9	48.4 (63.4) 8	37.5 (49.3) 3	45.1 (53.7) 3	51.5 (64.0) 14	52.2 (65.0) 12	47.8 (54.0) 2	---	---	---	42.7 (55.1) 8	49.4 (63.5) 10	46.3 (60.6) 7	32.8 (46.9) 2	45.2 (57.5) 6	---	---	47.3 (57.0) 10	37.6 (48.3) 3	36.2 (48.0) 2	37.6 (49.5) 1	39.7 (55.9) 2	---	---	38.7 (53.5) 7	41.3 (54.9) 7
14	個人住宅 (北谷町字砂辺)	42.5 (56.2) 11	71.1 (86.5) 63	63.8 (79.9) 61	46.6 (60.7) 6	54.4 (69.9) 22	59.5 (75.5) 79	56.6 (74.9) 6	52.5 (71.7) 6	47.4 (61.6) 6	59.7 (75.0) 50	59.7 (74.8) 60	58.0 (72.8) 26	43.9 (58.3) 4	43.8 (58.4) 3	44.7 (58.4) 7	64.8 (79.8) 65	59.0 (73.7) 71	67.8 (85.3) 51	68.3 (84.3) 60	58.5 (75.1) 27	44.9 (56.8) 5	38.9 (51.6) 2	59.2 (75.7) 43	65.2 (80.8) 32	68.7 (84.8) 37	64.7 (83.0) 49	39.0 (51.3) 2	42.3 (56.3) 7	---	68.4 (82.9) 34	67.1 (83.5) 31

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No.1及びNo.2は3秒以上を1回としています。

お問い合わせ先
 沖縄防衛局 企画部 住宅防音課
 098-921-8131 (内線291)