

嘉手納飛行場周辺の航空機騒音状況

嘉手納飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和8年5月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	31日 (日)	
1	嘉手納飛行場内西側 (北谷町字砂辺)	77.3 (97.0) 53	62.0 (82.9) 17	61.0 (78.0) 17	79.5 (92.7) 22	70.6 (89.8) 36	61.7 (74.1) 17	76.5 (98.0) 76	77.9 (101.8) 46	53.3 (70.2) 14	57.1 (72.8) 8	63.8 (79.7) 19	71.2 (88.4) 23	68.3 (87.5) 66	76.7 (96.0) 64	64.1 (81.4) 47	67.1 (83.7) 24	60.0 (80.9) 18	66.7 (86.1) 45	66.3 (81.4) 28	79.7 (102.1) 62	77.6 (98.7) 64	63.5 (82.0) 15	56.1 (71.8) 14	59.8 (73.5) 11	67.7 (85.9) 20	73.1 (90.5) 55	68.0 (85.1) 49	60.6 (78.6) 34	62.9 (79.6) 32	60.8 (77.1) 13	54.4 (71.1) 3	
2	嘉手納飛行場内北側 (沖縄市大工廻)	71.9 (91.3) 53	58.5 (73.0) 11	57.2 (74.6) 23	73.3 (91.1) 31	76.6 (94.2) 53	70.0 (89.7) 24	83.3 (105.0) 76	77.5 (97.1) 47	54.7 (68.7) 11	69.7 (85.9) 18	57.0 (73.3) 13	73.0 (88.7) 32	78.0 (95.8) 56	76.2 (93.3) 68	76.3 (96.0) 44	69.4 (89.7) 21	59.1 (73.4) 14	72.0 (90.4) 46	70.5 (87.2) 32	76.4 (95.3) 97	74.7 (93.1) 76	73.3 (92.1) 23	65.2 (81.5) 20	62.7 (81.0) 25	68.9 (86.0) 69	75.5 (92.9) 39	69.3 (89.7) 76	68.0 (84.2) 20	66.9 (85.8) 30	63.0 (81.2) 25	64.6 (78.9) 8	
3	個人住宅 (北谷町字吉原)	52.0 (66.1) 17	35.3 (49.4) 2	31.2 (44.0) 1	54.3 (66.3) 8	44.0 (58.2) 2	44.8 (59.3) 4	54.8 (69.3) 41	55.0 (67.2) 17	39.2 (56.3) 3	---	---	---	46.2 (61.3) 10	53.4 (68.6) 37	45.0 (58.2) 7	40.5 (52.9) 4	39.5 (55.2) 1	39.4 (52.8) 3	---	53.2 (64.8) 7	54.9 (66.2) 13	---	26.0 (45.1) 0	---	---	47.8 (62.1) 6	38.2 (48.5) 1	28.4 (44.9) 1	54.5 (67.2) 5	28.7 (44.8) 1	45.8 (61.5) 1	
4	嘉手納中央区コミュニティセンター (嘉手納町字嘉手納)	55.9 (70.1) 23	43.6 (54.6) 2	25.9 (43.2) 1	60.1 (74.5) 19	68.5 (82.1) 36	61.2 (76.8) 11	62.6 (78.8) 65	60.1 (75.2) 42	37.5 (53.9) 1	52.0 (65.2) 6	47.6 (62.2) 6	59.8 (76.7) 17	60.7 (75.4) 52	61.5 (76.8) 61	57.6 (71.8) 21	51.7 (65.2) 4	29.2 (43.0) 1	58.0 (72.7) 31	53.8 (72.2) 10	60.8 (75.0) 19	59.6 (74.1) 27	52.1 (67.5) 3	---	---	50.4 (64.8) 4	55.5 (69.3) 33	49.7 (65.1) 5	45.6 (58.9) 3	44.8 (60.5) 9	---	---	
5	読谷中学校 (読谷村字座喜味)	42.2 (56.4) 6	35.5 (54.1) 3	---	---	---	---	46.8 (61.1) 10	46.9 (61.0) 10	---	28.6 (44.2) 0	---	---	---	42.9 (56.8) 0	43.0 (57.0) 7	37.9 (52.6) 3	37.3 (54.5) 2	---	---	38.4 (52.8) 2	38.9 (52.6) 3	---	34.4 (52.7) 1	45.6 (62.4) 4	---	---	49.9 (66.3) 11	36.9 (47.2) 2	---	---	33.4 (52.1) 2	
6	私有地 (沖縄市字倉敷)	61.5 (76.3) 22	57.5 (69.1) 4	42.7 (55.2) 7	64.2 (78.7) 14	71.6 (83.2) 35	59.5 (72.3) 9	65.6 (83.9) 32	55.7 (72.1) 19	47.7 (61.3) 10	62.7 (75.1) 14	48.6 (62.6) 14	64.4 (76.4) 18	66.4 (82.9) 22	69.6 (85.9) 29	69.0 (85.8) 28	57.8 (69.7) 9	58.2 (69.1) 7	64.4 (79.9) 25	61.4 (79.0) 12	67.0 (83.4) 52	55.7 (72.7) 39	45.6 (59.3) 8	60.3 (71.7) 13	46.6 (58.6) 8	44.0 (56.7) 10	58.4 (74.8) 30	57.4 (73.8) 33	57.2 (70.8) 14	66.0 (84.6) 20	58.3 (73.3) 25	55.6 (75.0) 9	
7	体験学習施設やまっち (沖縄市山内)	55.8 (71.4) 22	38.0 (55.7) 2	---	58.4 (65.3) 9	48.8 (63.4) 8	41.2 (55.5) 3	56.9 (70.8) 5	57.5 (72.3) 49	26.1 (44.4) 38	37.2 (51.3) 2	---	42.4 (56.9) 5	48.1 (61.5) 12	57.2 (66.5) 41	48.7 (56.0) 11	42.3 (58.0) 2	41.5 (54.1) 8	47.1 (64.1) 6	42.6 (57.1) 6	52.7 (66.2) 17	56.2 (69.8) 16	45.5 (53.7) 2	45.3 (61.5) 1	---	34.8 (47.4) 1	47.8 (62.4) 14	39.8 (56.8) 2	---	53.6 (72.3) 0	---	38.3 (56.5) 3	
8	美里中学校 (沖縄市知花)	55.5 (71.4) 14	---	32.5 (46.0) 1	53.3 (66.9) 10	55.4 (64.9) 18	49.9 (61.6) 5	57.6 (69.9) 32	59.5 (73.3) 21	---	44.4 (56.7) 4	---	52.7 (61.2) 6	55.1 (67.6) 23	53.5 (65.2) 27	54.5 (66.0) 14	46.3 (57.2) 4	---	48.5 (59.0) 0	49.7 (60.0) 13	54.4 (69.0) 3	56.6 (72.0) 19	44.7 (56.1) 3	---	---	40.4 (55.2) 2	55.0 (72.0) 12	---	---	44.8 (55.9) 0	39.3 (49.4) 1	---	
9	あげな小学校 (うるま市字西原)	---	---	---	---	50.1 (59.3) 3	39.5 (47.3) 2	40.5 (53.6) 5	40.0 (52.2) 4	---	---	---	41.3 (49.9) 4	35.7 (47.6) 2	29.6 (44.5) 1	37.6 (53.2) 2	---	---	43.5 (56.5) 5	48.8 (58.3) 4	29.9 (43.7) 1	34.7 (48.0) 2	---	---	---	---	---	---	---	38.5 (47.9) 1	38.4 (50.4) 1	---	
10	個人住宅 (うるま市石川山城)	49.6 (64.0) 6	---	30.4 (44.4) 1	56.2 (66.8) 9	62.8 (73.4) 22	53.8 (61.4) 2	59.6 (71.0) 20	52.0 (63.5) 10	27.6 (43.7) 10	47.0 (58.8) 5	34.1 (47.2) 2	55.1 (64.3) 10	57.8 (68.7) 24	57.1 (67.8) 23	54.9 (68.9) 19	49.7 (61.4) 5	36.4 (50.2) 3	53.4 (66.6) 22	47.8 (62.5) 7	52.6 (66.2) 15	42.1 (59.0) 7	41.4 (58.8) 2	48.7 (64.1) 2	30.2 (47.5) 1	30.0 (43.7) 1	39.1 (54.0) 2	---	35.3 (48.5) 2	49.8 (65.7) 11	34.8 (47.2) 2	47.9 (62.2) 1	
11	個人住宅 (うるま市字昆布)	48.7 (61.7) 5	48.7 (60.4) 4	46.9 (60.0) 7	57.9 (71.4) 13	64.2 (72.4) 23	55.9 (70.5) 3	55.0 (67.7) 13	53.1 (66.4) 10	36.9 (50.5) 2	50.7 (61.2) 6	35.8 (46.4) 1	60.1 (70.3) 10	60.1 (72.8) 22	60.5 (70.8) 21	57.6 (71.4) 17	51.9 (61.9) 6	44.8 (55.3) 4	59.5 (72.6) 16	58.5 (68.8) 9	60.1 (70.8) 17	47.6 (62.6) 7	---	51.1 (67.7) 2	---	36.7 (48.9) 1	43.4 (56.6) 6	36.6 (51.0) 2	42.4 (50.3) 2	54.7 (68.9) 10	46.3 (60.3) 9	39.7 (50.8) 3	
12	個人住宅 (うるま市石川東恩納)	54.0 (68.2) 16	50.9 (61.7) 3	53.1 (68.9) 14	61.3 (72.3) 14	70.7 (78.2) 28	60.3 (71.8) 8	60.2 (74.4) 22	54.6 (67.2) 16	41.8 (54.5) 5	55.2 (66.9) 12	44.9 (57.9) 8	60.8 (71.6) 16	63.7 (75.9) 28	64.0 (76.4) 26	61.2 (74.7) 22	56.1 (68.3) 11	51.0 (60.9) 6	60.9 (74.9) 21	57.5 (70.9) 13	63.1 (77.6) 49	57.5 (73.0) 35	51.2 (63.4) 12	56.9 (71.8) 12	50.6 (63.5) 12	48.1 (61.0) 12	59.5 (75.3) 25	56.4 (75.3) 19	61.5 (75.3) 12	53.5 (68.4) 10	47.6 (61.0) 17	52.9 (65.4) 5	
13	個人住宅 (うるま市石川東山)	30.5 (44.2) 1	---	---	42.5 (55.3) 6	55.3 (65.3) 14	45.1 (53.6) 3	42.6 (51.5) 3	41.2 (51.5) 3	41.4 (54.9) 3	32.5 (44.8) 1	35.5 (49.8) 4	44.2 (53.8) 6	49.1 (57.0) 12	45.8 (53.8) 5	42.3 (53.8) 5	45.4 (59.5) 7	30.8 (46.6) 1	41.4 (53.4) 6	---	39.1 (51.0) 3	---	---	38.6 (56.7) 1	32.4 (48.2) 1	---	---	---	---	---	30.0 (43.3) 0	---	27.8 (45.4) 1
14	個人住宅 (北谷町字砂辺)	71.9 (89.6) 38	39.9 (53.7) 4	51.6 (62.4) 9	74.9 (83.4) 18	58.9 (73.4) 47	49.1 (61.0) 15	59.6 (75.0) 66	67.6 (85.5) 34	30.9 (49.9) 1	51.7 (70.2) 7	46.8 (62.4) 2	50.3 (64.1) 20	57.4 (72.9) 45	63.8 (80.2) 65	59.7 (75.9) 34	51.3 (68.6) 7	43.5 (54.3) 2	58.7 (74.4) 35	53.1 (67.5) 19	71.6 (87.9) 46	71.8 (90.0) 53	64.8 (80.5) 16	52.3 (64.3) 14	55.8 (68.2) 11	62.4 (79.0) 18	69.5 (84.6) 28	64.9 (81.7) 36	55.2 (70.1) 30	53.6 (68.5) 18	45.5 (57.6) 2	34.7 (47.5) 1	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※騒音発生回数について、最大騒音レベルが70dB以上かつ継続時間が5秒以上、ただし、No. 1及びNo. 2は3秒以上を1回としています。

お問い合わせ先
沖縄防衛局 企画部 住宅防音課
098-921-8181 (内線299)