

厚木飛行場周辺の航空機騒音の状況

平成23年6月のWECPNLと騒音発生回数を観測地点別に表示します。

上段：WECPNL 下段：騒音発生回数

| 観測点 | 1日 | 2日 | 3日 | 4日 | 5日 | 6日 | 7日 | 8日 | 9日 | 10日 | 11日 | 12日 | 13日 | 14日 | 15日 | 16日 | 17日 | 18日 | 19日 | 20日 | 21日 | 22日 | 23日 | 24日 | 25日 | 26日 | 27日 | 28日 | 29日 | 30日 | 平均 | 備考 | |
|------------------|-------|-------|-------|------|------|-------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|-----------------|
| 1 飛行場北側 | 100.6 | 101.2 | 96.5 | 88.6 | 92.2 | 96.9 | 94.9 | 90.6 | 96.2 | 90.8 | 74.8 | 89.9 | 94.7 | 98.5 | 95.5 | 94.0 | 93.5 | 77.7 | 79.7 | 85.6 | 86.3 | 94.4 | 83.1 | 94.2 | 84.7 | 66.9 | 85.7 | 85.7 | 86.6 | 85.8 | 93.9 | 23日は保守点検のため一部欠損 | |
| | 165 | 53 | 104 | 14 | 18 | 106 | 143 | 105 | 144 | 83 | 5 | 8 | 47 | 66 | 102 | 114 | 24 | 8 | 11 | 44 | 71 | 106 | 56 | 85 | 5 | 2 | 43 | 107 | 106 | 99 | 68.1 | | |
| 2 飛行場南側 | 101.8 | 97.4 | 101.6 | 88.1 | 57.5 | 100.1 | 94.4 | 97.0 | 93.8 | 88.7 | 74.2 | 83.2 | 96.1 | 96.1 | 100.2 | 97.6 | 90.0 | 76.7 | 62.0 | 76.0 | 82.0 | 93.3 | 81.3 | 86.7 | 81.9 | 71.6 | 78.9 | 77.4 | 79.1 | 80.4 | 94.6 | 22日は保守点検のため一部欠損 | |
| | 140 | 36 | 111 | 17 | 3 | 92 | 105 | 137 | 111 | 70 | 6 | 11 | 63 | 80 | 81 | 97 | 24 | 11 | 3 | 35 | 79 | 94 | 68 | 69 | 13 | 8 | 43 | 67 | 88 | 85 | 61.6 | | |
| 3 綾南小学校 | 88.8 | 78.0 | 89.3 | 79.7 | 52.7 | 86.3 | 83.9 | 80.5 | 83.6 | 79.1 | 60.9 | 75.8 | 83.5 | 84.6 | 90.9 | 82.8 | 67.6 | 65.7 | 51.3 | 64.8 | 69.8 | 80.5 | 68.5 | 74.6 | 67.5 | 58.7 | 66.9 | 67.5 | 69.6 | 68.4 | 82.2 | 22日は保守点検のため一部欠損 | |
| | 93 | 36 | 62 | 10 | 2 | 42 | 67 | 94 | 69 | 48 | 6 | 5 | 37 | 62 | 54 | 67 | 19 | 11 | 1 | 14 | 47 | 50 | 42 | 34 | 13 | 6 | 29 | 29 | 63 | 40 | 38.4 | | |
| 4 天台小学校 | 83.3 | 47.0 | 75.1 | 61.1 | 60.1 | 73.2 | 79.0 | 80.3 | 78.6 | 70.4 | - | 44.5 | 62.1 | 65.6 | 71.1 | 72.1 | 70.3 | 56.7 | 48.0 | 65.8 | 68.6 | 73.1 | 64.8 | 70.0 | 49.3 | - | 62.5 | 69.2 | 66.9 | 71.7 | 73.4 | 23日は保守点検のため一部欠損 | |
| | 90 | 2 | 66 | 4 | 4 | 42 | 59 | 72 | 84 | 57 | 0 | 1 | 20 | 45 | 42 | 86 | 4 | 5 | 3 | 8 | 56 | 84 | 29 | 57 | 3 | 0 | 11 | 50 | 61 | 61 | 36.9 | | |
| 5 引地台中学校 | 79.4 | 81.3 | 78.6 | 60.5 | 65.7 | 81.2 | 76.6 | 75.6 | 73.9 | 75.0 | - | 69.9 | 76.3 | 77.3 | 78.1 | 78.1 | 76.4 | 56.8 | 49.9 | 62.5 | 53.2 | 72.5 | 58.6 | 73.0 | 57.9 | - | 64.9 | 56.5 | 55.8 | 60.0 | 74.7 | 23日は保守点検のため一部欠損 | |
| | 50 | 19 | 30 | 11 | 9 | 29 | 51 | 50 | 39 | 16 | 0 | 8 | 14 | 20 | 22 | 21 | 5 | 3 | 3 | 13 | 2 | 21 | 10 | 11 | 2 | 0 | 4 | 8 | 8 | 18 | 16.6 | | |
| 6 座間防衛事務所 | 84.1 | 84.3 | 83.0 | 65.5 | 73.1 | 81.6 | 78.5 | 77.5 | 75.8 | 71.5 | 60.2 | 64.2 | 77.8 | 84.2 | 74.5 | 83.9 | 78.6 | 64.8 | 62.9 | 64.1 | 69.3 | 73.3 | 67.5 | 81.4 | 70.3 | 51.3 | 65.7 | 67.6 | 67.9 | 67.9 | 78.2 | 24日は保守点検のため一部欠損 | |
| | 135 | 48 | 87 | 10 | 22 | 74 | 101 | 50 | 96 | 59 | 6 | 8 | 36 | 42 | 60 | 86 | 20 | 10 | 11 | 25 | 60 | 97 | 51 | 71 | 5 | 1 | 28 | 56 | 72 | 48 | 49.2 | | |
| 7 上鶴間小学校 | 79.4 | 85.3 | 77.3 | 73.4 | 75.8 | 79.5 | 82.4 | 73.7 | 73.6 | 71.5 | 55.9 | 68.8 | 79.6 | 79.4 | 77.5 | 80.0 | 75.2 | 62.7 | 60.2 | 63.3 | 62.5 | 70.1 | 63.5 | 66.9 | 61.2 | 53.2 | 60.3 | 63.9 | 65.3 | 71.9 | 76.3 | | |
| | 39 | 43 | 25 | 5 | 12 | 31 | 49 | 15 | 36 | 22 | 4 | 5 | 21 | 26 | 26 | 24 | 14 | 4 | 10 | 15 | 14 | 25 | 22 | 19 | 2 | 2 | 12 | 17 | 22 | 19 | 19.3 | | |
| 8 西鶴間小学校 | 88.1 | 91.0 | 82.4 | 73.4 | 80.6 | 86.0 | 87.3 | 80.1 | 81.2 | 71.7 | 62.8 | 67.7 | 87.0 | 92.8 | 79.5 | 83.9 | 82.7 | 66.8 | 64.1 | 70.8 | 69.2 | 84.0 | 65.4 | 72.9 | 77.6 | 48.5 | 76.6 | 73.2 | 71.7 | 70.0 | 83.6 | 24日は保守点検のため一部欠損 | |
| | 129 | 45 | 88 | 9 | 17 | 72 | 104 | 63 | 105 | 63 | 5 | 8 | 39 | 59 | 70 | 88 | 24 | 6 | 6 | 24 | 64 | 93 | 45 | 64 | 5 | 1 | 31 | 70 | 69 | 57 | 50.8 | | |
| 9 相模野小学校 | 74.2 | 63.5 | 68.9 | 50.4 | 54.5 | 78.0 | 63.6 | 62.6 | 67.0 | 63.0 | - | 58.1 | 63.1 | 69.4 | 74.5 | 68.2 | 64.6 | 50.0 | - | 57.9 | 60.4 | 75.0 | 64.2 | 70.8 | 54.1 | - | - | 59.0 | 61.1 | 64.8 | 68.5 | | |
| | 88 | 13 | 38 | 1 | 5 | 30 | 25 | 8 | 35 | 25 | 0 | 2 | 12 | 21 | 19 | 38 | 5 | 1 | 0 | 2 | 15 | 26 | 18 | 20 | 3 | 0 | 0 | 12 | 21 | 16 | 16.6 | | |
| 10 文ヶ岡小学校 | 77.0 | 79.0 | 71.4 | 66.5 | 71.6 | 77.3 | 72.1 | 76.4 | 70.5 | 67.4 | 53.2 | 63.8 | 75.7 | 82.4 | 70.3 | 76.5 | 76.9 | 68.0 | 59.8 | 66.6 | 43.6 | 68.0 | 61.3 | 69.3 | 62.9 | - | 65.5 | 69.4 | 67.8 | 66.1 | 73.4 | 23日は保守点検のため一部欠損 | |
| | 79 | 20 | 29 | 10 | 10 | 48 | 28 | 57 | 44 | 10 | 4 | 13 | 19 | 43 | 44 | 32 | 15 | 6 | 7 | 20 | 1 | 12 | 4 | 14 | 2 | 0 | 10 | 23 | 14 | 29 | 21.6 | | |
| 11 綾瀬市福祉会館 | 87.3 | 63.7 | 75.2 | 64.9 | 64.1 | 77.4 | 76.5 | 72.1 | 73.5 | 66.7 | 50.7 | 63.2 | 71.4 | 74.0 | 74.7 | 73.8 | 67.9 | 60.4 | 55.9 | 72.1 | 64.8 | 63.8 | 66.9 | 83.1 | 61.3 | 56.9 | 65.4 | 69.5 | 68.6 | 68.2 | 75.6 | 21日は保守点検のため一部欠損 | |
| | 69 | 14 | 53 | 10 | 7 | 59 | 80 | 76 | 86 | 23 | 1 | 2 | 49 | 68 | 65 | 22 | 8 | 4 | 2 | 51 | 21 | 15 | 37 | 22 | 3 | 2 | 42 | 28 | 50 | 34 | 33.4 | | |
| 12 大庭中学校 | 79.6 | 83.3 | 76.9 | 67.8 | 56.8 | 76.7 | 72.9 | 82.4 | 72.3 | 72.9 | 59.9 | 63.9 | 83.0 | 78.2 | 82.0 | 74.4 | 75.3 | 60.9 | 43.1 | 60.4 | 60.9 | 69.2 | 60.1 | 67.6 | 59.3 | 51.9 | 58.6 | 54.4 | 60.6 | 58.6 | 75.8 | 20日は保守点検のため一部欠損 | |
| | 39 | 32 | 29 | 6 | 1 | 19 | 26 | 39 | 28 | 17 | 5 | 5 | 32 | 29 | 33 | 19 | 21 | 7 | 1 | 11 | 16 | 15 | 17 | 9 | 6 | 4 | 20 | 5 | 14 | 15 | 17.3 | | |
| 13 立野台小学校 | 78.1 | 52.1 | 75.9 | 57.3 | 55.3 | 79.5 | 71.6 | 71.9 | 72.9 | 66.6 | - | 51.1 | 60.0 | 63.1 | 72.7 | 68.1 | 58.7 | 51.0 | - | 63.7 | 60.7 | 78.5 | 61.6 | 62.9 | 48.1 | 43.3 | - | 64.6 | 64.3 | 60.0 | 70.8 | 24日は保守点検のため一部欠損 | |
| | 80 | 2 | 40 | 3 | 2 | 37 | 36 | 10 | 35 | 29 | 0 | 1 | 14 | 16 | 24 | 60 | 2 | 2 | 0 | 5 | 23 | 54 | 17 | 18 | 1 | 1 | 0 | 26 | 44 | 13 | 19.8 | | |
| 14 J A さがみ綾西支店 | 70.6 | - | 64.5 | - | 47.0 | 61.9 | 65.0 | 75.1 | 71.1 | 57.5 | - | - | 57.3 | 62.9 | 74.3 | 72.1 | 48.1 | 50.2 | 50.1 | 48.4 | 61.4 | 63.0 | 60.1 | 58.3 | 47.4 | - | 59.1 | 61.4 | 64.0 | 58.2 | 66.1 | 22日は保守点検のため一部欠損 | |
| | 43 | 0 | 30 | 0 | 1 | 14 | 24 | 36 | 32 | 12 | 0 | 0 | 7 | 28 | 31 | 54 | 1 | 3 | 3 | 2 | 9 | 15 | 15 | 12 | 1 | 0 | 8 | 20 | 43 | 13 | 15.2 | | |
| 15 町田市健康福祉会館 | 72.5 | 85.7 | 67.7 | 75.3 | 63.0 | 72.8 | 83.9 | 63.9 | 66.0 | 61.2 | - | 64.3 | 80.0 | 69.2 | 64.9 | 78.9 | 64.4 | 59.4 | 56.6 | 61.3 | 61.0 | 62.9 | 61.3 | 60.6 | 47.6 | 46.6 | 52.7 | 62.2 | 61.9 | 67.5 | 74.9 | | |
| | 32 | 31 | 21 | 9 | 6 | 17 | 40 | 7 | 24 | 17 | 0 | 3 | 14 | 21 | 17 | 20 | 4 | 4 | 7 | 17 | 14 | 19 | 16 | 12 | 1 | 1 | 6 | 19 | 17 | 8 | 14.1 | | |
| 16 藤沢総合高校 | 85.0 | 71.8 | 84.9 | 76.1 | 49.8 | 83.0 | 79.8 | 73.8 | 80.6 | 74.5 | 48.2 | 73.0 | 80.4 | 77.3 | 87.2 | 82.8 | 59.8 | 63.6 | 51.2 | 59.7 | 63.1 | 78.1 | 66.1 | 69.3 | 62.6 | 54.3 | 56.9 | 57.7 | 64.7 | 60.4 | 78.5 | 21日は保守点検のため一部欠損 | |
| | 56 | 33 | 42 | 7 | 2 | 27 | 43 | 56 | 40 | 24 | 2 | 5 | 33 | 36 | 37 | 32 | 16 | 9 | 2 | 14 | 22 | 23 | 24 | 23 | 7 | 4 | 15 | 9 | 15 | 18 | 22.5 | | |
| 17 金井中学校 | 62.5 | 75.5 | 56.6 | - | 55.0 | 62.2 | 74.0 | 45.3 | 59.5 | 56.6 | - | - | 60.6 | 58.1 | 58.3 | 65.8 | 57.5 | - | 47.3 | 57.2 | 55.4 | 54.9 | 52.9 | 49.8 | - | 52.8 | - | 50.1 | 55.6 | 47.3 | 64.0 | | |
| | 9 | 28 | 7 | 0 | 1 | 6 | 15 | 1 | 3 | 9 | 0 | 0 | 5 | 7 | 7 | 7 | 2 | 0 | 1 | 6 | 8 | 6 | 5 | 3 | 0 | 2 | 0 | 2 | 6 | 1 | 4.9 | | |
| 18 鶴川中学校 | 55.3 | 71.1 | 57.6 | 74.9 | 54.8 | 61.5 | 68.6 | 47.2 | 53.8 | 46.1 | - | 46.4 | 56.3 | 58.1 | 57.7 | 60.5 | 44.0 | 55.2 | 51.9 | 58.2 | - | 51.2 | 51.1 | 47.8 | 44.7 | - | 49.6 | 44.1 | 51.3 | 65.2 | 63.2 | | |
| | 5 | 19 | 6 | 11 | 5 | 6 | 25 | 1 | 6 | 1 | 0 | 1 | 3 | 10 | 6 | 5 | 1 | 3 | 5 | 7 | 0 | 3 | 4 | 1 | 1 | 0 | 2 | 1 | 3 | 3 | 4.8 | | |
| 19 大沼小学校 | 71.0 | 69.2 | 66.7 | 59.2 | 64.1 | 69.3 | 55.7 | 67.1 | 71.2 | 64.1 | 43.6 | 49.0 | 67.3 | 74.0 | 69.4 | 69.5 | 66.8 | - | 47.6 | 53.8 | 47.4 | 59.5 | 45.9 | 59.5 | 55.7 | 44.7 | 47.8 | 51.1 | 55.2 | 67.5 | 66.0 | | |
| | 12 | 14 | 7 | 2 | 5 | 12 | 4 | 13 | 18 | 3 | 1 | 2 | 10 | 25 | 12 | 8 | 8 | 0 | 1 | 2 | 1 | 6 | 1 | 5 | 1 | 1 | 1 | 1 | 2 | 3 | 8 | | 6.3 |
| 20 国分コミュニティーセンター | 70.8 | - | 60.8 | - | 53.4 | 60.8 | 65.9 | 65.4 | 64.8 | 48.8 | - | 45.1 | 53.0 | 55.7 | 64.6 | 65.2 | - | - | - | 51.0 | 50.9 | 59.2 | - | - | - | 44.1 | - | 49.1 | 46.8 | 45.6 | 56.4 | 60.5 | 24日は保守点検のため一部欠損 |
| | 28 | 0 | 7 | 0 | 3 | 10 | 11 | 16 | 10 | 2 | 0 | 1 | 4 | 5 | 9 | 7 | 0 | 0 | 0 | 3 | 2 | 7 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 3 | 4.4 | | |
| 21 御所見中学校 | 69.3 | 44.6 | 70.9 | 57.4 | 53.1 | 64.2 | 72.3 | 66.2 | 74.1 | 56.9 | 43.1 | 63.3 | 70.7 | 67.2 | 68.8 | 66.0 | 45.3 | - | - | - | 63.1 | 58.1 | 53.8 | 51.1 | - | - | 68.6 | 61.4 | 72.3 | 53.0 | 66.4 | 21日は保守点検のため一部欠損 | |
| | 36 | 1 | 21 | 2 | 3 | 17 | 16 | 30 | 19 | 7 | 1 | 2 | 10 | 13 | 22 | 22 | 1 | 0 | 0 | 0 | 5 | 8 | 4 | 2 | 0 | 0 | 6 | 9 | 12 | 3 | 9.1 | | |
| 22 湘南台小学校 | 75.2 | 59.0 | 75.5 | 64.5 | - | 71.1 | 70.6 | 63.5 | 69.4 | 60.3 | - | 62.4 | 70.3 | 66.6 | 77.3 | 74.7 | 57.6 | - | - | 44.2 | 49.2 | 68.1 | 53.2 | 54.4 | 48.8 | - | 44.2 | - | - | - | 68.6 | 20日は保守点検のため一部欠損 | |
| | 22 | 12 | 19 | 1 | 0 | 13 | 17 | 13 | 9 | 2 | 0 | 3 | 16 | 9 | 23 | 10 | 2 | 0 | 0 | 1 | 2 | 4 | 2 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 6.2 | | |
| 23 小和田小学校 | 74.8 | 65.3 | 70.0 | 60.7 | 48.8 | 67.8 | 75.6 | 66.2 | 65.2 | 65.3 | 48.0 | 53.9 | 69.6 | 73.2 | 76.1 | 72.1 | 53.1 | 47.0 | - | 51.9 | 51.6 | 62.7 | 51.0 | 56.3 | 44.1 | - | 49.7 | - | 52.9 | - | 68.0 | 20日は保守点検のため一部欠損 | |
| | 19 | 13 | 19 | 3 | 1 | 11 | 13 | 14 | 15 | 3</ | | | | | | | | | | | | | | | | | | | | | | | |