

厚木飛行場周辺の航空機騒音の状況

平成25年6月のWECPNL、Ldenと騒音発生回数を観測地点別に表示します。

上段：WECPNL

中段：(Lden)

下段：騒音発生回数

No.	観測点	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	平均	備 考
		(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)	(月)	(火)	(水)	(木)	(金)	(土)	(日)		
1	飛行場北側	78.2	86.9	101.3	103.6	102.0	98.7	96.4	97.0	99.0	83.8	96.8	96.3	93.6	96.2	79.4	73.3	101.6	105.0	102.1	104.6	101.5	95.9	100.8	81.6	86.2	83.2	101.1	95.0	97.4	99.5	99.1	
		(59.7)	(66.5)	(81.8)	(83.7)	(81.9)	(77.6)	(78.2)	(76.1)	(73.9)	(64.8)	(79.4)	(75.1)	(78.5)	(59.3)	(54.8)	(82.8)	(86.8)	(82.2)	(84.8)	(80.9)	(77.2)	(80.2)	(63.2)	(67.1)	(65.6)	(80.9)	(76.2)	(79.6)	(83.8)	(79.9)		
		17	13	111	148	172	159	70	26	8	91	86	40	31	116	14	13	198	206	174	130	53	57	35	77	133	23	127	115	58	38	84.6	
2	飛行場南側	83.2	68.5	98.9	101.5	103.5	99.8	96.0	82.7	98.2	77.0	100.2	98.2	105.2	97.9	75.5	70.0	99.8	104.7	102.5	99.4	95.5	97.5	94.7	99.7	78.1	83.5	95.1	100.1	104.4	103.0	99.5	
		(62.4)	(49.8)	(78.9)	(83.4)	(83.4)	(79.2)	(76.7)	(63.9)	(79.6)	(58.5)	(81.0)	(78.9)	(83.7)	(78.3)	(57.4)	(52.5)	(83.0)	(87.4)	(84.5)	(82.2)	(77.6)	(79.8)	(75.0)	(79.4)	(62.6)	(66.4)	(72.8)	(82.0)	(85.9)	(85.3)	(80.8)	
		14	3	83	84	133	133	77	13	19	57	82	38	48	138	13	5	132	162	136	93	57	31	14	95	76	48	89	80	49	36	67.9	
3	綾南小学校	65.8	54.7	84.7	87.4	90.4	87.8	79.7	70.5	87.2	64.9	80.8	78.2	84.2	82.7	63.1	58.6	87.5	91.1	88.9	87.5	82.9	85.3	77.8	78.8	66.4	74.2	75.0	86.8	91.8	90.9	85.6	
		(51.3)	(40.3)	(70.6)	(74.1)	(74.8)	(70.4)	(63.2)	(56.7)	(71.8)	(50.3)	(66.2)	(63.1)	(66.9)	(66.4)	(49.0)	(43.3)	(74.2)	(77.6)	(73.8)	(74.0)	(69.3)	(71.2)	(62.0)	(52.5)	(57.8)	(59.1)	(72.2)	(77.3)	(76.3)	(71.1)		
		11	4	30	41	60	93	63	11	16	31	77	34	55	89	11	4	75	109	80	73	47	22	12	32	42	41	63	52	36	29	44.8	
4	天台小学校	52.8	58.2	67.0	75.3	71.7	74.7	77.6	77.4	59.7	67.1	67.1	59.2	58.5	71.3	57.0	-	80.8	81.7	77.6	66.6	56.1	65.5	76.2	61.1	67.1	53.0	71.2	67.3	69.6	69.8	73.3	
		(37.5)	(45.0)	(53.1)	(60.8)	(56.9)	(59.4)	(64.5)	(59.4)	(48.4)	(52.9)	(56.6)	(46.6)	(46.4)	(59.1)	(42.3)	-	(66.5)	(67.3)	(62.0)	(51.5)	(42.7)	(51.3)	(58.4)	(47.1)	(52.7)	(42.8)	(56.5)	(53.2)	(54.6)	(57.5)	(58.7)	
		3	3	43	71	63	95	55	23	5	44	32	10	9	88	5	0	92	100	75	29	3	20	14	22	50	6	66	55	26	17	37.5	
5	引地台中学校	52.6	69.8	79.6	80.7	82.5	76.6	76.9	65.1	73.8	60.7	80.7	74.9	75.7	76.9	-	44.5	80.5	-	-	-	81.3	77.0	74.5	61.2	62.7	67.6	81.4	76.3	82.5	82.8	77.8	6/18～6/20の間は機器更新を行ったため、欠測。
		(36.1)	(54.6)	(64.6)	(66.7)	(67.6)	(61.5)	(62.7)	(50.5)	(59.3)	(46.9)	(66.8)	(61.6)	(61.5)	(64.3)	-	(34.3)	(66.8)	-	-	-	(66.3)	(63.9)	(60.5)	(47.0)	(46.2)	(50.9)	(65.2)	(63.2)	(69.3)	(68.7)	(63.6)	
		1	2	18	61	46	22	24	9	2	13	28	14	12	26	0	1	63	0	0	0	27	23	12	22	11	9	40	35	34	27	21.6	
6	座間防衛事務所	62.0	68.0	80.6	83.5	80.3	81.4	78.7	74.7	70.2	67.4	83.0	78.9	78.1	80.1	56.4	53.8	81.1	83.4	87.2	82.6	80.7	77.3	80.7	68.7	69.8	69.2	84.8	79.9	79.8	77.4	80.1	
		(47.0)	(53.9)	(64.9)	(68.3)	(65.2)	(63.6)	(58.8)	(53.0)	(52.5)	(69.2)	(64.0)	(63.2)	(67.2)	(41.5)	(40.3)	(66.3)	(68.8)	(70.2)	(67.7)	(64.9)	(63.0)	(66.5)	(54.7)	(54.7)	(56.3)	(68.8)	(64.2)	(63.1)	(65.3)	(64.9)	(64.9)	
		16	6	59	119	100	140	34	20	9	56	54	27	22	67	6	3	128	152	132	162	91	43	28	27	40	75	11	88	84	52	29	57.3
7	上鶴間小学校	54.2	62.5	85.1	84.1	80.1	83.9	73.2	76.8	72.0	64.1	76.2	70.7	75.2	74.8	63.0	-	78.9	-	-	-	84.9	74.1	77.5	63.7	66.6	63.1	81.2	72.7	70.6	86.2	79.1	6/18～6/20の間は機器更新を行ったため、欠測。
		(39.9)	(50.7)	(70.9)	(68.7)	(64.8)	(66.5)	(60.6)	(62.1)	(55.1)	(49.2)	(63.9)	(59.4)	(60.5)	(63.5)	(45.3)	-	(65.8)	-	-	-	(64.1)	(60.8)	(63.0)	(50.8)	(53.1)	(51.2)	(66.1)	(58.2)	(54.5)	(75.0)	(65.2)	
		8	6	37	72	59	40	17	10	8	15	25	11	14	22	3	0	60	0	0	0	0	39	13	15	17	27	8	53	35	20	17	24.1
8	西鶴間小学校	67.2	76.1	86.5	90.9	88.1	86.5	90.1	80.3	65.8	67.0	90.3	86.9	83.4	88.9	61.5	64.0	91.3	88.5	86.8	81.7	80.3	86.7	92.7	69.1	71.4	76.3	93.7	84.4	86.5	87.1		
		(51.5)	(62.9)	(68.8)	(74.5)	(69.9)	(68.5)	(74.1)	(64.8)	(49.1)	(52.3)	(74.9)	(71.2)	(68.4)	(73.2)	(46.4)	(48.4)	(74.8)	(72.7)	(71.8)	(67.2)	(65.7)	(70.7)	(74.6)	(54.2)	(56.7)	(61.4)	(75.6)	(70.0)	(68.1)	(68.7)	(70.4)	
		13	7	62	114	113	134	47	19	6	58	65	25	26	80	9	4	155	166	132	92	35	39	28	40	78	12	96	89	50	32	60.9	
9	相模野小学校	53.7	62.2	66.4	81.4	68.7	70.0	70.4	64.5	58.2	59.4	67.5	64.9	64.2	67.1	57.0	56.4	78.3	79.2	-	-	-	79.0	72.1	62.7	63.0	67.8	74.6	70.2	76.8	69.3	73.1	6/19～6/21の間は機器更新を行ったため、欠測。
		(36.9)	(49.0)	(49.9)	(66.0)	(53.3)	(54.9)	(57.4)	(48.2)	(41.5)	(44.6)	(55.9)	(53.2)	(51.1)	(55.7)	(42.2)	(39.9)	(61.8)	(63.2)	-	-	-	(60.5)	(56.8)	(43.6)	(47.9)	(50.6)	(60.0)	(54.4)	(60.2)	(49.4)	(57.2)	
		1	4	17	46	37	57	18	11	5	17	19	11	8	15	4	2	49	56	0	0	0	0	18	22	7	20	7	61	35	48	11	22.4
10	文ヶ岡小学校	55.3	74.3	74.2	81.4	79.0	71.3	82.1	69.2	70.4	62.2	81.2	78.5	75.1	77.2	44.3	50.4	77.6	76.7	78.8	72.8	68.7	70.9	77.3	65.5	65.2	64.9	81.7	73.9	75.4	78.4	76.4	
		(41.8)	(61.4)	(61.0)	(66.4)	(63.8)	(56.6)	(68.7)	(56.5)	(49.6)	(48.5)	(69.0)	(65.7)	(62.3)	(67.1)	(33.1)	(37.7)	(65.6)	(63.6)	(67.0)	(59.1)	(57.9)	(61.1)	(64.8)	(53.1)	(51.5)	(51.0)	(68.3)	(59.1)	(61.1)	(65.0)	(63.4)	
		7	8	49	86	92	37	30	11	2	27	42	21	22	43	1	3	82	98	98	40	5	15	16	29	34	4	51	41	46	26	35.5	
11	綾瀬市福祉会館	63.4	63.5	74.8	80.2	77.9	73.4	71.1	65.8	68.1	69.5	71.5	68.9	70.0	68.9	60.1	59.6	84.1	83.3	75.7	75.9	71.8	70.5	66.6	68.3	66.7	62.6	73.7	73.5	76.9	78.0	75.4	
		(47.6)	(49.6)	(60.7)	(66.3)	(64.1)	(59.7)	(58.4)	(52.3)	(56.8)	(55.1)	(58.3)	(57.2)	(56.5)	(57.0)	(44.1)	(44.8)	(68.1)	(68.1)	(63.0)	(62.0)	(58.4)	(57.4)	(54.7)	(52.8)	(49.0)	(59.4)	(59.8)	(64.9)	(64.7)	(61.2)		
		10	6	95	59	102	40	54	15	7	26	47	17	23	35	5	3	138	133	106	70	36	23	18	46	41	10	60	31	30	22	43.6	
12	大庭中学校	62.9	57.4	74.8	79.6	78.2	76.1	75.3	61.5	77.0	57.6	87.4	84.9	91.6	86.1	58.4	52.2	77.6	82.1	-	-	-	73.3	68.5	67.8	59.9	74.5	65.2	76.5	82.6	80.8	81.3	6/19～6/21の間は機器更新を行ったため、欠測。
		(49.8)	(40.2)	(61.4)	(66.1)	(66.2)	(61.7)	(60.1)	(46.3)	(62.7)	(43.7)	(73.3)	(71.0)	(75.4)	(70.8)	(44.6)	(40.1)	(65.1)	(69.3)	-	-	-	(62.0)	(54.4)	(53.7)	(45.2)	(61.3)	(51.3)	(64.0)	(69.7)	(67.2)	(66.7)	
		8	4	16	24	28	24	23	5	8	13	62	30	49	35	9	2	33	53	0	0	0	0	11	7	11	6	32	26	25	20	22.0	
13	立野台小学校	44.3	60.8	76.5	76.6	76.3	75.3	68.2	70.1	-	60.7	61.8	55.8	54.5	66.2	53.7	-	77.9	80.9	76.1	55.9	52.8	75.6	77.9	56.9	-	-	67.0	72.4	68.7	73.1	6/25～6/27の間は機器更新を行ったため、欠測。	
		(30.2)	(46.9)	(60.9)	(62.9)	(60.3)	(58.1)	(53.2)	(55.9)	-	(46.4)	(49.0)	(43.0)	(42.3)	(50.0)	(39.1)	-	(61.3)	(66.6)	(58.3)	(42.4)	(40.8)	(59.9)	(62.3)	(45.3)	-	-	(51.9)	(57.1)	(51.8)	(57.7)		
		1	2	10	41	41	79	22	5	0	27	14	5	5	19	3	0	45	69	25	3	5	10	6	8	0	0	0	20	27	8	18.5	
14	J A さがみ綾西支店	64.7	57.9	58.4	62.4	66.7	68.4	75.2	71.5	-	61.6	61.0	-	76.3	51.4	-	67.9	75.3	67.3	58.6	50.3	57.0	65.2	73.4	-	-	60.6	66.6	63.2	68.5	6/25～6/27の間は機器更新を行ったため、欠測。		
		(46.3)	(45.6)	(45.2)	(48.0)	(50.9)	(54.3)	(59.7)	(56.8)	-	(49.8)	(47.5)	-	(60.9)	(37.4)	-	(54.2)	(60.1)	(53.8)	(45.4)	(36.4)	(43.5)	(50.8)	(57.0)	-	-	(47.7)	(53.4)	(50.6)	(53.4)			
		3	1	11	15	25	60	35	6	0	20	23	0	0	42	2	0	25	29	32	13	3	5	5	14	0	0	0	18	18	16	15.6	