

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年5月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均
1	飛行場北側	56.9 (74.2) 31	57.9 (75.8) 61	57.6 (76.2) 21	52.0 (69.0) 9	47.1 (64.3) 2	59.2 (78.2) 62	56.6 (73.4) 45	65.9 (84.6) 122	66.7 (86.2) 97	63.5 (83.1) 40	56.6 (75.0) 19	53.9 (73.8) 8	68.5 (88.5) 123	64.3 (83.9) 70	61.4 (79.5) 76	67.5 (86.5) 160	61.9 (80.8) 53	62.3 (82.6) 33	58.7 (80.0) 13	64.5 (83.8) 70	49.7 (68.6) 3	67.0 (85.4) 103	63.9 (82.6) 97	63.2 (81.7) 63	51.3 (72.3) 7	54.5 (72.1) 11	66.4 (85.5) 78	64.5 (83.5) 105	61.1 (78.7) 67	66.4 (84.9) 56	61.1 (80.7) 52	63.0 (82.2) 57
2	飛行場南側	61.8 (79.7) 27	62.4 (80.4) 84	57.5 (75.4) 14	55.2 (75.3) 7	--- (---) 0	49.9 (68.0) 17	62.8 (80.7) 68	58.3 (75.3) 77	57.1 (74.7) 50	72.4 (94.2) 39	70.5 (90.1) 11	56.8 (70.1) 9	65.0 (82.9) 112	60.1 (74.3) 49	60.2 (76.8) 43	65.1 (84.0) 133	55.1 (71.0) 32	60.9 (77.3) 35	53.8 (70.3) 12	60.8 (76.5) 76	57.5 (74.1) 12	63.8 (80.3) 78	59.9 (78.4) 82	57.4 (72.2) 33	50.2 (66.5) 5	47.4 (64.3) 1	65.4 (82.0) 87	61.5 (76.6) 86	62.0 (81.2) 76	58.2 (75.1) 58	55.5 (71.2) 51	62.9 (82.4) 47
3	綾南小学校	46.3 (59.3) 6	48.9 (62.6) 23	47.5 (61.0) 9	45.7 (62.9) 7	--- (---) 0	41.7 (55.7) 6	51.9 (65.4) 31	50.2 (65.0) 27	50.2 (64.0) 29	60.2 (75.9) 31	63.4 (76.6) 2	44.0 (61.6) 2	58.2 (72.7) 54	54.8 (71.4) 26	50.5 (63.6) 20	58.2 (74.4) 100	51.0 (64.5) 26	54.5 (67.0) 28	49.3 (63.3) 12	54.2 (67.9) 41	46.8 (59.6) 12	54.9 (68.8) 47	51.3 (66.4) 44	49.9 (63.6) 13	41.9 (56.2) 4	37.5 (50.7) 1	50.9 (65.0) 31	55.2 (69.2) 42	53.2 (65.9) 50	51.6 (65.9) 29	50.0 (63.6) 28	54.0 (68.5) 25
4	天台小学校	44.2 (56.5) 8	51.1 (65.5) 46	45.4 (60.9) 12	42.0 (59.3) 8	30.5 (43.4) 1	45.4 (60.4) 16	46.2 (60.0) 15	54.5 (68.9) 64	53.9 (67.9) 33	54.9 (71.0) 32	44.8 (57.7) 11	35.2 (49.5) 2	59.0 (74.7) 77	57.0 (76.5) 34	47.9 (60.9) 18	56.8 (72.0) 101	50.9 (64.5) 26	53.2 (69.2) 28	45.5 (59.0) 10	54.5 (69.5) 55	45.9 (58.4) 2	57.5 (71.5) 56	51.4 (66.1) 48	51.3 (63.9) 24	37.8 (51.1) 3	--- (---) 0	50.1 (64.2) 33	52.8 (67.6) 65	50.5 (65.5) 44	54.7 (68.2) 47	49.8 (64.2) 36	52.4 (67.9) 31
5	引地台中学校	42.9 (56.9) 5	45.3 (58.2) 5	27.8 (48.1) 1	41.8 (60.4) 7	33.6 (51.6) 0	29.9 (48.0) 1	51.6 (65.8) 11	46.8 (60.1) 9	43.6 (59.5) 7	54.1 (70.3) 7	55.0 (69.5) 3	--- (---) 0	50.2 (64.0) 5	41.7 (56.8) 10	26.2 (44.2) 1	47.2 (62.6) 11	39.1 (53.0) 5	30.5 (45.5) 1	32.8 (49.6) 3	38.8 (52.1) 5	27.1 (43.2) 1	48.8 (62.4) 8	46.0 (64.3) 8	41.6 (55.8) 4	29.8 (45.7) 1	--- (---) 0	36.6 (51.1) 2	43.6 (59.8) 6	43.0 (57.4) 5	35.8 (51.0) 3	33.7 (47.7) 1	46.0 (61.1) 5
6	座間防衛事務所	50.8 (66.2) 16	55.1 (70.2) 20	47.9 (65.8) 11	51.1 (67.7) 8	42.8 (54.6) 6	50.1 (60.9) 8	47.7 (61.5) 15	53.6 (69.3) 57	54.5 (70.0) 45	51.2 (65.5) 37	46.1 (61.2) 16	49.3 (59.0) 6	56.1 (71.4) 76	53.0 (69.0) 42	49.8 (63.7) 27	57.2 (71.7) 105	48.6 (63.7) 23	49.3 (64.1) 30	45.3 (58.4) 10	52.1 (66.1) 60	36.6 (50.2) 2	54.1 (68.5) 58	53.2 (67.0) 50	50.8 (65.9) 33	41.0 (55.7) 7	43.3 (57.7) 6	51.5 (67.4) 48	56.8 (71.3) 72	50.0 (64.1) 19	55.0 (69.9) 47	45.4 (59.3) 22	51.9 (66.8) 32
7	上鶴間小学校	46.7 (58.8) 9	46.2 (59.5) 8	45.4 (59.7) 5	44.9 (60.6) 7	39.7 (52.4) 3	45.4 (57.4) 5	43.4 (57.3) 4	49.2 (63.0) 16	52.7 (64.9) 16	47.1 (60.2) 11	39.7 (55.6) 4	38.7 (51.5) 3	51.2 (67.5) 20	51.1 (67.2) 22	51.7 (64.9) 18	52.8 (65.8) 24	48.4 (63.3) 16	42.2 (57.4) 4	47.3 (60.3) 5	50.3 (64.3) 22	39.8 (54.1) 3	53.7 (66.6) 33	52.9 (64.5) 20	47.6 (60.9) 14	39.0 (52.7) 3	42.4 (56.0) 5	46.3 (60.3) 10	46.6 (60.6) 7	45.7 (59.0) 6	49.6 (63.4) 14	46.5 (60.4) 13	48.5 (62.2) 11
8	西鶴間小学校	48.6 (61.8) 11	50.2 (64.9) 20	46.0 (60.6) 11	43.6 (57.9) 6	40.2 (54.9) 1	48.2 (63.5) 18	51.0 (65.5) 20	51.9 (66.9) 47	65.1 (83.2) 40	50.0 (66.0) 25	47.6 (61.7) 11	48.0 (63.2) 5	58.6 (72.4) 80	51.5 (67.6) 30	50.5 (64.8) 26	52.0 (73.5) 114	49.7 (66.5) 29	45.3 (65.0) 27	49.7 (59.4) 9	45.3 (64.2) 55	30.4 (43.5) 1	56.7 (70.8) 74	55.1 (69.5) 65	50.4 (66.5) 29	43.3 (58.0) 5	45.4 (59.8) 4	50.4 (64.5) 38	54.3 (68.9) 64	55.6 (71.0) 31	53.1 (68.0) 44	50.5 (65.4) 38	54.2 (70.6) 32
9	相模野小学校	--- (---) 0	32.2 (47.5) 1	--- (---) 0	36.3 (57.1) 2	--- (---) 0	35.7 (53.5) 1	31.4 (46.8) 2	45.6 (61.0) 22	44.5 (59.5) 16	42.2 (56.8) 9	28.8 (44.4) 1	--- (---) 0	51.5 (65.7) 32	45.1 (61.9) 13	36.0 (51.9) 3	48.8 (63.9) 34	41.8 (55.7) 3	45.2 (61.0) 14	37.6 (52.4) 2	46.0 (60.4) 15	--- (---) 0	44.8 (59.4) 10	43.6 (59.1) 9	32.9 (44.2) 1	--- (---) 0	--- (---) 0	41.4 (56.2) 9	51.5 (65.8) 27	35.0 (49.7) 1	49.5 (63.4) 12	37.1 (52.5) 4	43.8 (58.6) 8
10	文ヶ岡小学校	47.4 (59.5) 14	49.7 (65.1) 27	38.0 (51.3) 5	36.6 (51.8) 4	31.0 (45.2) 1	51.6 (64.7) 33	44.4 (57.5) 12	55.2 (69.1) 51	58.2 (70.7) 52	52.3 (67.1) 3	54.5 (68.4) 6	44.3 (56.2) 4	55.3 (67.5) 34	55.0 (73.8) 30	49.1 (61.8) 25	52.1 (66.7) 47	44.9 (55.8) 9	40.5 (54.4) 3	36.7 (49.8) 2	42.7 (55.5) 5	38.0 (51.4) 3	49.7 (64.2) 23	47.9 (61.3) 15	46.8 (59.3) 11	30.7 (44.5) 1	31.7 (43.3) 1	55.1 (70.5) 20	45.1 (57.7) 12	48.3 (63.1) 24	34.3 (48.6) 2	33.2 (48.0) 2	50.4 (64.9) 16

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年5月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均						
11	中村自治会館	57.9 (70.9) 41	54.0 (67.1) 42	43.6 (56.9) 5	50.9 (67.9) 13	37.2 (46.6) 1	43.1 (57.0) 9	57.0 (69.5) 47	53.1 (67.4) 31	52.2 (65.1) 26	51.8 (66.7) 21	54.7 (67.3) 5	41.1 (55.0) 5	56.9 (69.8) 46	52.3 (68.2) 26	54.8 (66.7) 21	50.5 (64.8) 24	48.0 (61.3) 13	39.1 (52.5) 6	42.1 (55.9) 5	47.9 (61.8) 23	44.2 (56.7) 4	47.6 (63.6) 19	54.1 (68.4) 68	49.6 (63.1) 30	48.9 (65.8) 42	41.1 (56.6) 8	55.6 (71.4) 47	50.8 (65.9) 74	48.6 (63.8) 24	51.9 (66.4) 32	44.7 (60.5) 16	51.9 (65.9) 25						
12	大庭中学校	44.0 (56.8) 5	47.5 (60.8) 16	46.2 (60.1) 6	49.3 (66.5) 11	---	35.9 (50.5) 2	50.7 (63.4) 19	42.2 (56.1) 8	40.8 (54.2) 4	49.1 (62.6) 10	53.5 (64.7) 2	45.5 (57.6) 2	46.0 (59.9) 11	46.3 (63.7) 8	46.6 (59.0) 8	47.7 (61.9) 16	43.5 (57.9) 9	51.1 (62.2) 14	42.5 (56.1) 6	45.8 (58.9) 12	45.3 (57.1) 5	43.9 (58.6) 8	44.6 (58.5) 8	37.0 (49.7) 3	38.8 (53.5) 1	36.5 (50.3) 1	44.4 (58.2) 9	42.3 (55.5) 2	47.2 (60.9) 12	40.7 (54.8) 7	40.0 (52.7) 6	46.3 (59.8) 8						
13	立野台小学校	---	40.4 (53.1) 3	35.0 (48.4) 1	43.6 (62.3) 7	---	33.6 (51.0) 2	38.6 (53.8) 4	44.7 (59.0) 20	44.9 (62.1) 8	43.0 (57.2) 10	31.8 (44.2) 1	32.4 (45.4) 1	53.2 (67.3) 41	52.8 (71.8) 14	35.3 (50.8) 3	50.6 (65.4) 51	33.9 (47.9) 1	46.0 (60.2) 22	42.8 (56.9) 6	43.5 (57.1) 13	27.5 (43.8) 1	50.6 (63.8) 18	44.8 (59.2) 15	39.4 (52.9) 5	---	---	40.5 (54.9) 7	50.4 (65.3) 32	41.4 (56.3) 8	48.2 (62.1) 12	40.2 (53.5) 2	45.5 (61.2) 10						
14	JAさがみ綾西支店	37.1 (48.5) 3	36.8 (51.8) 4	38.8 (53.2) 5	46.6 (63.7) 18	40.1 (49.5) 2	39.9 (54.0) 8	41.3 (55.0) 5	50.2 (62.9) 21	43.2 (56.3) 14	51.9 (67.5) 6	40.7 (52.3) 5	31.3 (47.8) 1	54.8 (68.1) 39	50.7 (66.6) 7	48.7 (60.4) 8	52.8 (66.6) 62	36.9 (49.6) 2	43.7 (58.1) 7	42.7 (54.5) 4	44.2 (58.6) 13	---	44.0 (57.6) 11	45.6 (58.6) 15	38.6 (53.2) 3	37.3 (53.2) 1	---	42.4 (55.3) 3	51.0 (66.7) 19	45.2 (59.6) 19	45.6 (58.7) 10	25.5 (43.2) 1	46.7 (60.9) 10						
15	町田市健康福祉会館	45.4 (57.1) 7	41.4 (52.7) 2	---	40.1 (55.9) 0	40.9 (54.6) 2	43.7 (57.1) 5	---	48.5 (60.6) 9	51.0 (64.9) 15	47.4 (61.4) 10	---	39.8 (52.7) 1	50.9 (66.1) 15	50.1 (63.5) 16	57.5 (76.5) 24	50.2 (62.2) 15	47.1 (61.6) 10	41.5 (55.8) 4	44.1 (57.1) 5	49.6 (63.4) 19	42.2 (58.0) 2	53.5 (66.4) 25	51.5 (63.9) 16	49.0 (62.2) 11	34.4 (45.6) 1	48.2 (66.8) 5	48.3 (61.5) 9	45.4 (58.6) 6	41.3 (53.8) 4	50.7 (63.8) 12	46.6 (60.9) 10	48.6 (64.4) 8						
16	藤沢総合高校	41.3 (54.2) 3	44.5 (56.5) 8	42.9 (56.5) 6	56.9 (75.2) 10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	51.4 (69.3) 7
17	金井中学校	42.7 (54.5) 4	30.9 (44.5) 1	---	---	32.5 (50.9) 1	38.3 (50.5) 2	---	47.2 (59.0) 9	42.6 (54.8) 6	41.6 (53.9) 4	---	36.1 (50.9) 1	45.0 (58.3) 9	42.9 (57.2) 6	45.0 (56.0) 6	47.8 (60.9) 9	40.2 (54.3) 4	26.1 (43.1) 1	38.6 (50.7) 1	44.1 (56.4) 8	34.3 (49.8) 1	44.7 (57.7) 10	48.9 (62.3) 16	43.8 (57.3) 8	---	33.0 (44.5) 1	41.5 (54.6) 7	40.7 (53.8) 4	---	44.8 (61.2) 0	42.5 (56.0) 7	42.2 (55.1) 4						
18	鶴川中学校	38.6 (50.5) 2	27.1 (46.5) 1	---	---	---	36.2 (48.5) 2	34.9 (46.7) 2	31.9 (48.2) 1	41.7 (54.2) 5	40.1 (52.3) 3	---	---	35.4 (48.5) 2	40.7 (54.2) 4	43.7 (57.4) 6	40.4 (51.3) 2	35.5 (47.4) 2	29.9 (44.9) 1	27.8 (44.6) 1	38.5 (51.7) 4	---	43.0 (55.5) 7	39.7 (51.8) 2	31.9 (44.9) 1	---	33.4 (46.3) 1	35.2 (47.9) 2	37.5 (50.3) 3	---	44.3 (61.2) 0	36.9 (49.6) 7	37.6 (51.3) 3						
19	大沼小学校	---	44.3 (58.6) 4	38.8 (51.6) 1	39.2 (52.5) 3	---	46.7 (60.1) 3	45.9 (57.3) 6	34.6 (50.5) 1	56.1 (70.3) 1	---	---	35.9 (49.3) 2	32.2 (45.3) 1	37.9 (52.0) 1	41.2 (55.3) 1	37.5 (52.6) 4	38.6 (54.0) 1	---	---	41.9 (53.7) 1	25.6 (44.7) 1	34.3 (47.2) 2	38.4 (50.9) 1	---	---	---	---	47.5 (61.8) 5	43.6 (57.0) 6	46.3 (59.4) 5	33.9 (45.8) 1	43.7 (57.6) 2						
20	国分コミュニティセンター	35.5 (50.0) 3	42.5 (55.7) 6	27.1 (45.9) 1	36.9 (52.2) 3	31.3 (43.3) 1	34.9 (51.2) 3	29.7 (43.4) 1	39.3 (56.4) 5	37.5 (50.0) 3	40.6 (55.7) 4	36.6 (54.7) 1	33.4 (45.4) 1	42.0 (56.8) 2	50.0 (67.5) 11	33.8 (49.6) 4	50.4 (66.4) 27	45.3 (55.9) 2	40.1 (58.4) 2	42.1 (56.3) 6	44.2 (58.1) 5	26.5 (43.5) 1	39.0 (56.2) 1	39.5 (53.7) 4	39.9 (54.6) 3	---	29.4 (46.2) 1	---	49.6 (65.5) 9	43.3 (60.9) 6	37.4 (55.6) 4	27.9 (46.1) 1	42.3 (58.3) 4						

※1数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※2藤沢総合高校は機器の故障のため欠測

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年5月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均	
21	御所見中学校	54.4 (68.4) 4	54.0 (69.5) 6	48.7 (63.0) 1	51.1 (67.3) 11	50.1 (64.4) 2	52.9 (67.4) 4	52.3 (68.7) 12	47.8 (63.2) 12	50.2 (64.6) 6	48.8 (63.7) 7	52.9 (67.0) 6	52.5 (67.2) 3	55.0 (74.1) 16	52.8 (67.1) 7	56.9 (74.4) 4	56.8 (72.3) 39	52.3 (68.3) 7	54.2 (68.7) 6	50.0 (64.4) 5	53.2 (67.6) 9	51.0 (65.1) 2	55.1 (70.3) 13	49.7 (63.8) 6	47.6 (65.1) 6	52.2 (66.9) 3	---	---	52.8 (68.5) 7	52.8 (67.4) 6	41.2 (54.8) 7	48.4 (64.9) 6	49.8 (64.3) 6	52.4 (68.0) 7
22	湘南台小学校	---	---	---	36.5 (54.9)	---	---	---	29.7 (44.1)	41.4 (53.1)	47.3 (58.4)	53.0 (63.6)	---	---	---	38.3 (49.9)	41.5 (55.7)	---	---	---	33.6 (44.7)	31.7 (43.2)	36.9 (49.7)	30.0 (43.2)	---	---	---	---	---	38.6 (52.1)	---	29.9 (48.1)	30.1 (43.6)	40.0 (51.5)
23	小和田小学校	---	36.1 (48.4)	36.5 (49.2)	49.4 (66.4)	---	34.1 (50.1)	28.7 (44.5)	---	---	40.7 (54.2)	44.9 (55.9)	---	---	27.2 (44.1)	34.0 (48.1)	32.4 (46.5)	---	36.3 (52.3)	41.3 (57.8)	39.0 (52.1)	---	38.3 (52.4)	---	---	---	26.4 (44.3)	30.7 (43.9)	34.0 (46.7)	---	---	33.2 (45.4)	---	37.8 (53.3)

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113