

平成19年7月のWECPNLと騒音発生回数

1日ごとのうるささ指数(WECPNL)と騒音発生回数を騒音観測地点別に表示します。

| 観測点 | 区分 | 1日 | 2日 | 3日 | 4日 | 5日 | 6日 | 7日 | 8日 | 9日 | 10日 | 11日 | 12日 | 13日 | 14日 | 15日 | 16日 | 17日 | 18日 | 19日 | 20日 | 21日 | 22日 | 23日 | 24日 | 25日 | 26日 | 27日 | 28日 | 29日 | 30日 | 31日 | 平均 |
|---------|--------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 飛行場北 | WECPNL | 76.1 | 82.6 | 83.6 | 78.2 | 88.7 | 85.0 | 67.6 | 72.7 | 83.7 | 85.9 | 86.3 | 82.4 | 85.8 | 77.9 | - | 86.5 | 72.6 | 81.3 | 83.4 | 83.4 | 77.5 | 78.5 | 81.6 | 88.3 | 93.2 | 87.5 | 83.5 | 76.7 | 85.3 | 82.7 | 87.5 | 84.7 |
| | 騒音発生回数 | 5 | 43 | 80 | 25 | 124 | 64 | 13 | 9 | 39 | 104 | 78 | 79 | 76 | 12 | 0 | 24 | 7 | 136 | 77 | 70 | 13 | 14 | 25 | 98 | 104 | 112 | 52 | 14 | 43 | 15 | 119 | 54.0 |
| 2 飛行場南 | WECPNL | 71.1 | 81.2 | 73.5 | 79.2 | 81.3 | 76.5 | 77.0 | 66.7 | 78.6 | 75.6 | 77.4 | 81.1 | 81.0 | 65.9 | 76.5 | 68.4 | 78.0 | 84.6 | 78.9 | 78.0 | 74.8 | 72.4 | 82.5 | 81.3 | 92.5 | 79.5 | 78.8 | 75.2 | 82.1 | 81.0 | 79.1 | 81.3 |
| | 騒音発生回数 | 6 | 75 | 41 | 41 | 107 | 42 | 18 | 4 | 43 | 58 | 67 | 68 | 65 | 1 | 12 | 16 | 20 | 161 | 37 | 57 | 10 | 4 | 33 | 68 | 94 | 98 | 53 | 10 | 32 | 16 | 87 | 46.6 |
| 3 綾南小 | WECPNL | 60.3 | 68.4 | 62.6 | 65.5 | 70.3 | 63.6 | 66.2 | 54.1 | 69.0 | 63.9 | 66.1 | 71.6 | 68.5 | 53.3 | 63.1 | 60.6 | 64.4 | 73.3 | 66.5 | 67.3 | 63.3 | 58.5 | 66.6 | 70.6 | 77.5 | 69.2 | 68.7 | 62.7 | 68.6 | 63.7 | 67.7 | 68.4 |
| | 騒音発生回数 | 6 | 45 | 25 | 27 | 80 | 20 | 14 | 3 | 25 | 26 | 27 | 52 | 40 | 1 | 10 | 8 | 19 | 92 | 26 | 46 | 10 | 4 | 25 | 40 | 43 | 60 | 27 | 9 | 6 | 10 | 56 | 28.5 |
| 4 天台小 | WECPNL | 62.0 | 58.0 | 63.0 | 58.5 | 70.5 | 69.6 | 69.9 | 48.9 | 66.1 | 66.8 | 66.9 | 63.2 | 67.9 | 43.4 | - | 66.2 | 50.5 | 69.4 | 67.4 | 68.0 | 63.5 | 57.4 | 56.5 | 70.3 | 68.8 | 69.4 | 73.4 | 65.3 | 66.5 | 60.5 | 69.3 | 66.9 |
| | 騒音発生回数 | 7 | 4 | 18 | 8 | 90 | 44 | 24 | 2 | 16 | 40 | 38 | 26 | 47 | 1 | 0 | 11 | 2 | 79 | 31 | 34 | 13 | 7 | 6 | 73 | 86 | 108 | 32 | 15 | 7 | 10 | 70 | 30.6 |
| 5 引地台中 | WECPNL | 48.8 | 60.9 | 57.1 | 51.8 | 61.4 | 58.5 | 56.3 | 51.3 | 62.2 | 60.0 | 58.7 | 63.6 | 59.7 | - | 48.7 | 63.9 | - | 65.4 | 56.9 | 62.2 | 55.7 | 58.6 | 62.0 | 60.3 | 65.8 | 59.2 | 62.1 | 54.1 | 70.5 | 60.5 | 65.3 | 61.7 |
| | 騒音発生回数 | 2 | 6 | 5 | 1 | 6 | 11 | 8 | 2 | 11 | 16 | 11 | 12 | 11 | 0 | 1 | 2 | 0 | 15 | 4 | 6 | 5 | 7 | 5 | 11 | 10 | 12 | 12 | 4 | 10 | 5 | 13 | 7.2 |
| 6 座間事 | WECPNL | 61.3 | 66.2 | 67.6 | 66.3 | 71.4 | 64.2 | 52.5 | 59.1 | 70.1 | 69.4 | 70.1 | 64.4 | 69.5 | 61.2 | - | 68.0 | 56.2 | 67.2 | 67.6 | 65.9 | 63.7 | 58.0 | 65.0 | 69.9 | 69.5 | 71.2 | 67.0 | 57.5 | 74.5 | 63.8 | 71.3 | 67.7 |
| | 騒音発生回数 | 5 | 27 | 32 | 23 | 64 | 10 | 3 | 5 | 16 | 52 | 59 | 24 | 52 | 11 | 0 | 12 | 6 | 58 | 27 | 20 | 10 | 7 | 21 | 57 | 46 | 78 | 27 | 6 | 16 | 10 | 77 | 27.8 |
| 7 上鶴間小 | WECPNL | 52.7 | 61.6 | 65.4 | 58.1 | 61.7 | 64.7 | - | 57.0 | 63.2 | 64.6 | 65.9 | 64.3 | 64.1 | 51.7 | - | 71.4 | 54.8 | 58.5 | 62.7 | 64.5 | 57.3 | 64.1 | 56.2 | 61.4 | 65.2 | 58.0 | 57.8 | 52.4 | 79.9 | 61.1 | 66.3 | 67.1 |
| | 騒音発生回数 | 1 | 18 | 24 | 9 | 13 | 14 | 0 | 6 | 14 | 20 | 23 | 17 | 18 | 5 | 0 | 8 | 4 | 13 | 19 | 21 | 5 | 7 | 10 | 9 | 24 | 6 | 7 | 2 | 33 | 10 | 22 | 12.3 |
| 8 西鶴間小 | WECPNL | 56.3 | 67.4 | 69.2 | 71.6 | 72.3 | 68.4 | 60.9 | 61.9 | 63.6 | 68.6 | 70.1 | 71.8 | 72.3 | 67.5 | - | 70.4 | 63.0 | 73.2 | 72.1 | 66.6 | 58.6 | 61.5 | 73.6 | 71.7 | 68.5 | 69.6 | 73.1 | 56.7 | 78.3 | 74.9 | 70.9 | 70.6 |
| | 騒音発生回数 | 5 | 31 | 39 | 23 | 99 | 42 | 6 | 6 | 27 | 57 | 70 | 44 | 62 | 12 | 0 | 21 | 7 | 80 | 38 | 40 | 9 | 9 | 23 | 77 | 78 | 82 | 35 | 7 | 33 | 10 | 80 | 37.2 |
| 9 瀬谷養護 | WECPNL | - | - | - | - | 48.3 | - | - | 44.4 | - | 47.5 | 52.7 | - | 44.8 | - | - | 52.7 | - | - | - | 51.2 | - | - | 48.8 | - | 46.0 | - | - | 57.2 | 72.8 | - | - | 58.2 |
| | 騒音発生回数 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 1 | 0 | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 2 | 10 | 0 | 0 | 0.9 |
| 10 文ヶ岡小 | WECPNL | - | 64.7 | 60.5 | 61.8 | 65.2 | 64.5 | 54.0 | 58.0 | 61.2 | 62.5 | 61.8 | 62.4 | 61.9 | 54.9 | - | 61.9 | 58.4 | 65.1 | 66.6 | 63.2 | - | 48.1 | 64.3 | 65.7 | 64.1 | 65.8 | 73.8 | 56.5 | 72.5 | 61.4 | 67.1 | 64.8 |
| | 騒音発生回数 | 0 | 15 | 23 | 9 | 25 | 23 | 7 | 5 | 15 | 13 | 14 | 19 | 19 | 10 | 0 | 9 | 3 | 52 | 26 | 20 | 0 | 2 | 14 | 19 | 13 | 23 | 18 | 5 | 23 | 11 | 31 | 15.0 |
| 11 綾瀬福祉 | WECPNL | 61.2 | 68.1 | 67.8 | 62.9 | 66.1 | 73.6 | 68.7 | 66.8 | 68.2 | 63.4 | 64.3 | 64.2 | 64.8 | 52.7 | 57.1 | 69.8 | 66.6 | 70.6 | 70.6 | 71.9 | 59.7 | 55.2 | 58.4 | 67.3 | 68.6 | 67.9 | 67.8 | 67.8 | 75.1 | 62.1 | 70.0 | 68.1 |
| | 騒音発生回数 | 8 | 50 | 35 | 23 | 17 | 31 | 13 | 15 | 34 | 20 | 23 | 19 | 22 | 4 | 5 | 14 | 8 | 102 | 42 | 31 | 6 | 6 | 16 | 33 | 33 | 52 | 53 | 17 | 11 | 15 | 35 | 25.6 |
| 12 大庭中 | WECPNL | 56.9 | 63.6 | 55.0 | 60.2 | 60.1 | 56.0 | 67.7 | 49.0 | 61.2 | 57.2 | 58.5 | 60.3 | 61.0 | 46.7 | 59.1 | 53.0 | 61.2 | 62.7 | 61.1 | 62.2 | 58.9 | 50.4 | 63.2 | 66.9 | 72.0 | 58.0 | 59.5 | 57.0 | 72.5 | 63.9 | 61.9 | 63.6 |
| | 騒音発生回数 | 6 | 31 | 6 | 24 | 15 | 6 | 10 | 2 | 15 | 8 | 13 | 16 | 11 | 1 | 10 | 2 | 15 | 27 | 13 | 19 | 6 | 2 | 25 | 11 | 19 | 10 | 9 | 5 | 9 | 12 | 14 | 12.0 |
| 13 立野台小 | WECPNL | 53.3 | - | 56.1 | 43.2 | 63.6 | 57.0 | 55.8 | 48.1 | 57.5 | 62.7 | 59.7 | 64.7 | 62.5 | - | - | 57.5 | - | 62.6 | 57.3 | 57.6 | 48.4 | 43.8 | - | 63.8 | 60.4 | 62.9 | 58.7 | 49.0 | 67.6 | 45.9 | 66.4 | 60.1 |
| | 騒音発生回数 | 4 | 0 | 8 | 1 | 58 | 13 | 3 | 2 | 13 | 30 | 24 | 25 | 25 | 0 | 0 | 6 | 0 | 25 | 9 | 11 | 1 | 1 | 0 | 40 | 28 | 46 | 14 | 3 | 8 | 1 | 54 | 14.6 |
| 14 JA綾西 | WECPNL | 52.3 | 47.2 | 57.0 | 49.9 | 62.4 | 55.6 | 53.7 | 43.6 | 57.6 | 56.8 | 56.2 | 63.9 | 60.3 | - | - | 56.5 | - | 61.7 | 59.0 | 58.4 | - | 51.2 | 46.3 | 62.4 | 59.0 | 62.9 | 62.7 | 58.7 | 70.5 | 48.3 | 62.8 | 60.1 |
| | 騒音発生回数 | 4 | 2 | 11 | 3 | 30 | 10 | 6 | 1 | 9 | 13 | 5 | 23 | 20 | 0 | 0 | 9 | 0 | 31 | 13 | 12 | 0 | 2 | 2 | 21 | 19 | 38 | 18 | 3 | 4 | 2 | 43 | 11.4 |
| 15 町田福祉 | WECPNL | 58.9 | 63.0 | 63.3 | - | 59.2 | 60.7 | - | - | 63.5 | 62.8 | 61.7 | 62.4 | 60.7 | - | - | 64.3 | - | 50.4 | 71.0 | 74.8 | 52.2 | 54.5 | - | 57.2 | 66.7 | 57.9 | 57.5 | 51.0 | 75.8 | - | 61.3 | 65.4 |
| | 騒音発生回数 | 3 | 11 | 22 | 0 | 9 | 11 | 0 | 0 | 16 | 22 | 9 | 12 | 13 | 0 | 0 | 6 | 0 | 2 | 12 | 16 | 4 | 4 | 0 | 8 | 15 | 10 | 10 | 2 | 6 | 0 | 14 | 7.6 |
| 16 藤沢総高 | WECPNL | 54.2 | 63.6 | 55.7 | 58.9 | 61.4 | 57.5 | 53.9 | 47.3 | 64.3 | 55.1 | 64.2 | 62.9 | 57.2 | 43.9 | 57.1 | 51.5 | 57.9 | 62.1 | 56.4 | 60.7 | 58.8 | - | 56.8 | 58.7 | 77.2 | 66.7 | 61.0 | 61.5 | 66.9 | 58.6 | 58.1 | 64.5 |
| | 騒音発生回数 | 5 | 27 | 7 | 21 | 20 | 8 | 4 | 2 | 17 | 9 | 18 | 28 | 11 | 1 | 9 | 2 | 12 | 48 | 11 | 26 | 9 | 0 | 16 | 11 | 16 | 14 | 13 | 7 | 4 | 8 | 18 | 13.0 |