

### 厚木飛行場周辺の航空機騒音の状況

平成21年11月のWECPNLと騒音発生回数を観測地点別に表示します。

上段：WECPNL 下段：騒音発生回数

観測点	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	平均	備考
1 飛行場北側	79.9	84.7	81.1	84.6	82.1	81.5	82.8	84.3	83.6	85.4	84.2	83.2	81.0	81.6	81.2	-	-	86.2	-	93.5	92.3	72.8	76.4	83.5	92.8	77.4	83.6	71.7	72.0	99.2	88.3	16, 17, 19日は機器更新のため欠損・9日は保守点検のため一部欠損
	14	35	18	87	53	79	12	11	40	92	13	54	24	8	12	-	-	67	-	80	17	8	26	65	91	62	65	8	2	78	41.5	
2 飛行場南側	82.1	73.7	76.8	77.1	82.6	85.3	78.8	78.1	78.6	79.8	82.1	81.4	81.4	84.3	79.2	-	96.8	-	82.8	-	89.8	94.7	76.0	89.5	86.9	81.3	78.5	71.8	75.5	100.5	89.4	16, 18, 20日は機器更新のため欠損・6日は保守点検のため一部欠損
	6	33	18	64	61	80	13	12	34	67	42	66	48	17	9	-	55	-	68	-	10	17	20	68	86	67	50	3	5	90	41.1	
3 綾南小学校	69.1	62.5	61.8	67.3	72.2	76.3	66.5	65.9	68.0	68.4	70.4	69.2	68.7	72.0	67.6	74.7	77.7	90.9	72.3	78.1	73.8	82.4	64.7	84.4	76.1	72.8	69.6	63.5	58.8	-	78.6	30日は機器更新のため欠損・5日は保守点検のため一部欠損
	4	15	13	26	44	70	10	10	19	38	12	27	23	16	10	46	40	89	37	70	10	16	9	57	72	56	37	2	5	-	30.4	
4 天台小学校	56.5	57.5	57.1	64.7	57.3	68.2	49.5	51.9	63.7	64.7	43.2	62.9	63.0	51.5	58.4	65.8	63.9	79.2	65.1	81.7	54.9	79.4	67.1	-	-	-	67.0	50.5	-	76.8	71.8	24, 25, 26日は機器更新のため欠損・9日は保守点検のため一部欠損
	6	6	5	33	10	46	4	2	15	32	1	20	7	2	6	33	9	53	30	52	4	7	16	-	-	-	52	1	0	66	19.2	
5 引地台中学校	54.3	71.5	59.2	61.9	67.4	64.6	57.4	56.9	63.7	60.7	51.9	61.5	60.0	65.1	66.2	53.6	67.6	74.0	61.7	78.3	67.6	64.0	61.7	68.7	69.5	60.7	53.8	53.2	-	81.9	70.3	9日は保守点検のため一部欠損
	2	10	6	14	12	12	2	3	12	12	5	11	7	6	12	4	11	43	6	21	4	7	9	22	7	8	5	2	0	30	10.2	
6 座間防衛事務所	58.9	71.6	64.7	69.9	66.9	67.5	66.8	63.1	69.0	70.5	67.6	66.9	69.1	65.2	67.1	67.2	78.1	75.8	65.8	78.3	73.8	58.5	61.6	-	-	-	67.0	56.3	57.6	82.4	72.5	24, 25, 26日は機器更新のため欠損・10日は保守点検のため一部欠損
	8	22	13	62	26	31	8	8	32	41	13	17	14	5	8	17	25	49	28	40	13	5	13	-	-	-	45	5	2	49	22.2	
7 上鶴間小学校	52.7	67.0	57.3	65.8	62.2	60.7	54.9	53.6	64.4	64.5	62.9	58.7	59.7	56.7	64.8	61.9	55.8	54.1	56.5	76.5	71.1	48.0	54.6	65.4	72.4	51.6	62.8	51.1	48.6	79.8	68.4	11日は保守点検のため一部欠損
	5	14	6	18	10	12	2	5	14	19	8	7	5	3	9	9	8	7	11	21	9	2	5	8	12	3	13	4	2	23	9.1	
8 西鶴間小学校	68.7	77.6	72.6	73.0	71.5	73.1	72.4	72.5	70.1	69.0	72.3	72.2	68.5	64.6	72.1	71.1	82.1	78.8	70.6	89.0	82.5	61.3	65.3	76.9	81.4	69.9	-	66.2	50.9	-	77.8	27, 30日は機器更新のため欠損・10日は保守点検のため一部欠損
	7	37	13	63	27	45	10	9	31	44	14	16	16	6	7	35	20	49	30	53	15	5	17	39	68	42	-	5	1	-	25.9	
9 相模野小学校	59.6	64.8	56.8	56.5	52.3	56.8	54.2	45.7	54.0	58.9	-	60.4	54.6	53.0	43.5	-	56.4	66.1	56.7	77.2	63.2	43.4	56.1	61.0	62.9	58.6	59.9	55.9	45.6	70.1	64.5	11日は保守点検のため一部欠損
	1	6	3	12	1	4	1	1	6	15	0	5	5	1	1	0	3	17	6	18	6	1	2	5	13	7	18	1	1	20	6.0	
10 文ヶ岡小学校	64.9	70.5	60.0	72.1	66.3	65.4	62.0	60.7	72.3	67.8	63.5	67.5	68.5	65.0	65.3	63.6	69.1	82.1	62.8	84.2	75.1	67.6	65.0	67.9	73.0	61.0	-	58.3	44.6	-	73.2	27, 30日は機器更新のため欠損・9日は保守点検のため一部欠損
	10	16	13	43	19	34	8	12	21	35	10	33	19	12	8	16	31	53	40	40	13	10	24	34	26	24	-	7	1	-	21.9	
11 綾瀬市福祉会館	63.9	68.5	61.8	70.4	68.5	66.8	-	44.8	59.0	65.5	64.5	66.7	61.5	57.0	58.8	65.2	68.9	70.4	67.9	70.4	68.8	62.1	60.8	63.4	70.4	64.3	59.3	48.9	-	74.8	66.8	6日は保守点検のため一部欠損
	7	18	4	56	53	24	0	1	8	37	33	45	5	4	3	34	31	56	58	27	10	9	14	11	22	32	5	1	0	65	22.4	
12 大庭中学校	52.3	58.7	61.1	62.8	65.1	65.2	61.9	61.4	63.8	64.7	67.8	69.2	67.4	66.6	66.3	60.7	84.1	83.1	69.3	71.7	69.8	70.8	60.1	61.6	68.3	59.5	59.2	57.5	59.3	85.0	74.7	4日は保守点検のため一部欠損
	5	9	14	8	24	20	7	10	15	24	11	25	17	14	6	12	37	40	19	27	4	7	6	15	19	8	7	2	5	33	15.0	
13 立野台小学校	59.7	56.2	52.2	60.8	57.7	61.3	57.6	69.4	58.7	59.2	44.2	64.1	49.5	57.8	49.9	57.8	68.1	74.8	47.7	76.0	56.8	56.5	48.7	57.4	61.1	59.6	61.2	-	-	66.6	65.5	10日は保守点検のため一部欠損
	3	5	4	22	5	12	3	3	11	19	1	8	2	2	1	4	4	22	2	19	4	1	1	10	16	17	26	0	0	18	8.2	
14 J A さがみ綾西支店	48.7	57.1	49.6	59.3	54.5	66.6	51.7	65.5	57.6	59.0	48.7	63.3	55.7	-	-	62.7	58.3	82.9	62.7	80.4	67.7	81.6	61.0	78.7	67.5	66.0	62.5	51.8	-	71.9	72.8	6日は保守点検のため一部欠損
	2	5	2	17	8	39	1	3	11	15	2	8	6	0	0	25	6	43	24	38	3	11	4	35	31	48	34	1	0	46	15.6	
15 町田市健康福祉会館	48.6	61.6	60.4	66.5	65.3	55.4	-	-	55.2	62.7	-	48.2	57.0	52.3	60.1	48.4	43.8	48.4	55.8	68.3	64.3	-	55.4	56.5	62.8	43.7	59.6	-	-	71.4	61.5	30日は機器更新のため欠損・5日は保守点検のため一部欠損
	2	14	7	12	7	2	0	0	5	17	0	1	4	3	7	2	1	1	2	9	5	0	2	2	4	1	8	0	0	18	4.5	
16 藤沢総合高校	65.9	55.8	53.3	59.6	63.0	62.4	59.5	59.8	62.7	63.9	62.5	62.8	62.4	67.0	64.6	58.7	72.7	79.7	62.7	72.8	63.9	66.9	59.7	66.3	65.0	59.5	59.2	54.9	61.9	-	67.9	30日は機器更新のため欠損・5日は保守点検のため一部欠損
	4	10	6	11	25	26	6	7	10	24	8	19	20	15	9	16	34	50	29	28	4	9	6	17	26	25	15	2	2	-	16.0	
17 金井中学校	47.5	59.7	-	58.9	55.5	43.2	45.0	-	55.4	57.9	-	51.2	44.0	45.2	57.0	53.7	-	45.0	44.3	52.7	-	-	53.2	50.8	53.8	47.6	55.8	51.9	44.7	75.5	61.4	5日は保守点検のため一部欠損
	1	10	0	10	6	1	1	0	5	11	0	3	1	1	5	2	0	1	1	1	0	0	2	3	4	1	5	1	1	5	2.7	
18 鶴川中学校	-	53.5	-	55.4	51.8	-	44.6	43.2	49.1	50.4	-	55.8	46.1	46.8	52.6	-	-	54.5	-	51.3	45.4	43.5	54.1	46.4	53.4	49.7	50.6	46.4	47.6	58.8	50.9	11日は保守点検のため一部欠損
	0	1	0	7	2	0	1	1	1	3	0	2	1	1	6	0	0	4	0	1	1	1	5	1	3	2	2	1	1	6	1.8	
19 大沼小学校	58.1	65.2	57.5	59.4	61.7	56.0	50.2	52.6	54.2	57.2	46.5	58.6	57.4	-	57.2	50.4	52.6	51.7	61.9	77.3	67.2	53.6	53.1	58.2	67.4	49.7	47.7	48.8	52.3	74.3	65.5	11日は保守点検のため一部欠損
	3	9	5	5	5	8	2	3	4	2	1	3	3	0	1	2	3	4	9	15	9	2	3	9	9	3	2	2	1	17	4.8	
20 国分コミュニティセンター	64.9	56.2	57.1	57.6	62.9	64.4	59.4	64.7	63.8	51.5	-	60.1	-	-	-	53.4	55.9	78.2	-	67.6	52.9	73.6	59.0	54.2	53.3	52.8	52.2	-	-	67.9	66.0	10日は保守点検のため一部欠損
	6	2	1	10	7	9	6	9	11	3	0	5	0	0	0	2	4	32	0	13	2	7	2	4	5	5	2	0	0	17	5.5	
21 御所見中学校	43.6	53.3	-	54.3	50.4	58.8	64.5	57.9	-	53.3	43.5	63.6	59.2	-	-	60.3	55.7	82.6	56.5	63.5	59.2	64.2	65.2	68.0	65.4	55.5	56.5	44.4	-	72.3	68.8	5日は保守点検のため一部欠損
	1	4	0	1	1	8	2	1	0	5	1	2	3	0	0	5	2	44	9	18	6	10	3	15	8	9	7	1	0	16	6.1	
22 湘南台小学校	56.5	-	53.6	44.1	48.0	-	-	-	-	51.2	43.2	-	56.2	50.7	46.0	43.3	60.1	67.7	43.2	61.5	55.8	60.5	49.4	57.7	51.2	47.5	43.8	-	44.8	64.2	57.0	4日は保守点検のため一部欠損
	4	0	1	1	2	0	0	0	0	2	1	0	2	3	1	1	13	34	1	12	4	6	3	5	1	2	1	0	1	20	4.0	
23 小和田小学校	-	-	-	49.4	44.2	48.0	-	48.7	50.9	49.1	-	64.1	50.1	49.0	56.6	44.2	69.3	68.3	43.4	59.0	60.8	72.6	-	52.9	54.6	49.2	-	-	48.9	73.6	63.2	4日は保守点検のため一部欠損
	0	0	0	3	1	2	0	1	3	2	0	5	3	2	3	1	7	14	1	7	3	5	0	3	2	1						