

厚木飛行場周辺の航空機騒音の状況

平成22年6月のWECPNLと騒音発生回数を観測地点別に表示します。

上段：WECPNL 下段：騒音発生回数

| 観測点 | | 1日 | 2日 | 3日 | 4日 | 5日 | 6日 | 7日 | 8日 | 9日 | 10日 | 11日 | 12日 | 13日 | 14日 | 15日 | 16日 | 17日 | 18日 | 19日 | 20日 | 21日 | 22日 | 23日 | 24日 | 25日 | 26日 | 27日 | 28日 | 29日 | 30日 | 平均 | 備考 |
|-----|--------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------|-----------------------|
| 1 | 飛行場北側 | 87.2 | 88.2 | 92.8 | 88.4 | 88.1 | 76.6 | 86.9 | 80.6 | 81.9 | 83.3 | 82.5 | 78.9 | 73.6 | 73.3 | 83.0 | 85.6 | 92.1 | 85.9 | 78.3 | 75.6 | 84.2 | 81.0 | 82.4 | 86.2 | 91.8 | 93.9 | 75.2 | 81.0 | 82.1 | 85.0 | 86.7 | 2、4日は保守点検のため一部欠損 |
| | | 100 | 140 | 128 | 58 | 55 | 8 | 111 | 85 | 58 | 77 | 66 | 15 | 7 | 10 | 53 | 76 | 84 | 53 | 13 | 7 | 80 | 38 | 49 | 101 | 92 | 22 | 8 | 55 | 62 | 99 | 60.3 | |
| 2 | 飛行場南側 | 81.9 | 79.6 | 79.3 | 87.7 | 78.8 | 74.2 | 76.3 | 84.2 | 84.4 | 78.0 | 74.8 | 66.2 | 76.6 | 75.9 | 79.8 | 79.5 | 91.2 | 88.9 | 87.9 | 72.4 | 78.2 | 77.3 | 76.2 | 78.1 | 82.7 | 92.5 | 83.8 | 81.1 | 78.2 | 78.9 | 83.9 | 2、3日は保守点検のため一部欠損 |
| | | 67 | 103 | 105 | 54 | 41 | 7 | 84 | 91 | 71 | 44 | 54 | 8 | 6 | 12 | 39 | 61 | 68 | 55 | 7 | 8 | 76 | 23 | 30 | 73 | 61 | 25 | 12 | 77 | 34 | 54 | 48.3 | |
| 3 | 綾南小学校 | 67.5 | 72.3 | 68.0 | 76.1 | 69.9 | 64.8 | 67.4 | 74.9 | 73.7 | 68.8 | 65.6 | 57.5 | 64.8 | 62.6 | 70.7 | 70.0 | 74.1 | 73.8 | 67.5 | 60.9 | 68.0 | 66.8 | 64.4 | 68.3 | 70.9 | 76.8 | 70.5 | 70.6 | 67.5 | 68.4 | 70.7 | 2、2日は保守点検のため一部欠損 |
| | | 29 | 53 | 60 | 30 | 35 | 5 | 45 | 78 | 53 | 34 | 26 | 7 | 7 | 10 | 22 | 43 | 33 | 31 | 6 | 6 | 46 | 21 | 21 | 61 | 31 | 20 | 12 | 62 | 33 | 42 | 32.1 | |
| 4 | 天台小学校 | 60.7 | 71.4 | 70.6 | 67.2 | 66.3 | 59.4 | 68.9 | 68.6 | 68.4 | 65.2 | 64.7 | 56.9 | - | 44.0 | 65.6 | 66.3 | 68.0 | 54.7 | - | 55.1 | 66.3 | 53.7 | 64.2 | 66.9 | 66.8 | 63.8 | 50.1 | 65.3 | 57.4 | 66.9 | 65.6 | 2、4日は保守点検のため一部欠損 |
| | | 10 | 88 | 86 | 40 | 43 | 3 | 72 | 65 | 37 | 34 | 29 | 7 | 0 | 1 | 19 | 34 | 36 | 4 | 0 | 5 | 38 | 3 | 11 | 57 | 44 | 12 | 2 | 46 | 7 | 43 | 29.2 | |
| 5 | 引地台中学校 | 61.4 | 58.1 | 63.2 | 71.2 | 68.0 | 54.4 | 58.4 | 63.4 | 65.1 | 59.6 | 55.5 | 48.4 | 59.8 | - | 64.6 | 50.7 | 68.3 | 61.5 | 64.4 | 48.3 | 59.8 | 56.5 | 57.2 | 64.5 | 71.6 | 69.5 | 62.3 | 50.2 | 51.5 | 58.7 | 64.1 | 2、4日は保守点検のため一部欠損 |
| | | 10 | 6 | 15 | 13 | 3 | 4 | 9 | 12 | 12 | 6 | 7 | 3 | 1 | 0 | 7 | 2 | 11 | 1 | 4 | 2 | 12 | 4 | 6 | 7 | 9 | 12 | 7 | 2 | 2 | 5 | 6.5 | |
| 6 | 座間防衛事務所 | 68.4 | 71.3 | 75.5 | 71.0 | 69.0 | 62.6 | 71.9 | 66.7 | 65.4 | 67.1 | 68.9 | 61.3 | 60.4 | 60.0 | 66.4 | 66.2 | 73.7 | 62.8 | 60.4 | 58.0 | 67.7 | 66.7 | 65.7 | 70.1 | 72.4 | 68.7 | 59.4 | 63.9 | 65.1 | 67.3 | 68.5 | 2、5日は保守点検のため一部欠損 |
| | | 35 | 71 | 100 | 48 | 22 | 5 | 97 | 30 | 21 | 42 | 53 | 13 | 7 | 5 | 37 | 44 | 56 | 31 | 10 | 6 | 52 | 21 | 20 | 69 | 62 | 21 | 9 | 26 | 30 | 53 | 36.5 | |
| 7 | 上鶴間小学校 | 64.7 | 63.1 | 75.4 | 66.5 | 65.2 | 58.6 | 65.9 | 60.6 | 56.7 | 65.0 | 63.4 | 58.7 | 56.9 | - | 63.7 | 62.3 | 68.5 | 61.2 | 56.9 | 44.3 | 64.0 | 65.3 | 64.9 | 64.0 | 63.7 | 62.4 | 55.7 | 61.8 | 66.1 | 65.2 | 65.2 | 2、8日は保守点検のため一部欠損 |
| | | 20 | 18 | 44 | 8 | 3 | 4 | 21 | 8 | 6 | 24 | 16 | 6 | 4 | 0 | 18 | 14 | 21 | 14 | 6 | 1 | 20 | 18 | 17 | 16 | 20 | 6 | 3 | 11 | 27 | 24 | 13.9 | |
| 8 | 西鶴間小学校 | 73.9 | 74.5 | 72.3 | 73.6 | 78.2 | 60.1 | 71.0 | 71.0 | 74.8 | 68.8 | 65.0 | 62.1 | 53.6 | 65.2 | 67.5 | 69.6 | 76.6 | 65.8 | 60.6 | 55.3 | 67.6 | 66.9 | 65.9 | 70.0 | 78.9 | 68.0 | 56.7 | 67.5 | 65.6 | 72.6 | 71.6 | 2、5日は保守点検のため一部欠損 |
| | | 39 | 91 | 92 | 45 | 38 | 7 | 94 | 56 | 37 | 50 | 49 | 12 | 5 | 8 | 38 | 46 | 62 | 37 | 5 | 3 | 49 | 18 | 19 | 72 | 56 | 19 | 6 | 44 | 31 | 62 | 39.7 | |
| 9 | 相模野小学校 | 67.3 | 65.0 | 72.4 | 65.6 | 61.1 | 72.0 | 63.6 | 70.5 | 52.0 | 62.5 | 66.4 | 53.8 | 53.0 | - | 69.4 | 59.8 | 74.4 | 70.4 | 66.2 | 46.4 | 62.7 | 46.8 | 52.0 | 62.2 | 65.8 | 63.1 | 58.4 | 67.1 | - | 68.3 | 66.7 | 2、8日は保守点検のため一部欠損 |
| | | 5 | 22 | 36 | 4 | 7 | 1 | 27 | 9 | 4 | 14 | 8 | 1 | 1 | 0 | 4 | 6 | 9 | 3 | 3 | 2 | 19 | 1 | 1 | 20 | 24 | 9 | 2 | 9 | 0 | 3 | 8.5 | |
| 10 | 文ヶ岡小学校 | 70.5 | 62.8 | 69.2 | 60.0 | 72.1 | 62.0 | 61.5 | 61.2 | 63.8 | 70.4 | 59.3 | - | 48.7 | 55.7 | 63.7 | 63.1 | 65.6 | 59.9 | 50.3 | 51.5 | 56.0 | 63.6 | 62.0 | 63.9 | 63.1 | 66.2 | 63.8 | 54.7 | 60.3 | 62.8 | 64.6 | 2、4日は保守点検のため一部欠損 |
| | | 46 | 36 | 22 | 13 | 21 | 5 | 10 | 28 | 22 | 25 | 15 | 0 | 3 | 7 | 18 | 12 | 16 | 7 | 3 | 3 | 8 | 10 | 17 | 27 | 22 | 10 | 2 | 6 | 15 | 26 | 15.2 | |
| 11 | 綾瀬市福祉会館 | 74.2 | 69.6 | 68.6 | 68.9 | 67.0 | 57.4 | 67.4 | 67.3 | 67.4 | 67.7 | 66.3 | 61.9 | 59.3 | 59.5 | 71.9 | 63.8 | 67.6 | 69.9 | 66.1 | 67.2 | 68.6 | 68.4 | 65.2 | 66.2 | 65.3 | 62.2 | 60.8 | 65.3 | 62.7 | 66.3 | 67.4 | 2、3日は保守点検のため一部欠損 |
| | | 65 | 56 | 40 | 29 | 16 | 3 | 21 | 45 | 32 | 33 | 22 | 3 | 2 | 3 | 41 | 14 | 43 | 52 | 5 | 8 | 65 | 14 | 13 | 27 | 18 | 9 | 6 | 21 | 11 | 34 | 25.0 | |
| 12 | 大庭中学校 | 56.0 | 59.7 | 62.7 | 69.1 | 55.5 | 57.3 | 56.0 | 64.2 | 63.2 | 55.2 | 58.4 | 49.5 | 61.8 | 59.3 | 62.5 | 62.2 | 70.7 | 68.4 | 61.4 | 55.7 | 60.0 | 64.0 | 57.1 | 59.0 | 58.6 | 67.6 | 61.7 | 62.3 | 57.8 | 59.7 | 63.0 | 2、1日は保守点検のため一部欠損 |
| | | 5 | 10 | 25 | 13 | 2 | 4 | 10 | 24 | 17 | 4 | 11 | 1 | 5 | 11 | 14 | 20 | 17 | 17 | 3 | 3 | 10 | 13 | 12 | 12 | 11 | 15 | 11 | 17 | 11 | 10 | 11.3 | |
| 13 | 立野台小学校 | 61.6 | 65.5 | 66.3 | 65.8 | 58.6 | 46.6 | 65.2 | 64.5 | 64.0 | 61.3 | 60.8 | 52.9 | - | - | 54.1 | 60.7 | 76.0 | 68.1 | 50.0 | 46.5 | 62.7 | 52.8 | 43.1 | 63.5 | 72.1 | 65.8 | 43.2 | 56.7 | 55.1 | 58.0 | 65.2 | 2、5日は保守点検のため一部欠損 |
| | | 7 | 47 | 55 | 25 | 14 | 1 | 59 | 10 | 3 | 22 | 23 | 7 | 0 | 0 | 7 | 13 | 24 | 4 | 1 | 2 | 19 | 4 | 1 | 43 | 34 | 10 | 1 | 11 | 5 | 15 | 15.6 | |
| 14 | J A さがみ綾西支店 | 57.5 | 65.9 | 62.6 | 62.7 | 62.8 | 52.5 | 64.2 | 64.7 | 66.8 | 63.8 | 60.1 | 49.2 | - | 44.3 | 60.2 | 55.4 | 63.2 | 57.2 | 49.7 | 55.8 | 64.2 | 46.1 | 57.1 | 63.4 | 60.4 | 54.3 | 45.7 | 61.2 | 56.6 | 62.5 | 61.1 | 2、3日は保守点検のため一部欠損 |
| | | 10 | 51 | 35 | 9 | 41 | 1 | 31 | 53 | 10 | 34 | 15 | 1 | 0 | 1 | 17 | 6 | 22 | 3 | 2 | 3 | 22 | 1 | 2 | 33 | 23 | 8 | 1 | 27 | 6 | 26 | 16.5 | |
| 15 | 町田市健康福祉会館 | 62.2 | 64.8 | 65.0 | 58.5 | 56.4 | 54.4 | 64.0 | 57.4 | 43.1 | 63.2 | 60.7 | 57.1 | 53.8 | 45.9 | 61.2 | 62.1 | 66.4 | 62.8 | 51.5 | 47.8 | 60.4 | 62.8 | 62.9 | 63.3 | 64.5 | 63.1 | 50.0 | 59.9 | 65.2 | 60.1 | 61.6 | |
| | | 14 | 17 | 30 | 7 | 2 | 4 | 16 | 4 | 1 | 15 | 13 | 4 | 5 | 1 | 19 | 18 | 16 | 15 | 2 | 2 | 16 | 16 | 16 | 17 | 15 | 5 | 2 | 11 | 22 | 15 | 11.3 | |
| 16 | 藤沢総合高校 | 57.9 | 60.9 | 63.3 | 73.0 | 58.8 | 59.6 | 61.4 | 62.8 | 60.5 | 54.6 | 60.8 | 48.6 | 60.9 | 55.5 | 61.7 | 64.3 | 68.1 | 69.3 | 66.6 | 58.4 | 64.3 | 61.7 | 61.5 | 59.4 | 68.5 | 74.0 | 65.8 | 62.7 | 66.0 | 61.0 | 65.5 | 2、2日は保守点検のため一部欠損 |
| | | 11 | 16 | 31 | 21 | 14 | 6 | 17 | 31 | 14 | 8 | 17 | 1 | 6 | 9 | 13 | 21 | 23 | 23 | 6 | 6 | 19 | 13 | 17 | 16 | 19 | 17 | 11 | 23 | 19 | 18 | 15.5 | |
| 17 | 金井中学校 | 56.6 | 54.9 | 58.8 | 59.2 | - | 48.4 | 61.2 | - | - | 54.2 | 59.9 | 53.6 | 49.6 | - | 58.0 | 55.3 | 56.9 | 55.3 | - | 44.5 | 54.6 | 58.3 | 61.0 | 58.3 | 61.4 | - | 47.0 | 51.5 | 58.0 | 52.9 | 56.2 | |
| | | 5 | 7 | 11 | 13 | 0 | 1 | 9 | 0 | 0 | 5 | 10 | 3 | 2 | 0 | 10 | 7 | 6 | 6 | 0 | 1 | 5 | 8 | 5 | 9 | 8 | 0 | 2 | 4 | 11 | 3 | 5.0 | |
| 18 | 鶴川中学校 | 51.4 | 51.9 | 58.2 | - | - | - | 52.4 | - | 45.6 | 52.2 | 46.8 | - | 46.8 | - | 49.6 | 51.9 | 57.2 | 56.5 | - | - | 46.5 | 53.6 | 51.6 | 43.8 | 58.3 | 44.4 | 51.9 | 46.3 | 45.8 | - | 51.3 | |
| | | 4 | 5 | 12 | 0 | 0 | 0 | 3 | 0 | 1 | 3 | 1 | 0 | 2 | 0 | 4 | 2 | 3 | 2 | 0 | 0 | 1 | 3 | 4 | 1 | 2 | 1 | 2 | 1 | 1 | 0 | 1.9 | |
| 19 | 大沼小学校 | 61.0 | 58.2 | 69.1 | 58.5 | 61.9 | 49.5 | 54.7 | 60.1 | 57.7 | 56.1 | - | 43.1 | 43.4 | 49.3 | 58.0 | 57.2 | 50.6 | 60.2 | 43.1 | 53.1 | 52.4 | 53.7 | - | 48.1 | 51.7 | 54.7 | - | - | - | 52.9 | 57.9 | 2、8日は保守点検のため一部欠損 |
| | | 5 | 6 | 5 | 1 | 4 | 3 | 4 | 8 | 6 | 2 | 0 | 1 | 1 | 2 | 1 | 2 | 1 | 4 | 1 | 2 | 1 | 2 | 0 | 2 | 3 | 3 | 0 | 0 | 0 | 2 | 2.4 | |
| 20 | 国分コミュニティセンター | 53.9 | 54.0 | 57.5 | 57.8 | 56.9 | - | 53.7 | 58.8 | 61.7 | 58.3 | - | - | - | - | 58.9 | 58.0 | 54.0 | 48.8 | 44.4 | 53.5 | 45.2 | 49.9 | 52.2 | 55.2 | 43.6 | - | 47.4 | 43.3 | 49.3 | 54.3 | 2、5日は保守点検のため一部欠損 | |
| | | 2 | 3 | 4 | 6 | 3 | 0 | 2 | 4 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 1 | 1 | 3 | 1 | 2 | 3 | 5 | 1 | 0 | 1 | 1 | 1 | | 1.9 |
| 21 | 御所見中学校 | 54.4 | 64.6 | 60.2 | 65.7 | 56.7 | - | 60.2 | 59.9 | 81.6 | 63.7 | 55.2 | 47.8 | - | - | 57.9 | 57.0 | 55.5 | 57.0 | 52.9 | - | 57.5 | - | 49.3 | 58.5 | 51.8 | 48.6 | 69.7 | 73.7 | 48.8 | 51.8 | 68.3 | 2、2日は保守点検、移設作業のため全部欠損 |
| | | 2 | 7 | 10 | 5 | 9 | 0 | 11 | 18 | 22 | 7 | 5 | 1 | 0 | 0 | 3 | 5 | 3 | 2 | 4 | 0 | 9 | - | 2 | 9 | 3 | 2 | 3 | 18 | 2 | 5 | 5.8 | |
| 22 | 湘南台小学校 | 43.2 | 46.6 | 49.9 | 58.4 | 44.2 | 45.7 | 43.7 | 47.5 | 46.4 | - | 48.4 | 54.2 | - | - | 50.8 | 50.3 | 56.8 | 54.5 | 60.5 | 44.5 | 49.3 | 44.1 | 45.6 | 48.3 | 56.7 | 65.9 | 52.6 | - | 49.0 | 44.9 | 54.5 | 2、1日は保守点検のため一部欠損 |
| | | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 0 | 2 | 1 | 0 | 0 | 3 | 3 | 3 | 1 | 4 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 3 | 0 | 3 | 1 | 1.6 | |
| 23 | 小和田小学校 | 54.4 | 43.6 | 51.2 | 57.9 | 45.1 | 53.7 | 51.2 | 51.5 | 51.7 | - | 49.2 | 44.8 | 48.4 | - | 53.0 | 44.7 | | | | | | | | | | | | | | | | |