

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年8月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)	平均
1	飛行場北側	61.5 (80.7) 50	59.9 (79.3) 31	55.2 (74.7) 8	52.0 (76.5) 4	60.5 (79.1) 39	67.2 (87.0) 58	65.8 (84.2) 60	58.1 (77.7) 26	57.1 (76.1) 20	56.8 (75.6) 6	53.2 (71.6) 5	54.2 (72.7) 7	55.6 (74.7) 24	59.6 (78.0) 18	54.9 (75.5) 6	65.9 (91.8) 30	49.7 (70.3) 3	48.8 (66.8) 2	61.5 (78.2) 30	64.7 (77.4) 21	60.7 (79.2) 35	65.1 (84.0) 43	57.2 (75.6) 9	73.4 (95.7) 24	70.5 (91.8) 13	66.7 (85.2) 14	73.9 (95.2) 55	63.9 (83.4) 35	71.3 (91.3) 64	57.2 (76.0) 9	58.6 (78.8) 14	65.5 (86.6) 25
2	飛行場南側	56.1 (72.7) 42	54.1 (72.5) 16	47.2 (63.1) 6	48.1 (64.7) 5	54.5 (70.6) 34	64.5 (81.7) 68	59.4 (76.3) 71	52.7 (69.0) 17	54.7 (71.7) 19	52.9 (69.9) 6	---	46.7 (63.1) 4	56.4 (74.1) 28	53.7 (70.3) 15	49.1 (65.5) 6	67.7 (86.4) 37	51.4 (68.5) 4	---	62.3 (81.8) 39	54.6 (71.3) 18	53.8 (68.9) 48	61.3 (80.0) 56	56.1 (73.8) 24	59.8 (75.0) 14	75.9 (97.2) 16	72.4 (92.1) 29	69.2 (87.1) 46	56.7 (72.6) 37	73.3 (92.4) 70	62.2 (78.9) 11	56.1 (74.0) 13	65.9 (85.2) 26
3	綾南小学校	46.9 (61.2) 17	44.8 (59.8) 9	40.8 (54.0) 2	41.7 (55.6) 4	48.1 (62.2) 23	56.0 (71.2) 32	50.7 (65.1) 26	47.0 (60.6) 12	46.5 (60.6) 15	46.0 (59.4) 6	---	41.7 (57.0) 2	48.0 (62.5) 14	50.0 (66.6) 10	44.5 (60.2) 5	54.7 (69.2) 21	43.2 (56.4) 4	---	50.8 (65.0) 36	46.1 (60.1) 13	45.2 (60.5) 11	52.2 (66.5) 30	43.5 (56.9) 7	52.4 (65.6) 11	66.7 (83.5) 12	59.8 (75.9) 21	62.2 (76.1) 12	49.3 (63.0) 14	57.9 (70.4) 27	52.2 (65.2) 5	46.7 (61.0) 12	55.1 (70.8) 13
4	天台小学校	49.0 (64.2) 18	45.7 (60.4) 14	41.3 (56.4) 2	---	47.3 (61.1) 24	56.3 (71.3) 47	53.6 (67.7) 45	42.1 (56.8) 6	43.8 (59.4) 5	43.4 (61.8) 3	38.8 (54.5) 1	42.5 (62.6) 3	49.1 (64.1) 19	34.6 (46.3) 2	38.2 (52.1) 2	50.5 (67.7) 28	39.7 (54.8) 2	---	52.9 (69.4) 27	44.4 (58.0) 8	48.3 (62.6) 18	53.9 (69.3) 41	44.5 (57.9) 9	47.7 (64.2) 8	64.3 (79.0) 11	47.3 (61.0) 6	48.8 (61.6) 31	50.8 (64.6) 20	51.1 (66.0) 51	43.9 (57.0) 2	48.8 (64.4) 10	52.0 (67.0) 15
5	引地台中学校	42.3 (56.4) 4	39.9 (55.5) 3	32.9 (49.9) 1	---	28.4 (44.1) 0	45.4 (62.6) 5	37.4 (51.4) 3	35.2 (48.6) 1	---	---	---	---	---	39.2 (53.0) 2	---	47.4 (58.1) 2	32.7 (50.5) 1	---	33.0 (48.6) 2	46.4 (59.6) 1	36.8 (49.6) 1	45.1 (62.4) 5	34.5 (53.3) 1	56.1 (73.5) 10	55.3 (68.4) 7	50.2 (63.8) 2	55.9 (70.6) 9	48.6 (61.9) 12	51.1 (64.6) 9	45.3 (57.1) 4	30.6 (48.4) 1	47.4 (62.5) 3
6	座間防衛事務所	49.1 (62.8) 33	47.3 (62.0) 18	42.7 (57.0) 7	34.6 (47.8) 2	48.7 (62.9) 32	53.8 (68.1) 60	54.7 (69.9) 45	46.3 (61.3) 14	44.7 (59.5) 14	46.4 (62.3) 7	44.9 (60.4) 6	44.6 (58.5) 8	47.2 (62.6) 8	41.5 (55.4) 5	54.7 (70.7) 36	33.2 (46.9) 2	36.3 (51.2) 3	48.8 (62.6) 29	45.3 (58.7) 15	50.1 (64.1) 41	52.1 (66.1) 36	43.7 (57.7) 9	58.5 (74.3) 25	53.0 (68.2) 9	54.7 (70.1) 12	61.5 (78.0) 36	53.9 (68.6) 33	59.0 (75.6) 56	44.0 (60.4) 12	47.9 (62.5) 14	52.5 (68.2) 21	
7	上鶴間小学校	48.5 (61.6) 15	46.2 (59.9) 12	41.7 (54.2) 3	40.9 (55.9) 2	48.0 (62.1) 12	50.8 (65.0) 14	42.8 (56.4) 8	45.5 (58.6) 7	42.4 (56.8) 6	44.3 (58.5) 5	39.4 (52.8) 4	43.8 (57.8) 6	39.6 (52.4) 3	48.8 (61.3) 13	44.6 (60.0) 4	47.4 (61.5) 10	34.1 (47.4) 1	35.8 (49.1) 1	41.0 (54.1) 6	43.4 (56.4) 7	49.3 (62.1) 19	47.0 (60.1) 9	45.0 (58.6) 7	53.9 (70.6) 15	49.9 (64.0) 8	51.0 (68.2) 11	56.1 (71.9) 18	47.7 (60.3) 9	48.5 (64.4) 10	42.4 (56.3) 5	38.7 (52.0) 3	47.8 (62.8) 8
8	西鶴間小学校	49.7 (64.4) 30	50.8 (66.3) 27	45.3 (61.1) 8	33.7 (48.4) 1	48.8 (63.4) 25	56.1 (74.8) 51	52.3 (66.6) 44	45.0 (58.4) 12	43.0 (56.7) 12	43.0 (56.7) 4	44.3 (58.4) 5	48.3 (63.3) 6	49.6 (64.1) 18	46.4 (58.6) 10	39.4 (53.7) 4	51.9 (66.8) 26	36.1 (50.0) 2	41.9 (56.1) 1	54.4 (69.4) 35	48.8 (64.7) 14	51.6 (66.3) 37	55.0 (70.0) 41	45.7 (60.8) 13	59.7 (75.0) 17	59.5 (75.8) 10	62.6 (80.3) 13	64.6 (82.1) 30	60.7 (74.9) 23	64.7 (82.4) 53	46.1 (60.6) 8	45.8 (60.2) 12	55.9 (72.9) 19
9	相模野小学校	---	36.5 (51.1) 0	29.0 (45.1) 1	---	28.5 (43.1) 1	47.8 (63.5) 14	39.9 (54.1) 3	40.8 (56.3) 3	33.9 (48.9) 1	44.3 (55.8) 1	30.2 (44.7) 1	---	---	---	---	46.3 (62.7) 7	32.4 (46.0) 1	---	34.2 (49.7) 1	---	38.9 (54.0) 5	41.8 (56.9) 5	---	49.1 (66.7) 10	57.1 (71.2) 7	42.6 (56.0) 1	43.7 (53.6) 2	44.6 (60.0) 6	48.5 (64.0) 16	---	29.9 (43.1) 0	44.8 (59.6) 1
10	文ヶ岡小学校	46.2 (59.1) 20	41.0 (55.8) 3	---	30.1 (43.9) 1	37.0 (50.0) 3	48.4 (65.1) 8	41.2 (53.7) 7	47.2 (61.3) 9	---	31.8 (45.2) 1	54.4 (71.1) 9	36.5 (48.6) 2	43.6 (56.5) 10	46.8 (59.5) 5	40.9 (54.6) 6	49.5 (63.5) 9	---	26.0 (44.1) 1	41.6 (54.7) 11	49.4 (62.6) 22	45.2 (58.5) 13	49.7 (63.9) 12	41.5 (53.1) 1	53.4 (66.0) 8	52.0 (68.6) 13	55.3 (69.9) 23	55.4 (69.9) 13	49.0 (64.8) 16	53.2 (67.1) 16	49.6 (64.9) 1	51.0 (66.4) 2	49.0 (63.7) 8

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先  
南関東防衛局 企画部 住宅防音第1課  
045-211-7113

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年8月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)	平均					
11	中村自治会館	52.4 (66.6) 43	46.8 (62.1) 17	51.6 (69.7) 16	39.8 (57.2) 5	47.5 (62.8) 17	53.1 (67.3) 32	51.3 (66.2) 29	46.8 (60.8) 25	42.2 (59.1) 6	42.9 (58.6) 7	25.9 (43.1) 1	37.7 (54.2) 5	50.3 (64.6) 23	46.8 (58.5) 4	41.6 (56.3) 4	44.4 (58.4) 10	---	34.8 (50.4) 2	39.2 (51.9) 1	55.1 (66.0) 8	50.9 (64.3) 29	54.1 (67.2) 31	45.0 (59.0) 5	52.2 (70.7) 13	58.0 (72.8) 9	54.9 (69.6) 13	54.8 (66.9) 21	46.5 (59.3) 20	51.5 (65.1) 20	41.7 (55.3) 4	34.1 (47.3) 2	50.4 (65.0) 14					
12	大庭中学校	37.0 (49.5) 3	41.0 (54.4) 7	34.3 (47.0) 2	37.5 (50.8) 2	37.8 (50.9) 3	54.6 (70.7) 10	44.2 (56.1) 8	38.0 (50.8) 4	39.5 (53.3) 5	38.3 (50.8) 3	---	32.5 (44.3) 1	36.8 (49.8) 3	39.6 (53.2) 3	32.6 (47.1) 1	44.3 (56.9) 5	40.0 (54.1) 3	---	45.1 (58.7) 14	39.5 (54.4) 5	40.2 (57.1) 5	48.8 (60.1) 10	50.6 (62.2) 13	50.6 (65.1) 6	54.8 (61.7) 5	48.7 (63.2) 9	52.1 (57.7) 6	37.7 (50.6) 2	50.9 (63.6) 7	48.8 (63.1) 9	37.0 (50.5) 3	46.9 (60.7) 5					
13	立野台小学校	39.1 (52.9) 6	38.9 (53.7) 4	---	31.5 (45.1) 1	31.9 (47.0) 2	48.0 (62.9) 20	41.0 (56.7) 3	37.6 (52.2) 4	37.3 (50.9) 3	30.4 (44.9) 1	31.7 (45.1) 1	---	37.3 (50.0) 2	---	35.6 (49.3) 1	47.0 (63.1) 14	36.2 (51.0) 1	---	42.0 (57.2) 6	---	38.3 (54.0) 1	44.6 (58.9) 10	---	60.9 (76.5) 8	63.0 (78.7) 4	40.3 (58.1) 5	39.1 (53.2) 5	43.2 (57.7) 6	47.2 (62.7) 10	35.7 (47.0) 2	40.6 (55.0) 2	50.6 (66.2) 4					
14	JAさがみ綾西支店	38.7 (54.8) 2	41.4 (57.4) 3	34.3 (51.3) 2	34.1 (48.9) 1	37.5 (52.8) 3	46.2 (58.7) 6	44.1 (57.8) 6	36.0 (47.1) 2	32.5 (45.8) 1	---	30.7 (43.9) 0	---	29.9 (43.6) 1	---	34.3 (48.1) 1	37.3 (47.8) 1	35.2 (48.9) 1	---	47.6 (63.3) 14	---	35.9 (45.8) 0	43.5 (57.2) 8	---	50.3 (65.5) 6	55.4 (67.7) 3	49.1 (60.7) 8	42.1 (54.6) 8	36.7 (51.6) 2	41.1 (55.1) 7	38.8 (52.2) 1	37.3 (53.2) 3	44.0 (57.5) 3					
15	町田市健康福祉会館	47.2 (61.6) 11	44.0 (57.9) 8	44.7 (59.8) 1	41.3 (56.3) 2	48.3 (61.8) 10	49.9 (64.1) 14	43.2 (57.0) 6	46.2 (59.8) 8	45.6 (63.8) 8	38.6 (52.1) 2	40.1 (53.5) 2	41.0 (55.2) 2	---	47.9 (61.3) 0	46.7 (62.2) 14	45.6 (60.1) 6	---	38.1 (51.7) 1	38.4 (52.5) 3	44.8 (59.0) 5	48.5 (61.5) 15	46.5 (58.6) 8	46.2 (59.3) 7	48.1 (62.3) 9	43.2 (58.0) 4	36.9 (47.4) 1	49.3 (62.8) 12	48.1 (61.6) 10	48.3 (61.7) 8	41.6 (56.5) 3	37.8 (52.6) 1	45.5 (59.6) 6					
16	藤沢総合高校	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
17	金井中学校	42.0 (54.5) 5	40.4 (53.7) 4	---	---	39.2 (53.3) 3	48.0 (61.3) 10	38.4 (51.2) 4	39.3 (51.2) 4	36.6 (49.5) 2	33.8 (47.2) 1	34.2 (48.9) 2	34.5 (49.1) 2	29.2 (43.6) 1	47.1 (59.7) 10	35.3 (47.1) 1	36.7 (48.4) 2	---	---	---	---	40.3 (56.7) 1	42.2 (53.4) 6	45.0 (58.1) 4	40.4 (52.8) 3	40.1 (54.4) 2	39.0 (52.7) 2	38.3 (54.3) 2	44.1 (56.7) 5	46.8 (60.4) 8	44.3 (56.9) 5	42.0 (56.3) 4	32.3 (47.0) 1	41.1 (54.4) 3				
18	鶴川中学校	34.6 (46.7) 1	---	---	---	37.7 (49.9) 1	40.1 (51.7) 3	37.6 (47.6) 1	---	28.2 (45.0) 1	---	29.3 (45.1) 1	---	---	32.9 (46.6) 0	42.2 (55.4) 3	38.3 (52.2) 2	---	---	---	---	---	29.2 (46.3) 0	---	38.6 (52.2) 1	36.1 (52.9) 1	33.3 (47.6) 1	---	35.5 (46.3) 1	---	33.1 (43.9) 1	---	39.6 (53.4) 0	34.2 (47.4) 1				
19	大沼小学校	---	41.0 (54.9) 2	---	---	---	42.7 (55.4) 4	42.2 (53.9) 2	---	---	39.1 (52.0) 1	---	---	---	---	---	---	---	---	---	---	48.1 (62.9) 10	---	34.9 (47.2) 1	42.1 (55.9) 1	38.8 (51.7) 2	45.7 (60.2) 4	41.5 (54.5) 2	44.7 (58.6) 4	58.2 (75.0) 13	---	43.2 (54.7) 0	---	39.3 (51.8) 0	44.8 (60.8) 2			
20	国分コミュニティセンター	31.2 (51.2) 1	34.3 (47.9) 2	---	34.8 (49.4) 3	---	36.3 (50.8) 0	41.4 (58.6) 4	25.1 (44.1) 1	32.2 (46.6) 2	42.8 (57.8) 3	24.7 (43.1) 1	---	31.1 (47.6) 1	---	---	---	---	---	41.3 (57.7) 2	---	44.4 (57.7) 6	33.6 (50.7) 2	34.2 (46.7) 2	43.3 (57.8) 5	27.0 (45.5) 1	44.7 (63.9) 4	51.1 (63.9) 3	30.9 (49.7) 2	42.5 (56.7) 5	38.3 (52.8) 2	43.0 (57.3) 2	32.7 (45.3) 1	33.3 (50.3) 1	40.2 (54.4) 2			

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※藤沢総合高校は機器の故障のため欠測

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年8月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (木)	2日 (金)	3日 (土)	4日 (日)	5日 (月)	6日 (火)	7日 (水)	8日 (木)	9日 (金)	10日 (土)	11日 (日)	12日 (月)	13日 (火)	14日 (水)	15日 (木)	16日 (金)	17日 (土)	18日 (日)	19日 (月)	20日 (火)	21日 (水)	22日 (木)	23日 (金)	24日 (土)	25日 (日)	26日 (月)	27日 (火)	28日 (水)	29日 (木)	30日 (金)	31日 (土)	平均
21	御所見中学校	28.1 (43.3) 1	49.2 (63.3) 2	52.0 (66.1) 4	52.7 (66.9) 4	51.1 (65.2) 6	52.6 (70.3) 8	51.8 (65.8) 3	49.9 (63.8) 3	50.7 (66.6) 5	51.9 (65.7) 3	46.7 (60.7) 1	45.3 (59.4) 1	51.7 (65.8) 4	51.0 (64.6) 4	52.3 (68.2) 4	42.4 (57.5) 4	50.5 (64.3) 3	49.3 (63.2) 2	46.6 (61.6) 12	53.0 (67.0) 5	53.3 (67.2) 5	53.7 (67.7) 8	53.8 (68.7) 5	49.3 (63.2) 4	52.2 (66.4) 6	53.6 (69.0) 7	51.7 (65.5) 7	50.5 (67.1) 3	50.1 (65.5) 6	49.2 (62.9) 2	50.5 (64.6) 4	51.1 (65.8) 4
22	湘南台小学校	--- (---) 0	35.0 (55.4) 1	--- (---) 0	--- (---) 0	35.9 (49.3) 3	40.8 (54.3) 3	31.6 (47.3) 2	37.3 (54.7) 2	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	43.1 (56.4) 1	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	32.5 (45.6) 1	31.1 (43.0) 1	57.7 (74.2) 3	47.5 (60.5) 2	49.7 (60.3) 2	35.9 (48.6) 2	48.1 (59.9) 1	40.0 (52.2) 1	--- (---) 0	44.4 (60.0) 1
23	小和田小学校	--- (---) 0	--- (---) 0	--- (---) 0	31.1 (43.9) 1	--- (---) 0	42.8 (54.2) 2	31.3 (43.4) 1	--- (---) 0	32.5 (43.7) 1	37.4 (50.0) 1	--- (---) 0	32.3 (45.9) 1	33.1 (45.9) 1	34.4 (47.0) 2	31.3 (43.8) 1	32.5 (44.3) 1	34.5 (47.0) 1	--- (---) 0	34.6 (47.2) 2	51.1 (67.2) 2	--- (---) 0	39.2 (49.9) 2	--- (---) 0	--- (---) 0	53.6 (65.8) 3	50.7 (64.7) 2	49.7 (61.2) 4	--- (---) 0	42.7 (55.0) 3	38.0 (49.8) 2	--- (---) 0	43.2 (56.7) 1

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113