

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	31日 (木)	平均
1	飛行場北側	61.2	63.6	65.4	62.3	56.4	51.7	59.6	60.5	59.2	58.9	53.6	---	36.4	52.7	60.7	58.2	57.8	62.5	56.9	44.6	52.8	53.9	60.9	61.6	58.0	62.6	45.5	62.0	55.8	60.6	64.3	59.8
		(80.3)	(82.5)	(84.5)	(82.1)	(74.8)	(67.8)	(74.7)	(79.5)	(76.2)	(76.3)	(72.3)	(---)	(53.4)	(69.0)	(77.7)	(73.7)	(75.5)	(76.7)	(75.2)	(60.0)	(70.1)	(67.7)	(78.4)	(78.1)	(73.1)	(82.8)	(68.5)	(80.1)	(71.2)	(79.1)	(83.3)	(78.0)
2	飛行場南側	56.7	56.4	59.4	58.2	43.8	51.2	61.0	55.3	62.1	61.9	43.3	---	57.8	56.3	61.4	60.7	62.6	63.3	50.1	43.5	51.4	56.5	50.5	63.7	63.7	59.8	43.1	56.7	61.9	61.1	57.8	59.1
		(73.9)	(74.7)	(76.0)	(74.2)	(62.5)	(69.9)	(79.3)	(70.7)	(80.9)	(80.4)	(59.3)	(---)	(76.5)	(75.2)	(79.6)	(78.6)	(80.6)	(80.8)	(66.9)	(61.4)	(69.5)	(75.7)	(68.2)	(81.8)	(81.2)	(76.4)	(60.7)	(74.6)	(79.6)	(80.3)	(73.9)	(77.1)
3	綾南小学校	47.5	46.6	52.7	48.5	36.9	59.0	49.7	47.0	53.0	53.6	---	---	45.9	43.8	51.0	49.4	55.2	51.5	44.1	36.2	39.4	43.0	42.5	52.2	54.4	52.2	32.5	51.9	52.6	51.6	50.3	50.8
		(61.6)	(60.3)	(67.1)	(61.7)	(50.2)	(72.7)	(63.2)	(59.9)	(68.3)	(69.2)	(---)	(---)	(45.9)	(56.6)	(65.0)	(64.4)	(71.6)	(65.7)	(58.1)	(48.4)	(52.3)	(57.6)	(57.3)	(66.1)	(66.7)	(46.4)	(65.3)	(66.2)	(67.7)	(64.4)	(65.2)	
4	天台小学校	48.5	53.5	53.1	51.7	45.4	---	51.1	45.5	53.7	51.7	28.3	38.0	43.4	---	48.9	46.6	48.0	46.4	44.8	---	---	32.5	37.9	39.7	47.2	54.5	---	48.5	46.2	51.5	52.5	48.7
		(62.7)	(67.4)	(68.3)	(67.3)	(60.8)	(---)	(65.2)	(59.2)	(69.0)	(66.4)	(43.6)	(53.9)	(58.0)	(---)	(63.4)	(59.0)	(62.6)	(60.1)	(59.4)	(---)	(---)	(44.4)	(50.8)	(54.4)	(59.9)	(70.2)	(---)	(62.2)	(59.0)	(66.0)	(67.1)	(63.4)
5	引地台中学校	42.7	42.9	42.1	32.5	30.6	---	38.0	45.6	41.6	39.8	40.6	---	---	---	40.6	46.0	45.5	35.7	33.9	43.1	---	39.5	45.7	34.7	43.4	40.0	---	39.3	43.8	46.4	47.9	41.8
		(56.1)	(55.8)	(59.7)	(43.0)	(43.5)	(---)	(52.3)	(58.9)	(53.9)	(53.9)	(54.8)	(---)	(---)	(---)	(54.5)	(60.8)	(59.3)	(50.5)	(48.7)	(54.1)	(---)	(54.0)	(60.7)	(50.6)	(55.7)	(55.3)	(---)	(51.5)	(57.4)	(61.4)	(62.2)	(56.0)
6	座間防衛事務所	50.2	49.9	52.5	51.6	46.6	44.8	48.5	50.6	49.7	49.7	44.3	46.5	31.9	46.0	51.5	48.7	48.2	53.5	47.6	37.3	43.3	39.8	49.9	53.0	49.6	50.0	39.1	49.7	48.3	50.1	52.7	49.3
		(65.0)	(64.0)	(67.2)	(66.8)	(60.0)	(60.4)	(65.3)	(66.8)	(64.0)	(64.2)	(58.6)	(62.6)	(46.7)	(60.3)	(65.9)	(62.4)	(61.9)	(67.7)	(63.8)	(50.4)	(56.6)	(56.6)	(62.5)	(66.4)	(62.7)	(64.4)	(55.6)	(65.6)	(61.1)	(64.2)	(66.3)	(63.8)
7	上鶴間小学校	47.2	43.3	52.0	50.1	43.6	31.7	46.2	46.5	44.5	43.4	36.7	---	---	39.3	45.9	43.1	46.0	46.9	40.1	---	36.9	---	52.0	43.8	---	43.9	33.1	47.5	42.7	45.8	52.0	45.7
		(61.2)	(57.7)	(65.9)	(62.5)	(58.2)	(44.1)	(61.0)	(61.1)	(58.8)	(57.3)	(48.8)	(---)	(---)	(52.1)	(59.0)	(57.1)	(59.5)	(60.5)	(52.6)	(---)	(52.2)	(---)	(64.1)	(55.6)	(---)	(57.9)	(45.6)	(61.2)	(57.3)	(59.6)	(65.9)	(59.3)
8	西鶴間小学校	52.1	50.3	54.9	49.9	48.4	47.4	53.7	49.8	52.7	53.1	49.3	---	---	47.4	55.4	50.1	51.7	55.2	48.6	40.8	50.2	50.9	50.9	56.2	52.1	50.8	40.8	51.7	51.8	54.0	55.1	51.7
		(66.9)	(66.2)	(70.1)	(62.8)	(63.2)	(63.2)	(68.6)	(65.3)	(67.9)	(68.3)	(63.5)	(---)	(---)	(61.4)	(70.0)	(64.1)	(66.3)	(69.0)	(62.7)	(54.3)	(65.7)	(63.9)	(64.2)	(70.0)	(65.9)	(65.0)	(54.2)	(66.1)	(66.0)	(69.5)	(70.3)	(66.3)
9	相模野小学校	35.2	39.7	42.3	42.6	25.9	---	---	39.7	43.9	41.1	---	---	---	---	39.5	41.5	---	37.3	28.6	---	---	---	31.3	38.1	---	45.0	---	51.8	37.5	---	45.1	40.6
		(49.9)	(53.6)	(57.2)	(57.9)	(43.8)	(---)	(---)	(53.9)	(59.2)	(55.8)	(---)	(---)	(---)	(---)	(54.6)	(56.3)	(---)	(51.9)	(43.3)	(---)	(---)	(---)	(43.1)	(51.8)	(---)	(60.0)	(---)	(66.1)	(49.7)	(---)	(59.9)	(55.1)
10	文ヶ岡小学校	48.8	40.7	55.5	52.5	38.4	43.9	44.1	47.2	41.7	46.7	43.8	29.7	31.5	42.7	46.4	44.4	48.0	48.3	36.8	36.6	45.5	46.1	51.9	49.0	50.4	34.9	42.6	53.7	47.2	45.8	47.1	47.8
		(62.6)	(52.2)	(67.6)	(67.0)	(49.5)	(56.1)	(57.1)	(60.7)	(54.8)	(62.2)	(57.4)	(45.1)	(44.5)	(58.2)	(58.6)	(56.5)	(61.8)	(62.7)	(48.8)	(48.3)	(48.3)	(61.1)	(58.7)	(65.4)	(61.2)	(62.8)	(47.0)	(59.9)	(69.1)	(60.1)	(58.2)	(59.4)
		22	4	12	25	2	3	13	19	10	19	10	1	1	6	14	11	20	15	3	2	5	2	22	19	9	2	4	17	20	17	21	11.3

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	31日 (木)	平均					
11	中村自治会館	50.7 (64.0) 27	50.9 (64.2) 24	53.2 (66.2) 47	43.9 (56.8) 10	34.9 (47.7) 2	--- (---) 0	50.8 (65.8) 10	45.4 (58.7) 10	52.0 (65.4) 29	48.6 (61.9) 14	44.3 (57.4) 3	40.8 (59.6) 3	40.4 (55.7) 3	--- (---) 0	53.9 (67.1) 28	55.0 (70.0) 41	49.6 (64.5) 21	46.6 (59.8) 14	42.7 (56.8) 7	25.1 (43.7) 1	39.2 (55.9) 3	48.2 (60.6) 2	45.6 (60.1) 12	41.2 (56.4) 10	54.9 (67.1) 12	43.7 (59.5) 7	48.5 (60.7) 11	54.1 (67.8) 36	56.9 (70.5) 60	48.0 (62.1) 12	52.1 (65.9) 39	50.0 (63.7) 16.1					
12	大庭中学校	42.2 (54.7) 6	41.6 (54.9) 5	43.0 (56.6) 7	40.3 (53.5) 5	37.8 (51.2) 2	42.1 (56.6) 2	49.1 (63.2) 18	36.3 (50.1) 2	46.0 (60.2) 15	47.6 (61.8) 11	--- (---) 0	--- (---) 0	45.8 (58.7) 6	46.6 (59.8) 6	51.3 (65.4) 20	48.3 (61.4) 11	50.0 (64.1) 19	53.3 (66.7) 18	35.9 (49.6) 2	37.4 (51.2) 1	41.9 (55.5) 5	45.8 (60.2) 5	--- (---) 0	50.3 (63.2) 18	53.6 (65.3) 21	45.1 (59.1) 9	39.7 (57.3) 1	47.2 (59.4) 7	52.2 (65.1) 25	45.6 (58.9) 10	41.4 (55.2) 5	47.1 (60.4) 8.5					
13	立野台小学校	33.8 (48.2) 2	41.0 (55.8) 5	41.3 (55.1) 11	41.9 (55.9) 12	37.2 (51.1) 3	36.4 (55.6) 1	43.1 (58.7) 2	40.2 (55.1) 5	44.0 (59.2) 9	38.1 (52.3) 5	--- (---) 0	--- (---) 0	42.5 (55.3) 2	--- (---) 0	41.1 (54.4) 6	38.3 (50.8) 4	41.2 (53.5) 1	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	38.8 (49.2) 3	37.0 (50.4) 2	44.3 (57.1) 9	--- (---) 0	47.3 (61.3) 24	--- (---) 0	36.2 (49.2) 3	34.1 (44.3) 1	38.2 (52.7) 6	45.4 (60.0) 10	40.0 (54.1) 4.1					
14	JAさがみ綾西支店	34.7 (49.7) 2	46.9 (63.0) 8	44.4 (62.0) 6	29.4 (44.8) 1	36.0 (49.1) 2	--- (---) 0	48.4 (63.4) 14	39.4 (52.9) 7	47.1 (61.2) 20	44.9 (58.7) 16	--- (---) 0	--- (---) 0	44.5 (58.6) 2	--- (---) 0	44.3 (57.3) 12	43.9 (56.9) 11	48.2 (59.4) 7	42.7 (56.7) 6	38.0 (52.2) 3	--- (---) 0	--- (---) 0	--- (---) 0	38.9 (52.6) 2	44.6 (57.4) 10	--- (---) 0	40.9 (53.8) 7	--- (---) 0	41.2 (54.4) 6	37.7 (50.5) 4	43.7 (57.1) 12	46.9 (58.6) 11	42.5 (56.6) 5.5					
15	町田市健康福祉会館	49.6 (68.9) 8	43.2 (57.3) 5	50.6 (64.7) 25	50.9 (64.8) 19	31.1 (43.4) 1	--- (---) 0	46.6 (64.8) 4	47.3 (60.7) 13	28.9 (43.7) 1	--- (---) 0	51.3 (69.7) 8	51.4 (70.2) 4	48.8 (67.2) 1	--- (---) 0	35.8 (48.1) 2	--- (---) 0	41.3 (54.3) 4	--- (---) 0	--- (---) 0	--- (---) 0	40.1 (53.9) 1	30.4 (44.9) 1	50.7 (63.7) 12	40.6 (56.3) 1	--- (---) 0	39.8 (53.6) 1	--- (---) 0	45.8 (60.1) 6	26.5 (45.3) 1	41.5 (54.6) 4	50.1 (63.8) 21	45.6 (62.2) 4.6					
16	藤沢総合高校	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
17	金井中学校	39.5 (52.4) 4	40.1 (53.9) 3	45.5 (59.0) 13	46.5 (58.0) 13	--- (---) 0	--- (---) 0	33.5 (45.1) 1	44.7 (58.1) 11	37.3 (48.2) 2	30.0 (45.1) 1	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	31.9 (44.3) 1	37.9 (49.4) 3	32.8 (45.3) 1	36.0 (52.4) 1	35.5 (46.2) 1	--- (---) 0	--- (---) 0	48.3 (60.6) 7	39.0 (50.7) 1	--- (---) 0	--- (---) 0	37.9 (53.9) 1	34.4 (46.6) 2	--- (---) 0	36.5 (49.5) 0	48.8 (63.3) 1	40.1 (53.4) 2.7					
18	鶴川中学校	---	37.8 (48.8) 0	44.2 (57.5) 9	42.8 (55.7) 6	--- (---) 0	--- (---) 0	--- (---) 0	40.3 (52.1) 3	35.4 (47.8) 2	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	32.4 (44.7) 1	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	36.7 (48.2) 2	--- (---) 0	--- (---) 0	--- (---) 0	--- (---) 0	34.8 (48.1) 2	38.6 (51.7) 2	43.0 (52.7) 2	32.4 (46.1) 1	35.3 (47.5) 1.0					
19	大沼小学校	36.2 (47.8) 2	---	---	---	30.2 (44.2) 1	32.3 (43.6) 1	44.7 (56.6) 5	42.5 (57.5) 3	35.1 (47.2) 1	42.2 (56.7) 6	40.1 (52.7) 6	---	---	37.7 (51.0) 3	44.9 (57.0) 5	34.3 (46.3) 2	39.2 (51.9) 5	42.1 (55.6) 6	---	31.6 (43.1) 1	44.2 (58.2) 4	43.4 (55.4) 2	---	46.5 (59.6) 9	41.9 (55.6) 2	---	---	47.3 (57.5) 6	41.1 (53.1) 5	44.4 (59.3) 3	42.1 (56.0) 4	40.7 (53.7) 2.6					
20	国分コミュニティセンター	38.6 (57.1) 2	43.5 (56.6) 7	36.0 (49.8) 2	33.2 (47.9) 2	38.0 (56.6) 1	---	38.7 (52.0) 4	---	40.3 (62.0) 0	33.2 (47.4) 2	---	26.8 (45.6) 1	38.3 (57.0) 2	33.0 (47.4) 2	34.6 (47.2) 2	34.8 (48.3) 2	---	41.1 (54.3) 2	---	---	---	32.2 (46.7) 2	33.5 (49.9) 2	45.4 (58.6) 12	---	40.3 (55.8) 1	---	42.1 (56.8) 6	35.7 (49.4) 2	36.4 (50.1) 2	39.3 (53.6) 3	37.5 (53.2) 2.0					

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※藤沢総合高校は機器の故障のため欠測

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	31日 (木)	平均	
21	御所見中学校	55.0 (71.0) 7	52.8 (69.6) 10	51.9 (66.9) 14	52.6 (67.2) 8	51.3 (66.0) 4	51.6 (66.3) 3	35.5 (47.9) 2	47.1 (62.2) 4	50.7 (65.3) 9	48.2 (62.5) 19	63.7 (80.7) 16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	51.1 (66.1) 5	54.7 (71.1) 7.8
22	湘南台小学校	---	---	---	36.4 (50.1) 3	---	---	---	33.7 (49.7) 3	---	---	30.8 (43.0) 1	42.3 (57.5) 2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	33.9 (45.3) 1	---	---	29.5 (44.2) 0.3
23	小和田小学校	32.6 (46.4) 1	37.3 (48.9) 1	37.4 (51.1) 4	---	---	30.3 (44.2) 1	31.0 (44.2) 1	38.1 (51.4) 1	27.9 (45.1) 1	37.2 (50.2) 3	---	---	---	36.5 (50.4) 2	35.6 (48.5) 3	35.1 (49.4) 2	38.4 (50.7) 4	49.7 (60.1) 4	---	27.7 (45.3) 1	33.1 (43.5) 1	34.8 (48.3) 2	---	32.8 (45.5) 1	38.1 (51.1) 2	37.2 (50.6) 2	---	33.9 (46.3) 1	33.8 (45.2) 1	30.6 (45.2) 1	34.3 (46.4) 2	37.3 (49.1) 1.4	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※御所見中学校は機器の不具合のため13日から30日まで欠測

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113