

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	平均
1	飛行場北側	59.9	67.3	53.9	55.2	60.5	61.3	68.6	55.3	48.8	51.8	58.5	59.1	66.4	61.4	68.5	59.9	54.9	70.2	63.7	63.6	61.9	55.4	72.6	44.6	60.6	59.6	63.2	55.9	63.9	54.3	64.0
		(77.1)	(85.8)	(69.9)	(72.3)	(78.4)	(80.0)	(91.3)	(72.6)	(64.6)	(71.7)	(76.3)	(76.2)	(83.2)	(78.3)	(87.0)	(79.4)	(72.6)	(90.1)	(83.6)	(78.0)	(79.1)	(71.8)	(93.1)	(60.3)	(77.5)	(75.0)	(79.8)	(71.3)	(80.5)	(69.4)	(83.5)
		38	25	5	29	55	89	67	26	5	6	21	69	66	90	67	15	6	57	97	77	77	16	9	2	70	72	60	41	82	29	45.6
2	飛行場南側	61.4	60.5	52.6	55.4	57.4	61.3	66.6	61.2	52.0	51.0	58.7	60.6	69.7	65.7	62.2	67.5	53.5	59.4	66.5	64.2	65.9	72.7	54.3	47.2	65.5	63.9	65.6	63.2	65.7	58.3	64.3
		(78.2)	(80.0)	(70.9)	(73.6)	(75.3)	(78.1)	(84.7)	(78.4)	(71.0)	(70.5)	(76.6)	(79.2)	(89.7)	(82.2)	(80.4)	(87.4)	(72.6)	(75.8)	(83.1)	(81.3)	(84.7)	(93.9)	(71.8)	(64.7)	(83.7)	(81.4)	(83.5)	(82.2)	(84.5)	(77.5)	(83.6)
		40	19	7	29	48	79	47	27	4	3	29	72	83	109	57	12	6	45	124	90	101	23	7	4	86	80	61	63	88	27	49.0
3	綾南小学校	51.7	51.3	39.7	45.8	49.1	52.1	56.5	51.5	41.7	38.5	49.3	51.7	55.8	57.1	53.0	65.8	45.4	52.2	57.6	56.3	56.1	59.1	43.6	39.6	55.9	55.0	56.3	54.1	55.9	50.6	55.5
		(66.8)	(64.8)	(53.0)	(61.5)	(63.3)	(65.9)	(73.4)	(65.9)	(54.8)	(53.1)	(64.0)	(67.2)	(69.7)	(70.7)	(68.3)	(84.7)	(60.4)	(66.1)	(70.8)	(70.3)	(70.0)	(75.3)	(57.7)	(56.2)	(71.0)	(69.4)	(70.0)	(69.2)	(71.3)	(65.7)	(72.2)
		24	15	5	7	17	36	26	25	4	3	19	38	50	70	49	12	6	30	68	53	65	20	5	3	66	49	49	47	78	26	32.2
4	天台小学校	48.3	44.1	---	42.8	47.8	53.3	57.6	48.5	40.3	---	45.5	48.8	49.8	53.1	64.8	42.7	33.7	54.4	57.3	47.4	55.5	37.1	41.7	40.3	55.7	50.2	54.0	51.7	54.2	49.0	53.7
		(63.9)	(58.2)	(---)	(58.6)	(61.7)	(66.6)	(71.3)	(62.9)	(52.8)	(---)	(58.3)	(64.0)	(63.4)	(67.0)	(80.0)	(57.8)	(47.6)	(69.7)	(71.7)	(62.6)	(70.8)	(48.0)	(52.4)	(57.5)	(70.8)	(63.5)	(68.3)	(66.6)	(69.3)	(63.4)	(68.5)
		21	7	0	11	15	51	35	20	2	0	11	35	23	40	38	3	1	51	78	23	50	2	2	2	68	30	22	40	53	28	25.4
5	引地台中学校	52.2	46.0	---	37.8	50.6	45.1	54.2	39.2	---	---	---	48.6	55.3	49.0	49.1	51.6	32.0	51.5	45.3	51.0	52.9	43.5	56.5	40.9	48.4	49.8	42.3	33.7	38.6	39.1	49.2
		(67.4)	(58.5)	(---)	(52.4)	(64.9)	(60.4)	(70.0)	(51.2)	(---)	(---)	(---)	(61.7)	(70.3)	(63.3)	(64.3)	(65.6)	(44.7)	(66.4)	(59.0)	(64.7)	(66.3)	(56.0)	(68.3)	(54.9)	(61.4)	(63.3)	(57.1)	(48.9)	(51.3)	(53.3)	(63.4)
		17	5	0	2	14	26	9	3	0	0	0	9	25	23	11	10	1	14	15	18	20	8	5	4	9	26	2	3	4	3	9.5
6	座間防衛事務所	50.2	54.8	46.9	44.5	50.2	49.4	55.9	43.6	40.9	42.9	48.9	48.4	53.6	50.7	57.0	50.3	45.9	57.0	51.6	54.7	51.0	43.1	58.7	38.2	49.5	51.8	54.8	47.7	53.7	44.5	52.2
		(62.9)	(68.3)	(63.8)	(58.4)	(63.8)	(63.9)	(70.2)	(57.6)	(53.4)	(58.5)	(64.1)	(62.4)	(66.4)	(64.4)	(72.8)	(64.0)	(57.7)	(71.4)	(66.5)	(69.5)	(65.2)	(56.3)	(73.2)	(51.3)	(63.9)	(65.4)	(68.9)	(63.5)	(67.8)	(58.1)	(66.6)
		12	17	8	12	21	43	38	14	4	4	21	16	20	24	31	9	6	42	42	28	35	8	9	2	27	28	41	18	47	6	21.1
7	上鶴間小学校	43.2	52.1	41.4	39.2	49.0	47.8	46.7	40.4	35.6	43.2	44.4	41.9	54.7	46.8	52.2	48.8	40.6	54.1	45.3	47.4	42.0	39.4	56.7	36.7	41.8	43.6	50.2	---	46.5	34.8	48.5
		(57.8)	(66.4)	(53.8)	(51.8)	(63.6)	(62.3)	(60.1)	(55.0)	(47.6)	(57.8)	(58.1)	(54.4)	(71.4)	(61.8)	(70.0)	(64.4)	(52.8)	(68.1)	(59.0)	(62.3)	(54.9)	(51.8)	(70.8)	(48.9)	(54.8)	(56.5)	(63.8)	(---)	(60.1)	(47.7)	(63.4)
		5	12	5	4	12	17	13	4	2	4	9	6	7	7	12	8	4	9	8	6	6	5	2	2	2	8	8	22	0	12	2
8	西鶴間小学校	53.3	61.4	49.8	50.0	53.1	51.1	57.8	49.6	44.5	44.7	53.7	53.7	60.5	50.7	60.6	54.3	48.3	63.4	54.6	55.9	54.8	49.4	66.0	41.6	54.1	55.7	57.9	50.5	57.2	50.4	57.1
		(68.2)	(76.9)	(63.4)	(64.1)	(66.4)	(65.9)	(71.2)	(64.7)	(57.8)	(60.2)	(66.8)	(66.9)	(76.5)	(65.0)	(77.4)	(66.4)	(63.7)	(79.8)	(69.4)	(69.7)	(69.5)	(64.1)	(79.9)	(55.5)	(69.0)	(70.5)	(72.0)	(65.0)	(71.6)	(65.4)	(72.1)
		21	20	5	19	28	46	34	17	3	4	17	29	21	28	44	11	6	38	53	30	48	11	6	2	42	40	46	26	63	21	26.0
9	相模野小学校	34.3	42.2	---	32.5	---	38.4	48.3	---	---	---	34.2	---	47.4	38.8	50.7	---	---	46.0	44.5	36.4	42.8	28.7	49.7	44.6	39.3	31.4	38.7	45.9	39.9	---	42.7
		(48.3)	(51.4)	(---)	(48.6)	(---)	(54.2)	(63.7)	(---)	(---)	(---)	(47.8)	(---)	(59.4)	(54.7)	(68.1)	(---)	(---)	(58.9)	(59.6)	(46.3)	(57.7)	(43.0)	(60.2)	(60.1)	(54.6)	(45.0)	(53.7)	(61.0)	(55.0)	(---)	(57.6)
		1	2	0	1	0	2	6	0	0	0	2	0	3	2	7	0	0	8	6	1	6	1	3	2	2	1	2	3	3	0	2.1
10	文ヶ岡小学校	42.2	53.3	44.1	48.4	50.1	50.3	52.7	42.4	37.8	49.5	45.6	48.5	55.3	54.2	52.9	32.1	39.7	56.2	51.7	51.4	47.7	48.8	58.7	43.0	49.9	51.2	51.8	44.2	49.1	42.7	51.1
		(56.5)	(68.4)	(54.9)	(60.5)	(62.3)	(64.1)	(71.4)	(55.2)	(49.5)	(57.8)	(59.4)	(61.7)	(68.7)	(68.3)	(67.9)	(44.9)	(51.8)	(71.3)	(64.6)	(65.1)	(61.0)	(63.2)	(71.4)	(59.7)	(63.4)	(63.8)	(67.0)	(57.5)	(61.3)	(56.8)	(65.3)
		4	11	5	12	19	19	21	8	3	4	5	23	21	41	18	1	3	13	19	37	25	15	6	4	30	29	29	11	25	6	15.6

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
 南関東防衛局 企画部 住宅防音第1課
 045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年11月 上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	平均				
11	中村自治会館	51.2 (64.9) 16	50.1 (63.6) 7	32.4 (50.1) 4	48.6 (63.2) 18	54.5 (67.5) 39	54.5 (66.2) 29	53.0 (67.7) 42	44.3 (57.0) 8	41.4 (58.3) 3	36.2 (53.4) 4	51.1 (66.0) 22	51.6 (65.5) 28	57.3 (71.1) 55	56.4 (69.4) 45	53.8 (66.3) 27	49.9 (61.0) 4	30.8 (45.1) 1	49.9 (64.9) 20	57.9 (71.3) 48	53.8 (68.0) 58	57.5 (69.0) 41	50.2 (64.9) 15	56.5 (68.0) 4	41.3 (57.3) 2	52.6 (65.8) 28	55.6 (68.5) 45	48.7 (61.9) 12	51.1 (64.8) 17	48.9 (62.9) 10	---	---	52.7 (65.9) 21.7			
12	大庭中学校	50.9 (62.1) 13	42.1 (54.2) 5	43.4 (56.4) 7	34.7 (49.3) 2	43.7 (59.1) 9	45.6 (58.3) 7	52.6 (66.1) 7	50.5 (63.8) 9	40.9 (55.4) 2	40.4 (55.1) 2	48.5 (61.2) 12	49.0 (61.1) 7	53.2 (67.5) 34	53.9 (66.1) 34	48.1 (61.3) 17	53.7 (68.5) 10	37.5 (50.3) 2	47.2 (62.9) 9	52.0 (64.9) 23	54.6 (67.5) 38	52.6 (67.1) 26	66.9 (81.4) 14	45.6 (59.4) 6	35.1 (48.4) 4	47.1 (61.0) 12	53.0 (66.1) 30	51.3 (63.8) 30	51.5 (65.1) 15	47.8 (61.4) 16	37.4 (50.5) 3	54.1 (68.2) 13.4				
13	立野台小学校	40.0 (54.7) 5	---	---	36.7 (52.4) 3	---	37.3 (50.5) 2	47.0 (61.4) 10	34.4 (43.5) 1	29.6 (44.1) 1	---	---	41.2 (55.7) 6	39.2 (53.1) 2	41.1 (54.8) 5	57.5 (72.4) 7	---	---	44.1 (59.4) 10	42.2 (56.6) 9	---	41.6 (57.3) 5	40.2 (51.8) 3	44.8 (60.0) 4	39.7 (55.1) 3	36.9 (50.0) 4	32.0 (45.1) 1	35.2 (51.2) 2	46.9 (62.1) 16	---	---	44.5 (59.3) 3.4				
14	JAさがみ綾西支店	43.5 (55.7) 7	40.6 (54.4) 2	32.0 (44.8) 1	41.1 (56.1) 7	41.7 (54.7) 7	47.5 (61.4) 10	54.8 (69.0) 17	44.1 (58.2) 9	---	---	34.8 (48.0) 2	38.1 (51.5) 5	55.4 (69.9) 16	43.5 (56.8) 5	50.1 (63.0) 14	35.5 (49.4) 2	37.0 (51.2) 1	49.9 (65.2) 24	49.9 (63.3) 18	41.2 (56.5) 6	48.9 (62.5) 25	39.1 (54.5) 2	---	35.5 (54.8) 1	48.9 (63.4) 24	46.2 (59.6) 17	48.8 (62.0) 11	46.5 (60.9) 20	51.1 (65.5) 34	43.3 (56.8) 8	47.3 (61.5) 9.8				
15	町田市健康福祉会館	39.2 (54.1) 2	43.6 (58.8) 4	---	44.7 (58.0) 3	53.6 (70.8) 9	46.6 (61.3) 14	47.6 (60.1) 10	30.8 (46.7) 1	---	40.6 (58.0) 2	39.8 (52.4) 3	34.4 (47.1) 2	47.7 (58.9) 4	50.0 (62.4) 4	45.8 (60.5) 5	43.5 (56.8) 4	---	46.9 (59.4) 7	44.5 (57.0) 5	---	27.0 (43.1) 1	---	44.6 (54.6) 2	38.8 (52.4) 1	55.8 (74.6) 11	32.1 (44.1) 1	38.8 (50.1) 4	---	---	---	45.8 (62.4) 3.3				
16	藤沢総合高校	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
17	金井中学校	37.7 (53.4) 2	42.9 (55.4) 1	---	33.2 (44.6) 1	44.4 (56.8) 5	37.1 (50.7) 3	43.3 (55.4) 7	---	---	39.5 (54.9) 1	35.7 (47.9) 2	35.6 (47.8) 2	40.0 (53.6) 2	43.9 (54.6) 2	37.6 (50.5) 4	---	---	45.0 (59.3) 7	42.5 (54.0) 5	---	38.7 (50.7) 2	34.5 (52.9) 1	34.1 (44.5) 1	---	31.4 (44.0) 1	---	---	---	---	---	---	38.3 (51.3) 1.6			
18	鶴川中学校	38.1 (50.0) 3	---	32.2 (43.6) 1	---	38.9 (51.6) 2	48.7 (57.2) 7	44.1 (51.8) 3	---	50.2 (59.0) 6	42.0 (56.3) 1	36.3 (48.0) 2	23.1 (43.2) 1	36.3 (48.4) 1	38.5 (50.9) 3	39.9 (52.5) 4	41.3 (54.7) 3	---	35.9 (44.9) 0	39.1 (51.3) 2	---	---	30.4 (44.4) 1	---	---	---	---	---	---	---	---	33.4 (45.3) 1	---	39.3 (50.2) 1.4		
19	大沼小学校	41.3 (53.1) 1	49.9 (64.9) 6	---	42.8 (55.7) 6	44.8 (57.5) 3	31.5 (43.9) 1	36.1 (48.6) 1	35.0 (47.8) 2	32.3 (43.9) 0	---	45.3 (60.2) 4	44.8 (59.7) 5	52.1 (64.2) 7	36.7 (48.8) 3	44.5 (58.6) 8	---	36.3 (49.7) 0	45.7 (57.4) 2	---	39.6 (52.7) 4	34.0 (47.6) 2	42.1 (55.3) 7	57.5 (69.7) 6	41.8 (56.4) 2	31.4 (43.4) 1	42.1 (54.8) 7	39.3 (51.9) 5	---	32.3 (46.4) 1	---	45.7 (58.5) 2.8				
20	国分コミュニティセンター	36.3 (49.5) 3	27.5 (43.3) 1	---	40.4 (53.8) 2	37.0 (50.9) 3	37.1 (51.4) 4	37.9 (53.6) 6	---	31.2 (43.2) 1	---	40.0 (58.1) 2	32.2 (48.5) 2	42.6 (59.9) 5	40.1 (53.4) 5	52.8 (63.5) 6	---	---	37.6 (52.2) 1	31.6 (47.7) 1	36.7 (54.6) 2	41.0 (57.1) 3	37.2 (54.1) 5	---	37.1 (49.4) 1	38.0 (52.5) 4	41.3 (53.9) 3	38.0 (51.7) 1	37.1 (51.3) 4	46.8 (59.7) 15	36.6 (55.4) 1	41.1 (54.4) 2.7				

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。
 ※藤沢総合高校は機器の故障のため欠測

お問い合わせ先
 南関東防衛局 企画部 住宅防音第1課
 045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年11月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	平均				
11	中村自治会館	51.2 (64.9) 16	50.1 (63.6) 7	32.4 (50.1) 4	48.6 (63.2) 18	54.5 (67.5) 39	54.5 (66.2) 29	53.0 (67.7) 42	44.3 (57.0) 8	41.4 (58.3) 3	36.2 (53.4) 4	51.1 (66.0) 22	51.6 (65.5) 28	57.3 (71.1) 55	56.4 (69.4) 45	53.8 (66.3) 27	49.9 (61.0) 4	30.8 (45.1) 1	49.9 (64.9) 20	57.9 (71.3) 48	53.8 (68.0) 58	57.5 (69.0) 41	50.2 (64.9) 15	56.5 (68.0) 4	41.3 (57.3) 2	52.6 (65.8) 28	55.6 (68.5) 45	48.7 (61.9) 12	51.1 (64.8) 17	48.9 (62.9) 10	---	---	---	52.7 (65.9) 21.7		
12	大庭中学校	50.9 (62.1) 13	42.1 (54.2) 5	43.4 (56.4) 7	34.7 (49.3) 2	43.7 (59.1) 9	45.6 (58.3) 7	52.6 (66.1) 7	50.5 (63.8) 9	40.9 (55.4) 2	40.4 (55.1) 2	48.5 (61.2) 12	49.0 (61.1) 7	53.2 (67.5) 34	53.9 (66.1) 34	48.1 (61.3) 17	53.7 (68.5) 10	37.5 (50.3) 2	47.2 (62.9) 9	52.0 (64.9) 23	54.6 (67.5) 38	52.6 (67.1) 26	66.9 (81.4) 14	45.6 (59.4) 6	35.1 (48.4) 4	47.1 (61.0) 12	53.0 (66.1) 30	51.3 (63.8) 30	51.5 (65.1) 15	47.8 (61.4) 16	37.4 (50.5) 3	54.1 (68.2) 13.4				
13	立野台小学校	40.0 (54.7) 5	---	---	36.7 (52.4) 3	---	37.3 (50.5) 2	47.0 (61.4) 10	34.4 (43.5) 1	29.6 (44.1) 1	---	---	41.2 (55.7) 6	39.2 (53.1) 2	41.1 (54.8) 5	57.5 (72.4) 7	---	---	44.1 (59.4) 10	42.2 (56.6) 9	---	41.6 (57.3) 5	40.2 (51.8) 3	44.8 (60.0) 4	39.7 (55.1) 3	36.9 (50.0) 4	32.0 (45.1) 1	35.2 (51.2) 2	46.9 (62.1) 16	---	---	---	44.5 (59.3) 3.4			
14	JAさがみ綾西支店	43.5 (55.7) 7	40.6 (54.4) 2	32.0 (44.8) 1	41.1 (56.1) 7	41.7 (54.7) 7	47.5 (61.4) 10	54.8 (69.0) 17	44.1 (58.2) 9	---	---	34.8 (48.0) 2	38.1 (51.5) 5	55.4 (69.9) 16	43.5 (56.8) 5	50.1 (63.0) 14	35.5 (49.4) 2	37.0 (51.2) 1	49.9 (65.2) 24	49.9 (63.3) 18	41.2 (56.5) 6	48.9 (62.5) 25	39.1 (54.5) 2	---	35.5 (54.8) 1	48.9 (63.4) 24	46.2 (59.6) 17	48.8 (62.0) 11	46.5 (60.9) 20	51.1 (65.5) 34	43.3 (56.8) 8	47.3 (61.5) 9.8				
15	町田市健康福祉会館	39.2 (54.1) 2	43.6 (58.8) 4	---	44.7 (58.0) 3	53.6 (70.8) 9	46.6 (61.3) 14	47.6 (60.1) 10	30.8 (46.7) 1	---	40.6 (58.0) 2	39.8 (52.4) 3	34.4 (47.1) 2	47.7 (58.9) 4	50.0 (62.4) 4	45.8 (60.5) 5	43.5 (56.8) 4	---	46.9 (59.4) 7	44.5 (57.0) 5	---	27.0 (43.1) 1	---	44.6 (54.6) 2	38.8 (52.4) 1	55.8 (74.6) 11	32.1 (44.1) 1	38.8 (50.1) 4	---	---	---	45.8 (62.4) 3.3				
16	藤沢総合高校	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
17	金井中学校	37.7 (53.4) 2	42.9 (55.4) 1	---	33.2 (44.6) 1	44.4 (56.8) 5	37.1 (50.7) 3	43.3 (55.4) 7	---	---	39.5 (54.9) 1	35.7 (47.9) 2	35.6 (47.8) 2	40.0 (53.6) 2	43.9 (54.6) 2	37.6 (50.5) 4	---	---	45.0 (59.3) 7	42.5 (54.0) 5	---	38.7 (50.7) 2	34.5 (52.9) 1	34.1 (44.5) 1	---	31.4 (44.0) 1	---	---	---	---	---	---	---	38.3 (51.3) 1.6		
18	鶴川中学校	38.1 (50.0) 3	---	32.2 (43.6) 1	---	38.9 (51.6) 2	48.7 (57.2) 7	44.1 (51.8) 3	---	50.2 (59.0) 6	42.0 (56.3) 1	36.3 (48.0) 2	23.1 (43.2) 1	36.3 (48.4) 1	38.5 (50.9) 3	39.9 (52.5) 4	41.3 (54.7) 3	---	35.9 (44.9) 0	39.1 (51.3) 2	---	---	30.4 (44.4) 1	---	---	---	---	---	---	---	---	33.4 (45.3) 1	---	---	39.3 (50.2) 1.4	
19	大沼小学校	41.3 (53.1) 1	49.9 (64.9) 6	---	42.8 (55.7) 6	44.8 (57.5) 3	31.5 (43.9) 1	36.1 (48.6) 1	35.0 (47.8) 2	32.3 (43.9) 0	---	45.3 (60.2) 4	44.8 (59.7) 5	52.1 (64.2) 7	36.7 (48.8) 3	44.5 (58.6) 8	---	36.3 (49.7) 0	45.7 (57.4) 2	---	39.6 (52.7) 4	34.0 (47.6) 2	42.1 (55.3) 7	57.5 (69.7) 6	41.8 (56.4) 2	31.4 (43.4) 1	42.1 (54.8) 7	39.3 (51.9) 5	---	32.3 (46.4) 0	---	45.7 (58.5) 2.8				
20	国分コミュニティセンター	36.3 (49.5) 3	27.5 (43.3) 1	---	40.4 (53.8) 2	37.0 (50.9) 3	37.1 (51.4) 4	37.9 (53.6) 6	---	31.2 (43.2) 1	---	40.0 (58.1) 2	32.2 (48.5) 2	42.6 (59.9) 5	40.1 (53.4) 5	52.8 (63.5) 6	---	---	37.6 (52.2) 1	31.6 (47.7) 1	36.7 (54.6) 2	41.0 (57.1) 3	37.2 (54.1) 5	---	37.1 (49.4) 1	38.0 (52.5) 4	41.3 (53.9) 3	38.0 (51.7) 1	37.1 (51.3) 4	46.8 (59.7) 15	36.6 (55.4) 1	41.1 (54.4) 2.7				

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※藤沢総合高校は機器の故障のため欠測

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113