

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均
1	飛行場北側	48.2 (66.2) 3	57.6 (75.0) 31	63.8 (82.6) 100	64.7 (84.5) 96	66.1 (86.8) 78	62.7 (79.6) 66	68.9 (88.3) 32	43.8 (60.2) 2	63.3 (79.5) 52	60.3 (77.2) 69	72.6 (91.7) 84	63.7 (82.4) 90	55.2 (71.6) 31	57.8 (76.4) 22	43.0 (58.4) 1	68.2 (86.2) 62	58.4 (74.8) 57	60.8 (78.7) 60	61.8 (77.7) 64	58.0 (76.3) 27	58.0 (75.1) 19	47.1 (62.5) 2	62.9 (82.3) 70	56.5 (73.6) 23	51.8 (67.5) 16	55.5 (71.5) 33	58.5 (75.6) 54	41.8 (56.8) 2	53.9 (70.0) 2	45.4 (60.7) 3	52.6 (73.6) 6	62.9 (81.7) 41
2	飛行場南側	50.1 (68.8) 2	58.8 (77.2) 21	61.9 (79.6) 79	63.2 (80.1) 99	73.4 (92.8) 64	65.4 (84.8) 73	61.7 (80.5) 30	52.5 (69.9) 3	66.1 (88.4) 69	63.4 (82.0) 68	68.7 (90.9) 95	63.6 (81.2) 98	59.6 (78.4) 46	52.1 (68.3) 11	46.7 (65.9) 1	64.4 (87.2) 61	61.4 (79.4) 58	67.5 (91.5) 76	65.2 (83.7) 67	59.4 (76.2) 25	59.5 (78.3) 19	49.0 (67.7) 2	58.7 (75.8) 53	60.2 (79.6) 25	58.8 (77.4) 15	60.4 (78.3) 32	63.4 (82.4) 70	44.5 (63.4) 1	56.4 (75.2) 2	48.3 (71.7) 3	56.3 (74.5) 1	63.6 (84.0) 41
3	綾南小学校	40.3 (53.2) 2	49.2 (62.7) 12	53.8 (68.8) 44	55.2 (68.6) 72	65.2 (81.8) 41	56.8 (71.7) 60	52.0 (65.2) 31	41.6 (55.8) 3	54.6 (70.2) 43	54.1 (68.8) 44	57.4 (73.0) 64	53.4 (67.0) 50	50.5 (65.1) 28	45.1 (59.2) 8	39.3 (52.8) 3	56.1 (71.3) 45	49.7 (62.8) 26	56.9 (72.0) 48	55.3 (69.9) 53	50.7 (62.8) 19	48.5 (64.6) 19	41.4 (54.6) 3	50.1 (64.0) 31	50.4 (65.6) 25	49.3 (63.1) 16	51.8 (66.3) 29	52.0 (65.7) 37	39.8 (55.5) 1	45.0 (59.5) 2	36.4 (52.0) 1	40.9 (54.9) 1	54.3 (69.8) 28
4	天台小学校	32.5 (43.3) 1	43.3 (55.7) 6	55.9 (69.7) 52	55.5 (70.5) 71	53.3 (67.5) 47	56.1 (72.0) 47	50.6 (63.6) 21	---	49.9 (64.0) 34	52.4 (67.1) 28	52.1 (65.7) 39	53.8 (68.8) 54	50.2 (64.8) 30	41.6 (55.4) 5	35.5 (49.8) 1	53.7 (67.8) 48	43.2 (53.6) 8	53.6 (69.2) 33	52.2 (65.9) 38	38.2 (51.9) 2	47.1 (62.5) 9	---	53.9 (68.9) 43	50.4 (65.9) 14	47.8 (62.2) 15	50.3 (64.3) 33	53.5 (69.0) 42	34.8 (48.2) 2	---	37.5 (47.1) 0	---	50.8 (65.6) 23
5	引地台中学校	35.4 (51.7) 1	50.2 (64.5) 21	49.0 (62.2) 8	43.0 (55.9) 7	59.3 (74.2) 14	42.6 (55.9) 8	---	30.5 (47.1) 2	52.5 (66.5) 17	49.9 (64.4) 16	60.7 (79.4) 19	50.4 (63.9) 19	38.3 (52.4) 2	40.5 (55.4) 4	52.0 (64.0) 1	52.5 (66.2) 3	46.1 (59.8) 13	51.3 (65.5) 19	53.8 (69.9) 19	47.7 (63.3) 6	---	---	42.2 (57.8) 13	39.5 (54.2) 7	40.9 (54.4) 1	42.7 (55.8) 4	45.1 (61.7) 8	40.9 (54.6) 2	---	42.3 (56.7) 0	37.1 (47.7) 2	50.7 (67.0) 8
6	座間防衛事務所	38.8 (51.9) 3	48.1 (62.6) 20	53.5 (68.0) 48	53.3 (68.4) 74	51.1 (66.0) 24	48.9 (63.8) 25	52.2 (64.4) 17	38.5 (54.4) 8	53.2 (66.9) 13	52.0 (65.6) 25	59.8 (72.4) 34	52.2 (67.6) 42	45.6 (59.8) 15	46.9 (61.0) 16	33.5 (46.3) 1	55.5 (68.3) 29	50.1 (64.1) 22	52.3 (67.7) 32	52.6 (65.7) 22	45.6 (58.5) 10	48.7 (62.3) 16	39.3 (51.7) 3	51.8 (66.2) 53	45.5 (60.1) 11	45.2 (59.4) 5	47.5 (62.1) 13	46.1 (60.3) 12	34.8 (51.7) 3	44.8 (57.6) 4	33.1 (44.7) 1	46.4 (61.4) 5	50.9 (64.7) 20
7	上鶴間小学校	41.5 (55.5) 3	47.3 (59.8) 10	51.4 (64.3) 27	48.8 (63.0) 20	52.7 (66.0) 15	39.4 (53.6) 3	49.8 (60.7) 14	36.4 (47.6) 2	50.3 (64.6) 8	47.1 (59.6) 14	57.0 (68.8) 16	47.4 (60.8) 11	37.2 (51.1) 3	43.0 (56.8) 6	32.1 (44.1) 1	51.2 (67.9) 13	46.2 (59.9) 13	45.3 (58.1) 7	45.4 (57.7) 8	46.7 (59.8) 10	43.9 (56.5) 9	36.2 (48.8) 2	49.0 (63.4) 20	37.3 (50.2) 3	36.7 (49.8) 3	38.8 (52.5) 4	37.0 (49.4) 2	30.9 (44.6) 2	38.7 (49.7) 1	---	40.6 (54.1) 0	47.5 (60.8) 3
8	西鶴間小学校	42.7 (57.5) 3	51.2 (66.1) 17	54.7 (69.8) 25	54.3 (69.3) 77	57.8 (74.5) 57	56.2 (69.6) 49	60.0 (74.7) 18	40.0 (54.9) 1	61.7 (78.4) 14	53.7 (67.8) 32	67.7 (83.2) 41	51.5 (65.3) 44	50.2 (65.2) 27	46.6 (60.5) 13	38.5 (52.2) 1	62.7 (78.1) 48	53.3 (68.3) 20	53.9 (69.4) 39	60.8 (76.3) 32	51.3 (65.6) 17	52.7 (66.7) 17	44.1 (58.0) 3	52.3 (66.7) 42	50.2 (65.0) 16	47.2 (61.7) 9	49.3 (63.9) 22	51.5 (66.0) 26	37.8 (52.5) 1	50.7 (63.7) 2	41.0 (55.2) 1	45.4 (61.0) 5	56.9 (72.4) 23
9	相模野小学校	---	---	33.6 (48.4) 3	47.3 (62.1) 18	44.3 (61.3) 7	37.9 (54.6) 3	37.5 (46.2) 1	---	45.8 (58.3) 4	33.6 (43.5) 1	51.4 (64.0) 6	44.4 (59.8) 10	---	42.8 (56.6) 6	34.9 (47.3) 1	44.4 (56.0) 4	---	44.9 (62.0) 5	43.9 (59.4) 3	---	---	---	45.1 (59.7) 10	---	---	---	40.9 (57.1) 2	---	32.8 (44.4) 0	---	29.5 (44.4) 1	41.7 (56.0) 3
10	文ヶ岡小学校	33.8 (48.3) 2	56.7 (75.4) 13	43.4 (55.8) 9	43.4 (56.3) 7	53.7 (68.2) 44	50.0 (64.8) 29	49.7 (62.9) 11	---	53.9 (66.7) 0	49.1 (61.5) 22	61.2 (75.5) 30	52.4 (66.2) 40	41.5 (54.8) 9	36.9 (48.5) 2	32.7 (45.3) 1	56.4 (68.6) 18	49.7 (63.3) 27	45.7 (57.6) 16	53.2 (66.3) 21	42.2 (54.9) 7	46.4 (59.2) 15	35.6 (47.2) 2	46.2 (58.2) 16	42.1 (54.3) 8	43.4 (56.2) 6	43.2 (56.1) 11	49.7 (63.6) 31	32.6 (44.1) 1	32.0 (44.2) 1	36.7 (49.5) 3	50.9 (65.6) 14	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均		
11	中村自治会館	---	50.4 (---) 0	53.6 (64.2) 26	51.2 (66.1) 23	58.4 (63.3) 6	52.0 (70.6) 34	48.3 (66.1) 15	---	55.4 (57.8) 1	52.1 (---) 0	57.4 (69.9) 41	55.3 (65.7) 42	52.2 (71.3) 51	44.4 (68.7) 55	---	55.1 (65.9) 26	53.6 (60.6) 6	52.2 (---) 0	54.1 (67.3) 20	51.9 (67.0) 46	24.3 (65.8) 33	---	48.5 (67.6) 24	33.0 (68.0) 7	---	43.1 (43.7) 1	53.9 (---) 0	---	56.4 (61.2) 12	36.1 (43.5) 1	52.0 (---) 17			
12	大庭中学校	38.2 (53.7) 1	44.9 (57.7) 9	46.5 (59.2) 14	50.0 (62.6) 21	56.2 (70.4) 15	50.5 (64.0) 21	48.3 (61.9) 14	44.2 (56.7) 2	62.2 (78.1) 18	50.2 (63.2) 21	57.2 (71.8) 28	48.1 (61.0) 13	45.9 (60.2) 9	38.3 (52.5) 5	---	62.0 (75.6) 10	50.4 (64.5) 21	60.1 (78.7) 25	53.5 (67.0) 29	50.9 (63.6) 19	46.0 (59.2) 10	43.0 (56.7) 3	39.1 (53.4) 3	45.5 (59.6) 6	46.6 (60.4) 4	45.8 (57.3) 5	45.9 (59.3) 7	---	47.7 (63.4) 0	37.8 (51.9) 2	44.3 (57.5) 1	53.9 (68.7) 11		
13	立野台小学校	---	29.5 (43.1) 0	25.8 (36.7) 1	47.8 (61.8) 1	48.5 (64.3) 35	44.7 (62.4) 6	---	---	34.9 (46.1) 0	40.2 (53.6) 2	50.2 (65.9) 9	45.0 (60.3) 15	---	43.0 (56.2) 10	32.8 (45.3) 1	42.4 (55.3) 5	31.1 (43.6) 1	40.2 (55.5) 4	37.1 (46.6) 1	---	36.3 (51.4) 0	---	43.8 (57.5) 0	---	---	---	40.8 (54.5) 5	---	---	---	---	41.2 (56.4) 4		
14	JAさがみ綾西支店	---	40.3 (54.8) 0	51.4 (65.2) 14	44.8 (59.3) 8	49.0 (61.5) 18	53.4 (68.0) 32	40.9 (55.4) 3	---	46.8 (60.2) 34	47.5 (60.8) 28	56.3 (72.6) 25	48.9 (62.4) 27	45.0 (59.3) 12	38.7 (51.9) 6	---	50.9 (63.9) 32	42.2 (55.3) 4	48.9 (63.3) 20	46.6 (61.1) 16	35.3 (51.0) 3	40.8 (56.5) 2	---	46.7 (60.7) 8	45.4 (59.2) 9	38.9 (52.8) 3	43.9 (58.0) 7	47.0 (61.6) 14	36.9 (51.4) 3	---	33.6 (43.1) 0	---	47.1 (61.8) 11		
15	町田市健康福祉会館	37.9 (51.4) 2	45.4 (57.4) 9	50.7 (63.6) 13	50.3 (67.4) 15	49.6 (64.6) 12	---	39.5 (50.2) 0	---	40.9 (52.3) 1	---	48.6 (59.9) 6	44.7 (58.9) 6	37.7 (55.4) 1	34.6 (46.0) 1	---	43.9 (56.4) 0	---	37.0 (48.8) 2	34.3 (46.8) 2	45.1 (57.6) 7	---	---	48.8 (63.4) 0	---	---	---	---	30.0 (43.4) 0	---	---	36.5 (50.0) 0	43.1 (57.4) 3		
16	藤沢総合高校	---	38.3 (51.3) ---	43.5 (56.8) 2	49.6 (61.9) 13	62.5 (78.6) 46	46.9 (59.0) 21	36.7 (51.6) 21	32.3 (43.5) 4	49.3 (64.8) 14	49.5 (59.7) 20	53.8 (68.5) 26	49.1 (63.2) 24	38.1 (53.1) 4	41.4 (55.0) 5	34.3 (45.8) 1	46.6 (63.6) 12	45.5 (57.7) 16	52.2 (66.9) 30	50.6 (63.4) 32	47.9 (59.0) 14	38.8 (52.4) 4	35.4 (49.0) 2	42.2 (55.0) 6	39.8 (52.9) 7	37.7 (50.4) 3	41.5 (54.5) 7	45.9 (59.0) 21	---	---	---	50.0 (65.3) 12			
17	金井中学校	---	32.1 (44.6) 0	43.8 (55.0) 7	41.2 (55.1) 6	43.4 (55.1) 8	---	---	---	---	31.9 (43.3) 1	39.1 (50.0) 1	38.8 (52.1) 3	---	---	---	34.8 (45.1) 0	---	36.5 (47.5) 2	---	42.3 (56.4) 4	36.8 (47.6) 2	---	46.0 (59.8) 6	---	---	---	37.0 (50.0) 1	---	---	---	---	36.9 (49.7) 1		
18	鶴川中学校	32.6 (43.5) 1	43.2 (55.1) 5	43.4 (56.4) 7	36.1 (45.1) 1	39.6 (51.7) 4	---	32.5 (43.6) 0	---	31.1 (43.0) 1	---	37.6 (47.7) 0	41.3 (54.0) 5	---	32.2 (45.1) 1	42.8 (56.0) 4	---	31.7 (43.9) 1	---	---	---	---	32.9 (43.2) 0	---	42.6 (56.9) 3	---	---	---	---	---	---	---	---	36.9 (47.3) 0	36.2 (48.8) 1
19	大沼小学校	---	39.4 (52.3) 0	38.3 (51.4) 2	44.5 (56.5) 3	47.3 (60.5) 4	34.9 (47.7) 6	44.1 (53.0) 2	---	48.1 (61.5) 8	35.2 (49.2) 2	53.4 (65.7) 6	36.0 (49.9) 1	---	---	39.8 (53.2) 2	45.2 (58.2) 6	39.3 (52.4) 5	43.9 (56.2) 5	45.7 (59.0) 4	36.7 (49.9) 1	36.8 (49.8) 3	---	42.2 (54.0) 4	---	---	---	31.0 (43.2) 1	---	---	---	---	40.2 (54.8) 1	42.6 (55.3) 2	
20	国分コミュニティセンター	30.9 (49.2) 2	34.8 (47.3) 2	43.3 (55.7) 4	39.3 (54.3) 2	42.4 (55.9) 4	43.3 (57.8) 5	31.9 (49.7) 2	---	38.0 (55.5) 5	42.8 (52.1) 5	43.9 (58.6) 7	43.5 (59.1) 5	---	36.0 (54.1) 1	---	41.4 (52.7) 3	---	36.9 (50.4) 2	36.5 (51.2) 2	26.9 (44.5) 1	34.1 (48.1) 2	32.9 (44.6) 1	34.4 (51.2) 1	36.8 (51.9) 3	36.7 (48.5) 2	37.2 (50.1) 3	30.1 (47.0) 1	24.3 (44.1) 1	---	28.7 (47.0) 0	28.7 (46.4) 1	38.1 (52.4) 2		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和元年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均				
21	御所見中学校	53.7 (69.8) 5	48.9 (63.2) 2	56.2 (77.0) 19	56.9 (75.1) 17	52.4 (68.9) 7	58.5 (80.3) 18	38.2 (52.6) 1	46.8 (61.0) 1	52.2 (67.3) 8	53.1 (67.3) 11	49.4 (63.2) 14	51.8 (66.1) 16	51.4 (65.4) 7	50.1 (63.8) 2	56.9 (74.1) 7	52.3 (68.8) 10	54.6 (68.4) 6	51.0 (65.9) 19	54.2 (69.4) 12	49.5 (63.8) 2	54.6 (68.7) 5	51.4 (65.0) 3	53.8 (68.7) 8	52.0 (66.2) 9	54.2 (68.6) 5	51.4 (66.1) 6	50.8 (65.7) 19	51.9 (66.9) 3	53.0 (67.1) 3	54.7 (73.4) 4	52.7 (67.3) 3	53.3 (70.7) 8				
22	湘南台小学校	33.0 (45.7) 1	32.7 (47.7) 2	32.1 (45.5) 1	33.1 (51.4) 1	54.6 (65.2) 5	32.1 (43.4) 1	---	---	36.2 (51.0) 2	---	47.8 (61.9) 3	32.7 (46.3) 1	35.2 (45.6) 1	29.4 (44.5) 1	---	34.3 (49.9) 2	---	37.0 (55.2) 2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	40.8 (52.7) 1
23	小和田小学校	---	31.0 (43.1) 1	32.6 (44.0) 1	35.6 (49.5) 2	50.0 (64.5) 6	31.6 (46.1) 1	28.5 (44.0) 1	32.3 (43.3) 1	45.0 (57.9) 3	41.0 (52.2) 2	43.0 (58.4) 3	33.2 (46.3) 2	---	31.4 (43.1) 1	---	48.4 (60.1) 2	30.2 (43.7) 1	48.1 (64.2) 3	40.4 (52.7) 4	---	---	31.2 (44.2) 1	---	29.7 (43.3) 1	---	---	---	---	32.9 (46.7) 1	30.7 (46.0) 1	---	---	---	40.3 (54.4) 1		

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113