

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年1月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均	
1	飛行場北側	42.7 (58.8) 1.0	43.4 (59.1) 2.0	47.3 (63.7) 7.0	48.4 (65.3) 2.0	43.2 (58.9) 1.0	50.4 (67.4) 11.0	53.9 (69.0) 50.0	53.5 (71.7) 13.0	56.9 (73.2) 40.0	55.0 (71.4) 37.0	55.5 (74.2) 8.0	44.2 (60.3) 1.0	59.1 (77.2) 35.0	69.2 (91.2) 104.0	60.6 (77.1) 68.0	60.9 (79.0) 120.0	69.9 (87.1) 66.0	56.3 (73.3) 4.0	---	59.6 (78.9) 35.0	75.2 (94.4) 46.0	72.2 (89.7) 52.0	74.7 (93.8) 106.0	60.6 (77.3) 65.0	50.7 (67.2) 9.0	44.4 (59.4) 1.0	58.9 (75.3) 44.0	53.9 (68.7) 18.0	74.0 (94.1) 103.0	65.2 (84.7) 127.0	57.5 (72.1) 37.0	66.4 (85.6) 39.1	
2	飛行場南側	43.2 (61.9) 1.0	44.2 (63.6) 1.0	46.8 (59.0) 1.0	58.4 (75.4) 3.0	44.2 (66.4) 1.0	52.4 (71.2) 10.0	61.4 (76.3) 70.0	57.4 (72.8) 19.0	63.3 (81.2) 60.0	61.4 (80.5) 36.0	---	44.3 (63.6) 1.0	48.8 (67.5) 11.0	77.3 (98.1) 103.0	64.3 (82.1) 78.0	66.1 (83.1) 94.0	74.3 (93.9) 71.0	56.0 (74.1) 4.0	59.9 (79.8) 1.0	70.5 (88.3) 31.0	74.1 (96.4) 49.0	65.5 (84.8) 51.0	71.0 (91.6) 130.0	64.3 (83.4) 71.0	55.6 (73.6) 6.0	45.3 (63.6) 2.0	61.5 (79.6) 72.0	60.7 (79.3) 21.0	77.1 (95.8) 85.0	61.3 (78.0) 99.0	63.2 (80.6) 57.0	68.9 (88.3) 40.0	
3	綾南小学校	35.3 (49.7) 1.0	37.2 (50.3) 2.0	---	45.2 (58.1) 2.0	38.3 (51.6) 1.0	39.1 (53.2) 2.0	50.4 (61.6) 10.0	49.4 (63.7) 9.0	53.0 (66.5) 40.0	50.7 (65.3) 25.0	---	31.8 (46.6) 1.0	41.6 (56.2) 6.0	67.4 (82.5) 67.0	55.4 (69.6) 52.0	56.1 (68.9) 62.0	63.4 (80.0) 63.0	44.2 (55.8) 4.0	46.6 (59.9) 1.0	61.8 (75.1) 17.0	60.4 (77.3) 43.0	54.6 (67.2) 37.0	58.7 (73.6) 7.0	---	---	---	---	---	---	---	---	---	57.4 (72.7) 19.7
4	天台小学校	---	---	42.5 (53.6) 5.0	---	34.3 (46.7) 1.0	38.0 (53.7) 5.0	44.9 (55.4) 9.0	33.1 (44.6) 1.0	47.6 (62.2) 16.0	50.7 (66.4) 28.0	43.4 (58.2) 4.0	43.8 (57.0) 2.0	44.0 (57.6) 7.0	56.7 (71.4) 66.0	50.5 (65.6) 31.0	52.9 (66.9) 36.0	54.8 (69.6) 70.0	---	---	48.9 (63.1) 23.0	50.2 (64.2) 29.0	49.0 (62.9) 21.0	49.4 (62.7) 20.0	---	---	---	---	---	---	---	---	---	48.6 (63.0) 15.6
5	引地台中学校	---	25.9 (43.5) 0.0	---	52.5 (70.2) 2.0	36.5 (54.4) 1.0	45.6 (59.7) 5.0	50.7 (64.4) 15.0	51.4 (64.8) 8.0	43.1 (55.6) 4.0	42.5 (57.6) 0.0	---	---	43.4 (56.9) 3.0	61.7 (78.7) 27.0	49.6 (62.2) 18.0	49.1 (64.7) 15.0	58.1 (72.6) 14.0	31.6 (46.9) 2.0	---	53.1 (67.0) 6.0	58.8 (76.0) 13.0	57.4 (69.9) 22.0	62.3 (77.5) 9.0	45.4 (59.1) 0.0	---	---	41.6 (55.5) 8.0	37.2 (53.1) 3.0	60.9 (74.5) 26.0	50.0 (65.1) 19.0	45.5 (60.1) 12.0	53.8 (69.2) 8.5	
6	座間防衛事務所	34.1 (48.5) 2.0	33.9 (45.9) 1.0	42.4 (56.7) 4.0	41.5 (53.3) 3.0	32.2 (43.9) 1.0	41.0 (55.1) 6.0	44.8 (60.2) 11.0	43.9 (58.9) 4.0	50.7 (64.7) 29.0	45.7 (60.2) 17.0	47.2 (61.9) 12.0	32.4 (44.7) 1.0	48.7 (61.3) 17.0	58.9 (73.0) 65.0	52.4 (66.6) 29.0	52.7 (67.3) 53.0	56.5 (69.0) 31.0	50.4 (66.4) 11.0	43.0 (61.5) 1.0	49.0 (63.7) 24.0	61.8 (76.0) 17.0	62.1 (73.9) 21.0	65.5 (78.7) 26.0	49.8 (65.0) 37.0	41.0 (54.2) 3.0	35.5 (50.9) 3.0	51.2 (65.0) 25.0	48.8 (61.7) 14.0	62.8 (77.9) 66.0	53.5 (61.1) 8.0	55.7 (69.5) 7.0		
7	上鶴間小学校	31.2 (44.2) 1.0	---	33.0 (45.4) 1.0	38.9 (51.7) 2.0	39.2 (49.1) 1.0	37.4 (49.5) 2.0	33.7 (46.1) 1.0	35.7 (49.3) 3.0	43.8 (57.1) 11.0	34.4 (47.3) 2.0	42.1 (55.2) 5.0	---	50.4 (63.0) 13.0	51.8 (64.5) 21.0	48.1 (61.7) 14.0	49.0 (60.9) 16.0	51.1 (60.4) 5.0	43.5 (54.9) 2.0	---	45.0 (59.3) 6.0	58.0 (75.7) 8.0	57.9 (68.1) 8.0	60.4 (73.2) 14.0	41.3 (53.5) 4.0	39.5 (53.1) 2.0	---	53.3 (68.0) 21.0	42.2 (55.0) 3.0	55.7 (69.5) 27.0	50.1 (63.7) 23.0	36.2 (49.1) 2.0	50.8 (64.8) 7.0	
8	西鶴間小学校	39.8 (54.0) 1.0	39.0 (53.3) 1.0	41.4 (56.2) 3.0	46.0 (59.0) 3.0	40.1 (54.5) 1.0	46.8 (62.0) 8.0	45.7 (59.4) 7.0	44.0 (58.5) 4.0	51.8 (65.8) 27.0	50.3 (65.0) 25.0	47.2 (61.3) 8.0	40.8 (56.2) 1.0	52.0 (65.7) 20.0	59.8 (74.6) 70.0	56.3 (68.6) 30.0	66.4 (82.6) 43.0	53.2 (67.2) 40.0	---	---	49.9 (64.5) 22.0	70.4 (86.5) 33.0	67.1 (81.2) 30.0	67.0 (80.1) 26.0	54.6 (69.7) 51.0	46.5 (60.9) 4.0	40.5 (54.2) 1.0	52.1 (66.6) 31.0	48.8 (62.4) 16.0	65.6 (82.9) 63.0	53.4 (67.3) 66.0	53.4 (67.6) 15.0	60.2 (75.8) 21.1	
9	相模野小学校	---	---	---	---	---	---	33.8 (43.5) 1.0	32.2 (43.7) 1.0	34.7 (49.5) 2.0	31.4 (43.4) 1.0	35.6 (48.3) 1.0	---	40.3 (58.7) 1.0	44.7 (60.8) 12.0	40.4 (57.1) 4.0	42.1 (56.0) 6.0	48.7 (62.1) 6.0	---	---	36.6 (51.7) 2.0	54.0 (66.5) 4.0	48.0 (57.6) 3.0	58.9 (71.4) 6.0	38.5 (55.6) 2.0	---	---	51.1 (67.3) 12.0	---	54.1 (68.5) 0.0	47.9 (62.5) 35.0	45.8 (58.3) 2.0	47.5 (61.0) 3.8	
10	文ヶ岡小学校	---	---	46.1 (58.7) 7.0	48.1 (60.3) 4.0	33.5 (44.7) 1.0	40.2 (53.3) 3.0	47.9 (61.3) 19.0	43.5 (56.8) 5.0	43.0 (55.2) 12.0	43.8 (57.9) 8.0	38.2 (49.2) 3.0	32.1 (43.4) 1.0	46.9 (59.6) 16.0	58.6 (74.6) 36.0	49.5 (62.6) 26.0	48.3 (61.6) 21.0	61.5 (75.2) 24.0	46.1 (59.0) 4.0	31.0 (43.6) 1.0	48.3 (59.9) 7.0	62.8 (77.0) 16.0	59.1 (71.2) 15.0	61.1 (75.9) 37.0	47.3 (60.3) 20.0	40.3 (53.2) 6.0	34.1 (45.2) 1.0	49.9 (63.9) 23.0	46.6 (58.8) 16.0	58.4 (71.7) 28.0	50.3 (63.8) 35.0	48.9 (63.3) 16.0	54.0 (68.1) 13.3	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※綾南小学校・天台小学校については機器更新のため24日から欠測

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年1月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均				
11	中村自治会館	---	54.4 (67.3) 0.0	42.6 (54.2) 3.0	---	---	46.3 (60.0) 4.0	57.1 (70.0) 76.0	48.3 (62.1) 9.0	54.6 (68.7) 38.0	---	---	37.2 (50.3) 1.0	49.9 (60.4) 10.0	60.5 (74.4) 62.0	55.5 (69.1) 39.0	53.8 (66.2) 35.0	48.9 (62.5) 7.0	---	---	55.1 (67.2) 22.0	53.7 (67.2) 11.0	55.8 (67.7) 42.0	60.0 (73.6) 121.0	46.7 (61.0) 4.0	49.5 (62.9) 5.0	---	56.4 (70.3) 62.0	25.2 (43.5) 1.0	60.5 (75.2) 58.0	55.2 (67.6) 63.0	51.9 (65.8) 28.0	53.7 (67.2) 22.7				
12	大庭中学校	36.1 (51.3) 1.0	46.5 (60.5) 2.0	34.5 (45.7) 1.0	48.6 (62.4) 1.0	---	37.8 (52.0) 2.0	50.8 (62.3) 9.0	46.1 (58.3) 8.0	51.7 (63.8) 24.0	47.2 (60.5) 13.0	---	32.7 (43.8) 1.0	37.2 (50.0) 3.0	60.5 (75.1) 22.0	53.2 (66.6) 28.0	54.3 (67.3) 35.0	56.6 (70.2) 13.0	46.8 (60.2) 4.0	51.9 (66.4) 1.0	53.9 (68.3) 5.0	52.5 (67.8) 15.0	52.0 (64.0) 19.0	56.4 (70.5) 35.0	49.6 (63.6) 17.0	44.2 (57.5) 2.0	38.7 (52.6) 1.0	47.0 (60.4) 10.0	52.4 (65.5) 22.0	59.6 (73.3) 22.0	45.1 (58.6) 16.0	49.7 (62.8) 13.0	52.2 (66.1) 11.1				
13	立野台小学校	---	---	36.4 (47.0) 2.0	---	32.4 (44.4) 1.0	---	---	---	39.4 (52.8) 7.0	---	42.4 (56.3) 3.0	---	30.1 (45.8) 1.0	48.9 (63.1) 16.0	37.4 (52.8) 3.0	33.3 (47.0) 2.0	42.7 (57.9) 6.0	---	---	39.3 (53.3) 7.0	36.0 (50.7) 1.0	31.2 (44.5) 1.0	35.9 (48.4) 1.0	35.0 (48.4) 3.0	---	---	43.2 (57.2) 9.0	35.3 (43.7) 1.0	60.5 (73.8) 33.0	46.3 (59.9) 30.0	43.1 (54.5) 1.0	46.4 (59.8) 4.1				
14	JAさがみ綾西支店	---	33.5 (46.5) 0.0	38.3 (49.3) 2.0	40.3 (53.0) 4.0	33.9 (45.9) 1.0	38.7 (52.7) 5.0	37.5 (49.0) 3.0	---	46.6 (59.3) 12.0	45.3 (60.2) 11.0	39.7 (54.6) 2.0	31.6 (44.7) 1.0	47.9 (59.2) 3.0	56.0 (70.3) 35.0	44.2 (58.4) 15.0	46.0 (58.7) 13.0	54.0 (70.4) 29.0	---	---	38.0 (52.6) 5.0	58.1 (73.7) 11.0	43.7 (58.3) 7.0	58.0 (73.2) 14.0	48.8 (63.6) 25.0	---	---	46.0 (59.8) 16.0	35.8 (46.6) 2.0	52.9 (66.2) 23.0	38.7 (51.5) 5.0	41.7 (56.8) 6.0	49.1 (64.1) 8.1				
15	町田市健康福祉会館	---	---	33.6 (47.9) 0.0	---	---	---	---	38.2 (48.2) 0.0	---	49.5 (68.9) 2.0	34.9 (45.9) 1.0	---	49.6 (61.7) 11.0	50.2 (63.1) 18.0	---	47.8 (60.0) 13.0	44.3 (53.7) 2.0	---	---	43.5 (57.4) 3.0	---	39.0 (49.8) 1.0	54.9 (63.8) 4.0	---	---	---	---	34.8 (45.2) 0.0	50.2 (64.7) 1.0	46.1 (59.5) 14.0	35.3 (46.8) 12.0	44.5 (58.0) 2.7				
16	藤沢総合高校	---	---	---	37.4 (51.9) 3.0	---	---	48.7 (58.6) 7.0	46.0 (56.5) 9.0	48.1 (59.8) 15.0	40.0 (54.3) 8.0	---	---	35.5 (51.2) 3.0	64.2 (77.9) 25.0	51.4 (63.5) 32.0	53.0 (63.6) 32.0	39.9 (52.8) 14.0	43.4 (61.1) 3.0	59.6 (72.6) 8.0	51.6 (67.5) 18.0	52.7 (63.9) 16.0	54.6 (68.8) 36.0	46.9 (60.4) 31.0	---	---	46.8 (58.6) 25.0	44.2 (57.8) 15.0	64.1 (76.7) 28.0	48.1 (61.6) 25.0	35.4 (47.1) 2.0	53.9 (67.1) 11.5					
17	金井中学校	---	---	---	---	---	---	37.9 (48.3) 2.0	---	45.0 (57.1) 4.0	36.3 (48.3) 1.0	33.6 (45.9) 1.0	---	42.1 (54.4) 5.0	47.0 (59.6) 13.0	---	41.2 (54.4) 5.0	35.5 (47.4) 1.0	---	---	32.8 (48.3) 1.0	---	39.2 (48.8) 4.0	48.0 (57.8) 0.0	---	---	---	---	40.1 (54.2) 2.0	31.6 (45.1) 1.0	46.0 (58.4) 10.0	43.7 (56.1) 8.0	---	39.5 (51.5) 1.9			
18	鶴川中学校	35.1 (43.8) 1.0	---	---	---	29.0 (43.7) 1.0	---	38.9 (50.7) 2.0	37.0 (45.3) 1.0	---	---	---	---	---	38.6 (49.7) 2.0	---	35.4 (45.1) 1.0	33.5 (45.6) 1.0	---	---	36.7 (48.8) 2.0	---	---	---	49.5 (57.6) 2.0	---	---	---	---	34.2 (45.0) 1.0	---	---	---	33.2 (45.2) 1.0	39.1 (51.3) 2.0	32.2 (45.3) 1.0	36.5 (46.0) 0.6
19	大沼小学校	---	---	---	32.8 (43.5) 1.0	---	---	31.1 (47.1) 1.0	42.4 (58.5) 3.0	45.3 (58.6) 6.0	39.8 (52.1) 3.0	36.3 (52.4) 2.0	30.5 (43.1) 1.0	42.1 (53.3) 2.0	52.8 (67.9) 6.0	41.0 (53.7) 5.0	34.4 (45.1) 1.0	53.7 (66.6) 4.0	42.1 (53.4) 2.0	---	37.1 (47.1) 2.0	55.7 (67.6) 3.0	53.2 (65.3) 8.0	51.2 (64.1) 8.0	36.8 (47.9) 2.0	30.6 (44.5) 1.0	32.5 (43.8) 1.0	40.1 (53.1) 3.0	37.0 (49.0) 2.0	51.2 (66.5) 10.0	36.8 (50.0) 2.0	33.0 (46.7) 1.0	46.6 (59.9) 2.6				
20	国分コミュニティセンター	---	27.1 (45.4) 0.0	37.8 (56.7) 4.0	36.8 (49.7) 3.0	35.7 (50.8) 4.0	39.1 (56.2) 10.0	---	---	40.6 (54.5) 9.0	35.0 (48.3) 3.0	41.5 (53.7) 2.0	25.9 (43.2) 1.0	40.1 (55.2) 6.0	42.6 (57.5) 6.0	40.5 (56.6) 5.0	37.4 (53.2) 6.0	36.3 (53.4) 1.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	36.9 (52.2) 2.9	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※国分コミュニティセンターは機器更新のため欠測

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113

# 厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年1月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均
21	御所見中学校	52.0 (66.3) 3.0	53.0 (67.1) 3.0	46.5 (61.2) 1.0	53.2 (66.5) 4.0	50.7 (65.6) 3.0	52.2 (66.7) 4.0	40.4 (51.6) 2.0	51.1 (65.0) 3.0	50.2 (64.1) 7.0	48.1 (62.9) 3.0	34.4 (47.1) 1.0	50.0 (63.5) 1.0	34.0 (43.9) 1.0	53.1 (66.4) 19.0	53.5 (67.9) 17.0	52.6 (66.9) 12.0	54.9 (67.5) 16.0	53.4 (68.0) 3.0	52.1 (66.2) 3.0	47.7 (61.9) 5.0	54.5 (70.3) 11.0	51.3 (66.1) 8.0	54.9 (70.0) 17.0	62.8 (78.0) 17.0	50.8 (65.1) 2.0	47.2 (62.6) 1.0	51.5 (66.9) 12.0	50.1 (65.3) 1.0	52.4 (66.3) 23.0	50.4 (65.2) 18.0	52.1 (68.0) 6.0	53.0 (67.7) 7.3
22	湘南台小学校	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	26.6 (44.8) 1.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	56.1 (67.3) 8.0	32.9 (47.8) 2.0	33.7 (44.0) 1.0	42.9 (56.3) 2.0	--- (---) 0.0	--- (---) 0.0	49.9 (63.0) 1.0	43.9 (56.0) 2.0	45.5 (59.1) 1.0	43.8 (58.2) 2.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	55.7 (67.8) 7.0	32.7 (43.3) 1.0	--- (---) 0.0	45.0 (57.1) 0.9
23	小和田小学校	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	28.0 (43.3) 1.0	--- (---) 0.0	--- (---) 0.0	35.8 (48.9) 2.0	34.0 (44.4) 1.0	34.2 (45.5) 1.0	--- (---) 0.0	32.0 (44.4) 1.0	--- (---) 0.0	--- (---) 0.0	52.1 (64.0) 7.0	32.1 (43.7) 1.0	45.5 (57.5) 3.0	46.8 (63.0) 4.0	--- (---) 0.0	--- (---) 0.0	44.9 (55.5) 1.0	42.6 (55.5) 4.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	--- (---) 0.0	41.5 (54.4) 0.9	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

※小和田小学校は機器更新のため欠測

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113